CLEANING SOLUTIONS

GENERAL CATALOGUE 2023

FLOORCARE

IPC
BY TENNANT COMPANY

IPC GROUP SUMMARY

#3 EUROPEAN MANUFACTURER OF PROFESSIONAL CLEANING EQUIPMENT

IPC knows every detail of cleaning equipment, with five rehown and dedicated factories, it is the undisputed Italian leader.

INNOVATIONS

INNOVATION THAT DELIVERS PRODUCTIVITY

IPC's large R&D team works as a group of experts in cleaning innovation to deliver tangible productivity benefits at a fast pace.

KEY VALUES

CLIENT-CENTRIC

IPC's tremendous depth of expertise and know-how are focused on delivering to customers specific solutions, addressing effectively emerging cleaning needs together.

KEY VALUES

COMMITTED TO SUSTAINABILITY

IPC's sustainable technologies contribute every year to always higher standards of energy savings, water savings, and recycling of materials.

NETWORK

GLOBAL DISTRIBUTION

IPC has a global commercial network covering over 120 countries, with wide and complete service in reference markets.

PRODUCTS

COMPLETE PORTFOLIO

IPC provides a complete range of professional equipment including scrubber Dryers, professional vacuum cleaners, high pressure washers and manual equipment.

IPC
BY TENNANT COMPANY

MORE THAN 1.000 SPECIALISTS DEDICATED TO "CLEAN ON"



PORTOTECNICA

50.000 pieces of hp cleaners a year and a 4.500 sq/m of warehouses.

Number of patents: 12

Certificates:
UNI EN ISO 9001:2015
UNI EN ISO 14001:2015
UNI ISO 45001:2018
UNI EN ISO 14067:2018

GANSOW

40.000 pieces of floorcare machines a year and a 7.000 sq/m of warehouses.

Number of patents: 45

Certificates:
UNI EN ISO 9001:2015
UNI ISO 45001:2018
UNI EN ISO 14067:2018

SOTECO

200.000 pieces of vacuums a year and a 1.800 sq/m of warehouses.

Number of patents: 9

Certificates:
UNI EN ISO 9001:2015
UNI EN ISO 14001:2015
UNI ISO 45001:2018
UNI EN ISO 14067:2018

EUROMOP READYSYSTEM PULEX

7 million pieces of cleaning equipments a year and 11.000 sq/m of warehouses.

Number of patents: 23

Certificates:
UNI EN ISO 9001:2015
UNI EN ISO 14067:2018

IPC IS ALWAYS WITH YOU ON PC, TABLET & SMARTPHONE

IPC
BY TENNANT COMPANY

DOWNLOAD OUR
IPC CATALOGUES APP

DISCOVER OUR OFFICIAL WEBSITE
IPCWORLDWIDE.COM

VISIT OUR OFFICIAL WEBSITE IPCWORLDWIDE.COM

Easy access to product leaflets, pics and videos from any device.

DOWNLOAD OUR IPC CATALOGUES APP

Once downloaded, catalogues are always available, even offline.

REGISTER TO IPC BUSINESS AREA

You will have access to all IPC technical and commercial docs.

SIGN UP ON WEBSITE TO RECEIVE OUR NEWSLETTER

Keep updated on our latest news including new IPC products and events.

FOLLOW US

IPC BLOG

KEEP IN TOUCH WITH US

info@ipcworldwide.com

FLOORCARE

OVERVIEW 8

SCRUBBER DRYERS 17

PREMIUM LINE SCRUBBERS 79

SWEEPERS 91

SINGLE DISC AND BURNISHER 134

PACKAGING 141

PRODUCTIVE PHILOSOPHY BASED ON PRODUCT PLATFORMS

IPC boasts a productive organisation where products design is based on highly standardised productive platforms thanks to a great number of common components.
This ensures an extremely high quality in products manufacturing and allows IPC service network to offer an efficient technical assistance to the market.

RATIONAL PRODUCT RANGE

SCRUBBER DRYERS

CT5 5 lt — **CT105** 100 lt

WALK BEHIND

CT80 80 lt — **CT110** 110 lt — **CT230** 225 lt

RIDE ON

SWEEPERS

464 460 mm — **510 M** 490 mm — **712** 700 mm

WALK BEHIND

1050 650 mm — **1280** 700 mm — **195** 1200 mm

RIDE ON

HIGH QUALITY MANUFACTURE

EFFICIENT COMPONENTS CONTROL - HIGH QUALITY ASSEMBLY AND PRODUCTIVE STANDARDS

EFFICIENT SERVICE

SHARED MACHINE PLATFORMS - EFFECTIVE AND USER FRIENDLY SERVICE MANUALS - TECHNICAL INFORMATION AVAILABLE ON-LINE

EFFICIENT & FAST SPARE PARTS DISPATCH SERVICE

COMPONENTS OPTIMIZATION - FAST SPARE PARTS DELIVERY - HIGHER EFFICIENCY IN WAREHOUSE MANAGEMENT

FLEXIBLE AND MARKET- RESPONSIVE PRODUCTION

Over many years of experience, IPC has developed, not only a solid and reliable organisation, but also an extremely flexible and market-responsive production system.
Constant internal research&development processes ensure specific solutions to satisfy different market needs. A rapid and efficient assistance and industrialised answers create an important added value to our products, which are hardly reproducible on the market.

CUSTOMIZED SOLUTIONS

ECO-FRIENDLY SOLUTIONS - SPECIFIC APPLICATIONS NEEDS - AESTHETIC CUSTOMIZATION REQUESTS

RAPID ASSISTANCE

QUICK AND EFFECTIVE TECHNICAL STUDIES - EFFICIENT PROTOTYPES AND COMPONENT TESTS - ACCURATE TECHNICAL DOCUMENTATION

PRODUCTION FLEXIBILITY

FAST PRODUCTION - CUSTOMIZED TESTS - VERY HIGH PRODUCTIVE STANDARDS

INDUSTRIALISED ANSWERS

HIGH QUALITY PRACTICAL ANSWERS - PROFESSIONAL TECHNICAL DOCUMENTATION - SPARE PARTS AS STANDARD PRODUCTS

IPC
BY TENNANT COMPANY

SCRUBBER DRYERS - WALK BEHIND

CT5 P. 38

CT15 LI-ION P. 40

CT15 P. 42

CT30 P. 44

CT45 P. 46

CT46 P. 48

CT40 P. 50

CT55 P. 52

CT70 P. 54

CT51 P. 56

CT71 P. 62

CT90 P. 68

CT105 P. 70

IPC
BY TENNANT COMPANY

SCRUBBER DRYERS - RIDE ON

CT80 P. 72

CT81 P. 74

CT110 P. 76

CT160 P. 78

CT230 P. 80

IPC
BY TENNANT COMPANY

SCRUBBER DRYERS - ROLLER AND SWEEP

CT15 R P. 42

CT40 R P. 50

CT55 R P. 52

CT70 R P. 54

CT51 R P. 56

CT71 R P. 62

CT110 R P. 76

CT160 R P. 78

CT160 R SWEEP P. 78

CT230 R SWEEP P. 80

IPC
BY TENNANT COMPANY

SCRUBBER DRYERS - 600 RPM

CT51 600 RPM P. 56

CT71 600 RPM P. 62

SCRUBBER DRYERS - ORBITAL

CT51 ORBITAL P. 56

CT71 ORBITAL P. 62

SCRUBBER DRYERS - PREMIUM LINE SCRUBBERS

71 BF 72 ES+ P. 84

41 BF 57 RR P. 86

41 BF 68 RR P. 86

ESD MODELS P. 88

IPC
BY TENNANT COMPANY

SWEEPERS - WALK BEHIND

510 M P. 100

550 M P. 102

750 P. 104

464 P. 106

664 P. 108

505 P. 110

705 P. 112

512 P. 114

712 P. 116

IPC
BY TENNANT COMPANY

SWEEPERS - RIDE ON

1050 P. 118

1250 P. 120

1280 P. 122

1404 P. 124

IPC
BY TENNANT COMPANY

INDUSTRIAL SWEEPERS - RIDE ON

155 P. 126

165 P. 128

175 P. 130

195 P. 132

IPC
BY TENNANT COMPANY

SINGLE DISC - BURNISHER

SD 13 P. 135

SD 17 P. 136

SD 17 HD P. 136

SD 17-400 P. 136

SD 20 P. 138

SD 1500 HS P. 139

SCRUBBER DRYERS

COMPANY CERTIFICATIONS	18
INNOVATIONS	20
SUGGESTED SECTORS	36

WALK BEHIND

CT5	38
CT15 LI-ION	40
CT15	42
CT30	44
CT45	46
CT46	48
CT40	50
CT55	52
CT70	54
CT51	56
CT71	62
CT90	68
CT105	70

RIDE ON

CT80	72
CT81	74
CT110	76
CT160	78
CT230	80

IPC Scrubber Dryers nomenclature allows an easy and fast identification of the main technical features of each model. Following an example on CT110 BT60 R scrubber dryer:

CT	-	110	BT	60	R
CLEAN TIME		SOLUTION TANK	POWER: C = CABLE 230V B = BATTERY WITH MECHANICAL TRACTION BT = BATTERY WITH ELECTRIC TRACTION LI-ION = LITHIUM-ION BATTERY	SCRUBBING WIDTH mm	VERSION: R = ROLLER XP = EXTRA PRESSURE 600 RPM = HIGH SPEED ORBITAL = ORBITAL BRUSH HEAD

SUSTAINABILITY CERTIFICATIONS

CARBON FOOTPRINT

CLEANING THE SURFACES, CARING THE ENVIRONMENT.

The internationally recognized Carbon Footprint certification quantifies the **environmental impact** of a product's greenhouse gas emissions over its entire life cycle, helping to track the structures' energy efficiency as well. Knowing a machine's life cycle impact allows to perform activities that keep or reduce its environmental footprint, ensuring a **sustainable and effective business** for the future.
The certification complies with the requirements of the standard UNI EN ISO 14067: 2018.

CONTACT OUR SALES TEAMS FOR MORE INFORMATION ON THE CERTIFIED MODELS.

GREEN CLEANING EFFICIENCY

THE FIRST CLEANING EFFICIENCY LABEL FOR SCRUBBER DRYERS.

The Green Cleaning Efficiency label identifies the scrubber dryer machines that have **high cleaning efficiency** whilst using the least amount of energy and water. It's based on Technical Specification TS 35000 and international standard IEC/EN 62885-9. Certifying the machine cleaning efficiency, savings of time, water and energy are guaranteed, and, therefore, it's assured a **reduction in the operating costs** of the machine itself.

CONTACT OUR SALES TEAMS FOR MORE INFORMATION ON THE CERTIFIED MODELS.

EUnited Cleaning – European Engineering Industries Association
Green Cleaning
CLEANING EFFICIENCY
Certified
FOR A CLEAN ENVIRONMENT

ANTIBACTERIAL PLASTIC

THE REVOLUTION AGAINST BACTERIA.

Antibacterial is a plastic resin resistant to bacterial growth in the scrubber's solution and recovery tanks. It inhibits the bacteria growth, drastically reducing the bacterial load and limiting the spread of microorganisms in the environment. This product has been tested according to ISO 22196 for "Quantitative analysis of determination of the bacteriostatic activity". The material achieved a >99.99% reduction tested on Pseudomonas aeruginosa bacteria (ATCC 15442).

>99.99%
bacteria reduction

BENEFITS

01 Effective against bacteria: it reduces mold and bacteria growth that may develop over time. It decreases bad smells in the machine's tank.
02 Healthcare, Industry, Food processing, Education: it complies with sanitary standards expected in these applications.
03 Cross contamination: it reduces the risk of cross contamination..

LI-ION
LITHIUM
BATTERY

LI-ION BATTERY TECHNOLOGY

Lithium-ion or li-ion battery is an advanced battery technology, which uses lithium ions to store energy. It's a type of rechargeable battery with high energy density and voltage capacity, and a lower percentage of self-discharge compared to other rechargeable batteries.

BENEFITS

01 Fast recharge: Li-Ion batteries allow a faster recharge than the traditional ones.
02 Life cycle: they have an average life cycle four times greater than standard batteries.
03 Running time: they deliver a longer running time than the others.
04 No maintenance costs: considering their long life, there's no need to replace them as frequently.
05 Less weight: Li-Ion batteries are lighter and easier-to-transport than traditional batteries.

RDS
REVERSE
DRY SYSTEM

PATENTED

EASY DRYING EVERYWHERE



BENEFITS

01 Dry mode in reverse with RDS system.
02 Handle can be adjusted during cleaning operation.
03 Extremely easy and intuitive system.

APC™
ADVANCED
PRODUCTIVITY CONTROL

DOUBLE PRODUCTIVITY WITH THE SAME AMOUNT OF WATER.

APC allows to double the productivity of the machine, in order to obtain a constant cleaning quality and to give the user full control of the working cycle: this by displaying the remaining liters, minutes and the available square meters to be cleaned.

APC™
WITHOUT APC™



BENEFITS

01 Double cleaning autonomy with a single water filling.
02 Less water and chemical consumption.
03 Capabilty to plan the cleaning path.
04 Full monitoring of tank water litrage.

ANC™
ADVANCED
NOISE CONTROL

SILENT.

ANC™ reduces the noise level.

ANC™
WITHOUT ANC™

BENEFITS

01 Amongst the lowest noise levels in the marketplace.
02 Extremely low noise where silence is necessary.
03 Does not disturb in crowded areas.

INTERCHANGEABLE BRUSH HEAD

TRANSFORM IT ACCORDING TO YOUR NEEDS

7 INTERCHANGEABLE BRUSH HEADS

BENEFITS

01 Same machine can use different brush heads
02 Increase efficiency on service and cut machine down time
03 Stock management (one machine with 7 brush heads instead 7 different machines)*

* XP versions

600 RPM
INTERCHANGEABLE
BRUSH HEAD

MORE AND DIFFERENT CLEANING SOLUTION.

600 RPM brush head, perfect for cleaning with microfiber and diamond pads.

available on CT51 and CT71

BENEFITS

01 Multifunctionality - it ensures better cleaning solutions .
02 Microfibre pad - You can save up to 80% of water and cleanser.
03 Diamond pad - Ideal for deep cleaning and polishing of marble floors and ceramic tiles.

ORBITAL
BRUSH HEAD

MULTIFUNCTION FLOOR CARE TECHNOLOGY

The orbital technology is indicated for daily and extraordinary floor cleaning operations.
The orbital movement of the brush head, thanks to the high number of micro-rotations, allows an optimal cleaning results of each surface and the removal of finishes (dewaxing) for subsequent treatment without the use of chemicals.



WHITE PAD
Suitable for polishing and removing scratches

RED PAD
For the daily cleaning operations

BLUE PAD
Suitable for deep cleaning and the removal of the wax layer on the floor

BROWN PAD
For the preparation of wooden and vinyl floors

BENEFITS

01 Removing the floor finish without using chemicals when the surfaces need to be prepared for the new recoating
02 Thanks to the square shape and the orbital movement of the brush head, using orbital technology is easy to clean along the edges and in the corner
03 The orbital technology allows a correct maintenance of the most floor types including wood, marble, VCT and tiles
04 Saving time and money

TELEMATICS
GPS

LOCATES YOUR MACHINES, ANYWHERE, ANYTIME.

You can keep track by your smartphone tablet and pc: machine's position, user ID identification, battery cycles, motor consumption, effective machine use. (Optional).

TELEMATIC is available for all IPC Scrubber Dryers range on mobile network compliant to the European market and Wi-Fi connections.

TELEMATIC BASIC
version is retrofittable on IPC Scrubber Dryers range.
TELEMATICFULL
version is retrofittable on all IPC Scrubber Dryers apart the CT15 – CT30 – CT45 - CT46 models.

MANAGE YOUR FLEET REMOTELY

Complete range of dashboards to control all the machine parameters

	TELEMATIC BASIC	TELEMATIC FULL
	Main features	
Usage by Machine	•	•
Machine location	•	•
Service reporter	•	•
Battery life	•	•
Critical alerts	•	•
Identified key	•	•
Brush motor usage	-	•
Vacuum motor usage	-	•
Traction motor usage	-	•
Remote shut-down	-	•

BENEFITS

01 EFFICIENCY - Controls all the main parameters of the machine: brush, vacuum e traction motor performances.
02 JOB QUALITY - Control hour of start, remote check, status performance and error code remotely.
03 ENERGY SAVING - Monitoring the Kw/h, battery life.
04 OPTIMIZED COSTS - through a full control of the working hours and the machine functionality for a complete effciency.
05 POWER SUPPLY - from 12 to 36 Volt

SLS™
SELF LEVELING SYSTEM

CONSTANT HIGH CLEANING PERFORMANCES.

SLS ™ - mechanical or electronic system allows great cleaning performance by fully adapting brushes with floor unevenness. Electronic or mechanical system in according by a models.

MECHANICAL SYSTEM Brush pressure by weight

ELECTRONIC SYSTEM Set and constant brush pressure

BENEFITS

01 Excellent and constant floor cleaning results.
02 Optimises brush consumptions.
03 Electronic system even more effective and efficient.

ECO SELECT

LESS ENERGY - MORE PRODUCTIVITY - LESS NOISE

Eco Select allows to decrase energy consumption and increase running time of up to 20% iin daily cleaning operation. Noise levels is lower than 2 dB allowing cleaning operations even in areas where silence is required. Programmed maintenance time gaps are longer with consequent cost reduction.

ECOSELECT
WITHOUT ECOSELECT

-20%

ENERGY

-20%

WATER

3,5 h - WITHOUT ECOSELECT

4 h - ECOSELECT

RUNNING TIME

56 dB - WITHOUT ECOSELECT

54 dB - ECOSELECT

NOISE LEVEL

BENEFITS

01 Increase running time up to 20%
02 Saving water and chemical consumption
03 Less noise where is required

MEMORY CARD

YOUR SERVICE FULLY UNDER CONTROL

Full control of your machine with service assistance management.
Memory card allows to download on PC, tablet and mobile the machine working parameters.
A dedicated software will easily identify the most important datas, as: battery chargers cycles, brush motor consuption, working hours and alerts.

BENEFITS

01 Supervise battery life
02 Keep machine under control
03 Plan service program

DBL™
DOUBLE
BATTERY LIFE

OPTIMIZE BATTERY CYCLES

DBL™ optimizes charging cycles and increases battery life up to 100%.
Standard on IPC high frequency battery charger.

DBL TECHNOLOGY BENEFITS



BENEFITS

01 Extended battery life up to 100%
02 Optimize the charging cycles
03 Recharging optimizes only when required

SERVICE MENU

INNOVATIVE PREVENTION FEATURE

The system allows the constant management of scheduled maintenance.

BENEFITS

01 A message alerts the operator to call the service when required.
02 Critical issues prevention.
03 Reduced maintenance costs.

BACTERIA
CONTROL

biosan *rapide* WT

RECOVERY TANK SANIFICATION

Biosan is a new product in the cleaning industry. It has been developed to sanitize the scrubber drier's recovery tank: a fertile enviroment for bacteria growth, origin of odours and source of harmful pathogens spread by vacuum motor air flow.
More than 99.999% of bacteria are eradicated overnight and a pleasant fragrance covers residual odours.

Pseudomonas aeruginosa

Escherichia coli

BENEFITS

01 Overnight action that eradicates 99.999% bacteria, odours source and harmful pathogens
02 Patented vapour technology, sanification of all surfaces, no direct contact needed
03 Ingredients are natural and eco- friendly

genesis BIOSCIENCES

Integrated Professional Cleaning

RETAIL

CLEANING INDOOR FLOORING

- FRESH ZONES FOR VEGETABLES, FISH AND MEAT STORAGE: CENTRALIZED BATHROOMS
- CAFETERIAS, STAFF ROOMS AND KITCHENS
- PREWASHING AND DAILY CLEANING OPERATIONS

CLEANING LARGE AREAS

- MULTY-STOREY PARKING CAR PARKS
- HALLWAYS AND CORRIDORS
- WAREHOUSE CLEANING

DISTRIBUTION

- CLEANING BETWEEN PALLETS AISLES, SHELVES AND IN RESTRICTED AREAS
- PREWASHING OPERATIONS AND MAINTENANCE CLEANING
- LOADING & UNLOADING BAYS CLEANING

HORECA

RESTAURANTS

- MAINTENANCE CLEANING
- KITCHEN AND DINING ROOMS
- HALLWAYS AND COMMON AREAS

HOTELS

- HALLWAYS AND COMMON AREAS
- CONVENTION CENTERS CLEANING
- STORAGE ROOMS CLEANING

CLEANING EXTERNAL AREAS

- HALLWAYS AND COMMON AREAS
- PARKING AND STORAGE AREAS CLEANING
- SILOS AND MULTY-STOREY CAR PARKS

CLEANING CONTRACTORS

SHOPS

- MAINTENANCE CLEANING
- INDOOR AREAS
- TOILETS

SERVICES

- RESIDENTIAL AREAS
- CANTEENS
- PUBLIC SERVICES

INDUSTRY

- OFFICES CLEANING
- DEEP CLEANING
- PRODUCTION AREAS & WAREHOUSES

MUNICIPALITIES

PUBLIC INSTITUTIONS

- MAINTENANCE CLEANING
- HALLWAYS AND COMMON AREAS CLEANING
- CORRIDORS AND ELEVATORS CLEANING

SCHOOLS & UNIVERSITIES

- DAILY CLEANING
- ENTRANCE, HALLWAYS AND COMMON AREAS CLEANING
- CLASSROOMS CLEANING

HOSPITALITY

- HALLWAYS AND COMMON AREAS CLEANING
- DAILY CLEANING
- HIGH-RISK AND INTENSIVE CARE AREAS CLEANING

IPC
BY TENNANT COMPANY

SCRUBBER DRYERS - WALK BEHIND

CT5

MAX PRODUCTIVITY

900 m^2/h

BATTERIES RUNNING TIME

standard 50 min.
optional 75 min.

WATER TANK RUNNING TIME

25'
working session

ECO SELECT

LI-ION
BATTERY

RDS
REVERSE DRY SYSTEM

BATTERY AND BATTERY CHARGER INCLUDED

MOST FREQUENTLY USE

RETAIL

HO.RE.CA.

CLEANING CONTRACTORS

INNOVATIONS

- RDS REVERSE DRY SYSTEM
- ANC™ ADVANCED NOISE CONTROL
- SLS™ SELF LEVELING SYSTEM
- ECO SELECT
- LI-ION LITHIUM BATTERY
- BACTERIA CONTROL

SPECS

THE RDS ALLOWS TO WASH AND DRY EASILY EVEN IN POINTS WHERE OTHER MACHINES DO NOT REACH

RECHARGEABLE LITHIUM-ION BATTERY BOTH ON BOARD THE MACHINE AND EXTERNALLY

CT5 CAN BE STORED, TRANSPORTED AND PARKED IN EVERY SPACE IN JUST FEW SECOND

TECHNICAL DATA

		CT5 B28
Code **EUROPE**		LPTB01655
Code **UK**		LPTB01710
Code **USA**		LPTB01706
Code **JAPAN**		LPTB01707
Code **CHINA**		LPTB01708
Code **BRASIL**		LPTB01709
Code **KOREA**		LPTB01711
PERFORMANCE		
Max theoretical productivity	m²/h	900
Cleaning path	mm	280
Water tank capacity (solution recovery)	l	5 - 5
Max running time	min	50/75
Voltage	V	36
Installed power	W	220
Brush pressure	kg	10
Squeegee width	mm	300
Max speed	km/h	3
Weight	kg	19,8 with standard battery
Dimension (LxWxH)	mm	758 x 376 x 392

STANDARD ACCESSORIES

	CT5 B28
BRUSH	
PPL MEDIUM	SPPV02438
SQUEEGEE BLADES	
LATEX STRAIGHT SQUEEGEE FRONT BLADE	MPVR12307
LATEX STRAIGHT SQUEEGEE REAR BLADE	MPVR12308
LATEX PARABOLIC SQUEEGEE FRONT BLADE	MPVR12309
LATEX PARABOLIC SQUEEGEE REAR BLADE	MPVR12310

CONSUMABLES (Codes available on price list)

BRUSHES

PADS/SUPER PADS

SQUEEGEE BLADES

OPTIONAL ACCESSORIES

CODE: PRCH00578

BIOSAN RAPIDE WT (30PCS/30DAYS)

BATTERIES	N°	CHARACTERISTICS	DIMENSION	RUNNING TIME	BATTERY CHARGERS
LI-ION Standard battery (Shipment by sea or truck) KTRI06041*	1	36V 5,5 Ah	190x104x141	50 min.	Battery charger BACA00263
LI-ION Standard battery (Shipment by air) KTRI06043*	1	36V 5,5 Ah	190x104x141	50 min.	Battery charger BACA00263
LI-ION Optional battery (Shipment by sea or truck) KTRI06042*	1	36V 8,2 Ah	190x104x141	75 min.	Battery charger BACA00263
LI-ION Optional battery (Shipment by air) KTRI06044*	1	36V 8,2 Ah	190x104x141	75 min.	Battery charger BACA00263

* RECOMMENDED TO CONTACT OUR BACK OFFICE FOR SHIPMENT INFORMATION

RECOMMENDED BATTERIES AND BATTERY CHARGER

IPC
BY TENNANT COMPANY

SCRUBBER DRYERS - WALK BEHIND

CT15 LI-ION

NEW

MAX PRODUCTIVITY
1225 m^2/h

BATTERIES RUNNING TIME
1,5 h.

WATER TANK RUNNING TIME
40'
working session

BATTERIES AND BATTERY CHARGER INCLUDED

CERTIFICATIONS

GREEN CLEANING EFFICIENCY

ISO 14067 CARBON FOOTPRINT CERTIFIED

MOST FREQUENTLY USE

RETAIL

HORECA

CLEANING CONTRACTORS

MUNICIPALITIES

INNOVATIONS

- ECO SELECT
- TELEMATICS GPS
- DBL™ DOUBLE BATTERY LIFE
- SLS™ SELF LEVELING SYSTEM
- BACTERIA CONTROL
- LI-ION LITHIUM BATTERY

SPECS

FOLDABLE HANDLE

PRESET WORKING PROGRAMS

TELEMATIC GPS

TECHNICAL DATA

		CT15 B35 LI-ION BATTERY AND ON BOARD CHARGER INCLUDED	CT15 B35 LI-ION BATTERY AND EXTERNAL CHARGER INCLUDED	CT15 B35 LI-ION BATTERY AND CHARGER NOT INCLUDED
Code		LPTB03419	LPTB03441	LPTB03442
PERFORMANCE				
Max theoretical productivity	m²/h	1225	1225	1225
Cleaning path	mm	350	350	350
Water tank capacity (solution recovery)	l	16/19	16/19	16/19
Max running time	min	90	90	90
Voltage	V-Ah	25,6(1x25,6)-25 Lithium	25,6(1x25,6)-25 Lithium	25,6(1x25,6)-25 Lithium
Installed power	W	500	500	500
Brush pressure	kg	25	25	25
Squeegee width	mm	450	450	450
Max speed	km/h	3,5	3,5	3,5
Weight	kg	44	43	35
Dimension (LxWxH)	mm	960x550x1220	960x550x1220	960x550x1220
			Available From March 2023	Available From March 2023

STANDARD ACCESSORIES

	CT15 B35 LI-ION	CT15 B35 LI-ION	CT15 B35 LI-ION
BRUSHES			
PPL SOFT	SPPV02656	SPPV02656	SPPV02656
PAD HOLDER	SPPV02664	SPPV02664	SPPV02664
SQUEEGEE BLADES			
LATEX FRONT BLADE	MPVR05917 536mm	MPVR05917 536mm	MPVR05917 536mm
LATEX REAR BLADE	MPVR05918 596mm	MPVR05918 596mm	MPVR05918 596mm

CONSUMABLES (Codes available on price list)

BRUSHES

PADS/SUPER PADS

SQUEEGEE BLADES

OPTIONAL ACCESSORIES

CODE: MPVR05950
SPLASH GUARD

CODE: KTRI02257
EXTERNAL SUCTION KIT

CODE: PRCH00578
BIOSAN RAPIDE WT (30PCS/30DAYS)

CODE:KTRI06218
KIT TELEMATIC BASIC

BATTERIES AND BATTERY CHARGERS

BATTERIES	N°	CHARACTERISTICS	DIMENSION	RUNNING TIME	BATTERY CHARGERS
Lithium Battery BAAC00212	1	24V 25 Ah (C5)	198x166x170	100 min - in Eco mode	On board battery charger 24V 5 Ah BACA00296 Stand Alone Battery Charger 24V 11 Ah BACA00299

RECOMMENDED BATTERIES AND BATTERY CHARGER

IPC
BY TENNANT COMPANY

SCRUBBER DRYERS - WALK BEHIND

CT15

NEW

MAX PRODUCTIVITY
1225 m^2/h

BATTERIES RUNNING TIME
1 h.

WATER TANK RUNNING TIME
40'
working session

TELEMATICS GPS (opt)
GEOLOCATION OF
ALL YOUR MACHINES

BATTERIES AND BATTERY CHARGER INCLUDED

ROLLER VERSION

CERTIFICATIONS

GREEN CLEANING EFFICIENCY

ISO 14067 CARBON FOOTPRINT CERTIFIED

MOST FREQUENTLY USE

RETAIL

HORECA

CLEANING CONTRACTORS

MUNICIPALITIES

INNOVATIONS

- ECO SELECT
- TELEMATICS GPS
- DBL™ DOUBLE BATTERY LIFE
- CARPET KIT
- SLS™ SELF LEVELING SYSTEM
- BACTERIA CONTROL
- ANTIBACTERIAL PLASTIC

SPECS

FOLDABLE HANDLE

CARPET KIT

PRESET WORKING PROGRAMS

TECHNICAL DATA

		CT15 B35	CT15 B35 ANTIBACTERIAL	CT15 C35	CT15 B35R	CT15 C35R
Code		LPTB01229	LPTB03420	LPTE00517	LPTB02862	LPTE00630
PERFORMANCE						
Max theoretical productivity	m²/h	1225	1225	1225	1225	1225
Cleaning path	mm	350	350	350	360	360
Water tank capacity (solution recovery)	l	16/19	16/19	16/19	16/19	16/19
Max running time	min	60	60	Unlimited	60	Unlimited
Voltage	V-Ah	24(2x12)-29 AGM	24(2x12)-29 AGM	230-50/60	24(2x12)-29 GEL	230-50/60
Installed power	W	500	500	625	575	540
Brush pressure	kg	25	25	25	31	24,5
Squeegee width	mm	450	450	450	430	430
Max speed	km/h	3,5	3,5	3,5	3,5	3,5
Weight	kg	59	59	37,5	60	52
Dimension (LxWxH)	mm	950x450x1200	960x550x1220	960x550x1220	753x440x1220	753x440x1220

STANDARD ACCESSORIES

	CT15 B35	CT15 B35 ANTIBACTERIAL	CT15 C35	CT15 B35R	CT15 C35R
BRUSHES					
PPL SOFT	SPPV02656	SPPV02656	SPPV02656	-	-
CYLINDRICAL BRUSH - PPL SOFT Ø 0,3 mm	-	-	-	SPPV01552	SPPV01552
PAD HOLDER	SPPV02664	SPPV02664	SPPV02664	-	-
SQUEEGEE BLADES					
LATEX FRONT BLADE	MPVR05917 536mm	MPVR05917 536mm	MPVR05917 536mm	-	-
LATEX REAR BLADE	MPVR05918 596mm	MPVR05918 596mm	MPVR05918 596mm	-	-
OIL RESISTANT PU FRONT BLADES	-	-	-	MPVR31594 536mm	MPVR31594 536mm
OIL RESISTANT PU REAR BLADES	-	-	-	MPVR10734 596mm	MPVR10734 596mm

CONSUMABLES (Codes available on price list)

BRUSHES

CYLINDRICAL BRUSHES

PADS/SUPER PADS

SQUEEGEE BLADES

OPTIONAL ACCESSORIES

CODE: MPVR05950
SPLASH GUARD (DISC VERSION)

CODE: KTRI02257
EXTERNAL SUCTION KIT

CODE: KTRI04731
KIT CARPET CT15R B (ROLLER VERSION)

CODE: KTRI04761
KIT CARPET CT15R C 230VAC (ROLLER VERSION)

CODE: KTRI04762
KIT CARPET CT15R C 115VAC (ROLLER VERSION)

CODE: PRCH00578
BIOSAN RAPIDE WT (30PCS/30DAYS)

CODE:KTRI06218
KIT TELEMATIC BASIC

BATTERIES AND BATTERY CHARGERS

BATTERIES	N°	CHARACTERISTICS	DIMENSION	RUNNING TIME	BATTERY CHARGERS
IPC AGM battery BAAC00114	2	12V 29 Ah (C5)	196x130x168	70 min	On board battery charger 24V 5 Ah KTRI02305
EXIDE gel battery BAAC00123	2	12V 25 Ah (C5)	197x182x180	80 min	On board battery charger 24V 5 Ah KTRI02305

RECOMMENDED BATTERIES AND BATTERY CHARGER

IPC
BY TENNANT COMPANY

SCRUBBER DRYERS - WALK BEHIND

CT30

NEW

MAX PRODUCTIVITY
1575 m^2/h

BATTERIES RUNNING TIME
2,5 h
1,5 h eco version

WATER TANK RUNNING TIME
45'
working session

TELEMATICS GPS (opt)
GEOLOCATION OF ALL YOUR MACHINES

BATTERIES AND BATTERY CHARGER INCLUDED

CERTIFICATIONS

GREEN CLEANING EFFICIENCY

ISO 14067 CARBON FOOTPRINT CERTIFIED

MOST FREQUENTLY USE

RETAIL

HORECA

CLEANING CONTRACTORS

MUNICIPALITIES

INNOVATIONS

- ECO SELECT
- TELEMATICS GPS
- DBL™ DOUBLE BATTERY LIFE
- SLS™ SELF LEVELING SYSTEM
- BACTERIA CONTROL
- ANTIBACTERIAL PLASTIC

SPECS

FOLDABLE HANDLE

PRESET WORKING PROGRAMS

THREE STAGE VACUUM MOTOR

TECHNICAL DATA

		CT30 B45	CT30 C45	CT30 B45 ECO	CT30 B45 ANTIBACTERIAL
Code		LPTB02435	LPTE00531	LPTB01523	LPTB03421
PERFORMANCE					
Max theoretical productivity	m²/h	1575	1575	1575	1575
Cleaning path	mm	460	450	460	460
Water tank capacity (solution recovery)	l	28/30	28/30	28/30	28/30
Max running time	min	150	Unlimited	150	150
Voltage	V-Ah	24(2x12)-74 AGM	230-50/60	24(2x12)-50 AGM	24(2x12)-74 AGM
Installed power	W	900	700	900	900
Brush pressure	kg	17/21	17/21	17/21	17/21
Squeegee width	mm	550	550	550	550
Max speed	km/h	3,5	3,5	3,5	3,5
Weight	kg	98	53	98	98
Dimension (LxWxH)	mm	850x550x1220	850x550x1220	850x550x1220	960x550x1220

STANDARD ACCESSORIES

	CT30 B45	CT30 C45	CT30 B45 ECO	CT30 B45 ANTIBACTERIAL
BRUSHES				
PPL MEDIUM	SPPV02665	SPPV02665	SPPV02665	SPPV02665
SQUEEGEE BLADES				
LATEX FRONT BLADE	MPVR05953 - 660mm	MPVR05953 - 660mm	MPVR05953 - 660mm	MPVR05953 - 660mm
LATEX REAR BLADE	MPVR05954 - 715mm	MPVR05954 - 715mm	MPVR05954 - 715mm	MPVR05954 - 715mm

CONSUMABLES (Codes available on price list)

BRUSHES

PADS/SUPER PADS

SQUEEGEE BLADES

OPTIONAL ACCESSORIES

CODE: MPVR05966
SPLASH GUARD

CODE: KTRI02257
EXTERNAL SUCTION KIT

CODE: KTRI02084
REAR HD SQUEEGEE KIT

CODE: PRCH00578
BIOSAN RAPIDE WT (30PCS/30DAYS)

CODE:KTRI06219
KIT TELEMATIC BASIC

BATTERIES AND BATTERY CHARGERS

BATTERIES	N°	CHARACTERISTICS	DIMENSION	RUNNING TIME	BATTERY CHARGERS
IPC AGM battery BAAC00117	2	12V 74 Ah (C5)	257x172x212	150 min	On board battery charger 24V 10Ah KTRI02245
EXIDE gel battery BAAC00124	2	12V 63 Ah (C5)	261x171x210	130 min	On board battery charger 24V 10Ah KTRI02245
AGM battery (only Eco) BAAC00134	2	12V 50 Ah (C5)	229x138x212	90 min	On board battery charger 24V 5 Ah KTRI02244

RECOMMENDED BATTERIES AND BATTERY CHARGER

IPC
BY TENNANT COMPANY

SCRUBBER DRYERS - WALK BEHIND

CT45

MAX PRODUCTIVITY
1750 m^2/h

BATTERIES RUNNING TIME
2,5 h

WATER TANK RUNNING TIME
50'
working session

TELEMATICS GPS (opt)
GEOLOCATION OF ALL YOUR MACHINES

BATTERIES AND BATTERY CHARGER INCLUDED

CERTIFICATIONS

GREEN CLEANING EFFICIENCY

MOST FREQUENTLY USE

RETAIL

HORECA

CLEANING CONTRACTORS

MUNICIPALITIES

INNOVATIONS

- ECO SELECT
- DBL™ DOUBLE BATTERY LIFE
- SLS™ SELF LEVELING SYSTEM
- BACTERIA CONTROL
- TELEMATICS GPS

SPECS

FOLDABLE HANDLE

PRESET WORKING PROGRAMS

THREE STAGE VACUUM MOTOR

TECHNICAL DATA

		CT45 B50	CT45 BT50	CT45 C50
Code		LPTB01520	LPTB02695	LPTE01103
PERFORMANCE				
Max theoretical productivity	m2/h	1750	1750	1750
Cleaning path	mm	500	500	500
Water tank capacity (solution recovery)	l	40/45	40/45	40/45
Max running time	min	140	140	Unlimited
Voltage	V-Ah	24(2x12)-74 AGM	24(2x12)-74 AGM	230-50/60
Installed power	W	950	1030	850
Brush pressure	kg	16/25	16/25	16/25
Squeegee width	mm	730	730	730
Max speed	km/h	3,5	3,5	3,5
Weight	kg	110	110	65
Dimension (LxWxH)	mm	986x806x1238	986x806x1238	986x806x1238

STANDARD ACCESSORIES

	CT45 B50	CT45 BT50	CT45 C50
BRUSHES			
PPL MEDIUM	SPPV01332	SPPV01332	SPPV01332
SQUEEGEE BLADES			
LATEX FRONT BLADE	MPVR06287 - 815mm	MPVR06287 - 815mm	MPVR06287 - 815mm
LATEX REAR BLADE	MPVR06288 - 715mm	MPVR06288 - 715mm	MPVR06288 - 715mm

CONSUMABLES (Codes available on price list)

BRUSHES

PADS/SUPER PADS

SQUEEGEE BLADES

OPTIONAL ACCESSORIES

CODE: MPVR05966
SPLASH GUARD

CODE: KTRI02140
CHEM DOSE

CODE: KTRI02257
EXTERNAL SUCTION KIT

CODE: PRCH00578
BIOSAN RAPIDE WT (30PCS/30DAYS)

CODE:KTRI06219
KIT TELEMATIC BASIC

BATTERIES AND BATTERY CHARGERS

BATTERIES	N°	CHARACTERISTICS	DIMENSION	RUNNING TIME	BATTERY CHARGERS
IPC AGM battery BAAC00117	2	12V 74 Ah (C5)	257x172x212	150 min	On board battery charger 24V 10Ah KTRI02245
EXIDE gel battery BAAC00124	2	12V 63 Ah (C5)	261x171x210	130 min	On board battery charger 24V 10Ah KTRI02245

RECOMMENDED BATTERIES AND BATTERY CHARGER

IPC
BY TENNANT COMPANY

SCRUBBER DRYERS - WALK BEHIND

CT46

NEW

MAX PRODUCTIVITY
2250 m^2/h

BATTERIES RUNNING TIME
3 h

WATER TANK RUNNING TIME
50'
working session

BATTERIES AND BATTERY CHARGER NOT INCLUDED

CERTIFICATIONS

GREEN CLEANING EFFICIENCY

MOST FREQUENTLY USE

RETAIL

HORECA

CLEANING CONTRACTORS

MUNICIPALITIES

INNOVATIONS

- ECO SELECT
- DBL™ DOUBLE BATTERY LIFE
- SLS™ SELF LEVELING SYSTEM
- BACTERIA CONTROL
- TELEMATICS GPS

SPECS

FOLDABLE HANDLE

LARGE BATTERY BOX

PATENTED TRANSPORT WHEEL

TECHNICAL DATA

		CT46 B50	CT46 BT50	CT46 C50
Code		LPTB01802	LPTB03297	LPTE00642
PERFORMANCE				
Max theoretical productivity	m²/h	1750	2250	1750
Cleaning path	mm	500	500	500
Water tank capacity (solution recovery)	l	40/46	40/46	40/46
Max running time	min	180	180	Unlimited
Voltage	V-Ah	24(2x12)-105 AGM	24(2x12)-105 AGM	230-50/60
Installed power	W	910	1020	950
Brush pressure	kg	16/25	16/25	16/25
Squeegee width	mm	730	730	730
Max speed	km/h	3,5	4.5	3,5
Weight (Without Batteries)	kg	59	66	64
Dimension (LxWxH)	mm	1065x576x1280	1065x576x1280	1065x576x1280

STANDARD ACCESSORIES

	CT46 B50	CT46 BT50	CT46 C50
BRUSHES			
PPL MEDIUM	SPPV01332	SPPV01332	SPPV01332
SQUEEGEE BLADES			
LATEX FRONT BLADE	MPVR06287 - 815mm	MPVR06287 - 815mm	MPVR06287 - 815mm
LATEX REAR BLADE	MPVR06288 - 715mm	MPVR06288 - 715mm	MPVR06288 - 715mm

CONSUMABLES (Codes available on price list)

BRUSHES

PADS/SUPER PADS

SQUEEGEE BLADES

OPTIONAL ACCESSORIES

CODE: MPVR06072
SPLASH GUARD

CODE: KTRI04804
CHEM DOSE

CODE: KTRI02257
EXTERNAL SUCTION KIT

CODE: PRCH00578
BIOSAN RAPIDE WT (30PCS/30DAYS)

CODE:KTRI06220
KIT TELEMATIC BASIC

BATTERIES AND BATTERY CHARGERS

BATTERIES	N°	CHARACTERISTICS	DIMENSION	RUNNING TIME	BATTERY CHARGERS
IPC gel battery BAAC00105	2	12V 105 Ah (C5)	345x170x285	180 min	Stand alone high frequency BLS010 - BACA00133 On board battery charger 24V 15 Ah - KTRI0480
EXIDE gel battery BAAC00024	2	12V 105 Ah (C5)	345x174x283	180 min	Stand alone high frequency BLS010 - BACA00133 On board battery charger 24V 15 Ah - KTRI0480
EXIDE gel battery BAAC00132	2	12V 76 Ah (C5)	330x171x236	140 min	Stand alone high frequency BLS010 - BACA00133 On board battery charger 24V 15 Ah - KTRI0480
Acid tubolar plate BAAC00136	2	12V 85 Ah (C5)	308x175x225	150 min	Stand alone high frequency BLS010 - BACA00133 Stand alone low frequency 24V 12 Ah - BACA00060 On board battery charger 24V 15 Ah - KTRI0480
EXIDE gel battery BAAC00124	2	12V 63 Ah (C5)	261x171x210	120 min	Stand alone high frequency BLS010 - BACA00133 On board battery charger 24V 15 Ah - KTRI0480
Acid tubolar plate BAAC00070	2	12V 118 Ah (C5)	345x170x285	190 min	Stand alone high frequency BLS010 - BACA00133 Stand alone low frequency 24V 12 Ah - BACA00060 On board battery charger 24V 15 Ah - KTRI0480

RECOMMENDED BATTERIES AND BATTERY CHARGER

IPC
BY TENNANT COMPANY

SCRUBBER DRYERS - WALK BEHIND

CT40

NEW

MAX PRODUCTIVITY

2475

m^2/h

BATTERIES RUNNING TIME

2,5 h

WATER TANK RUNNING TIME

45'
working session

TELEMATICS GPS (opt)
GEOLOCATION OF
ALL YOUR MACHINES

BATTERIES AND BATTERY CHARGER NOT INCLUDED

CERTIFICATIONS

GREEN CLEANING EFFICIENCY

ISO 14067 CARBON FOOTPRINT CERTIFIED

ROLLER VERSION

MOST FREQUENTLY USE

RETAIL

HORECA

CLEANING CONTRACTORS

MUNICIPALITIES

INNOVATIONS

- DBL™ DOUBLE BATTERY LIFE
- TELEMATICS GPS
- SLS™ SELF LEVELING SYSTEM
- BACTERIA CONTROL
- ANTIBACTERIAL PLASTIC

SPECS

INTUITIVE CONTROL PANEL

SEPARATE DETERGENT DOSING SYSTEM. (OPTIONAL)

ANTI-FOAM SYSTEM WITH SPECIAL ELECTROMECHANICAL SUCTION MOTOR PROTECTION

TECHNICAL DATA

		CT40 B50	CT40 B50 ANTIBACTERIAL (NEW)	CT40 BT50	CT40 C50	CT40 BT55R
Code		LPTB01406	LPTB03424	LPTB01408	LPTE00546	LPTB01411
PERFORMANCE						
Max theoretical productivity	m²/h	1750	1750	2250	1750	2475
Cleaning path	mm	500	500	500	500	550
Water tank capacity (solution recovery)	l	40/50	40/50	40/50	40/50	40/50
Max running time	min	150	150	140	Unlimitess	140
Voltage	V-Ah	24(2x12)-105 GEL	24(2x12)-105 GEL	24(2x12)-105 GEL	230-50	24(2x12)-105 GEL
Installed power	W	1030	1030	1250	1100	2380
Brush pressure	kg	18	18	18	23	13,6/18,6
Squeegee width	mm	815	815	815	815	815
Max speed	km/h	3,5	3,5	4,5	3,5	4,5
Weight	kg	67	67	73	83	100,5
Dimension (LxWxH)	mm	1230x516x960	1230x516x960	1230x516x960	1230x516x960	1190x640x960

STANDARD EQUIPMENT

	CT40 C50	CT40 B50 ANTIBACTERIAL	CT40 B50	CT40 BT50	CT40 BT55R
BRUSHES					
PPL SOFT	SPPV01498	SPPV01498	SPPV01498	SPPV01498	-
CYLINDRICAL BRUSH - PPL SOFT Ø 0,3 mm	-	-	-	-	SPPV01163
PAD HOLDER ECS	-	-	-	-	-
MICROFIBRE DISC MAINTENANCE DESY	-	-	-	-	-
SQUEEGEE BLADES					
LATEX FRONT BLADE	MPVR08039 - 880mm	MPVR08039 - 880mm	MPVR08039 - 880mm	MPVR08039 - 880mm	MPVR08039 - 880mm
LATEX REAR BLADE	MPVR08035 - 900mm	MPVR08035 - 900mm	MPVR08035 - 900mm	MPVR08035 - 900mm	MPVR08035 - 900mm

CONSUMABLES (Codes available on price list)

BRUSHES

CYLINDRICAL BRUSHES

PADS/SUPER PADS

SQUEEGEE BLADES

OPTIONAL ACCESSORIES

CODE: MECB42513
MAIN CABLE M/F SOCKET - 20 m [3X2,5 mm² 230V - 50HZ]

CODE: KTRI01763
CHEM DOSE KIT

CODE: KTRI01870
SOLUTION TANK DRAIN AND LEVEL HOSE KIT

CODE: MPVR05611
SPLASH GUARD

CODE: KTRI01573
DISCHARGE HOSE

CODE: KTRI02257
EXTERNAL SUCTION KIT

CODE: PRCH00578
BIOSAN RAPIDE WT (30PCS/30DAYS)

KIT TELEMATIC

CODE:KTRI06169	KIT TELEMATIC BASIC FOR B VERSIONS (NO TRACTION)
CODE:KTRI06167	KIT TELEMATIC BASIC FOR BT VERSIONS (WITH TRACTION)
CODE:KTRI06168	KIT TELEMATIC FULL FOR B VERSIONS (NO TRACTION)
CODE:KTRI06166	KIT TELEMATIC FULL FOR BT VERSIONS (WITH TRACTION)

BATTERIES AND BATTERY CHARGERS

BATTERIES	N°	CHARACTERISTICS	DIMENSION	RUNNING TIME	BATTERY CHARGERS
IPC gel battery BAAC00105	2	12V 105 Ah (C5)	345x170x285	150 min	On board battery charger 24V 10 Ah - KTRI01703 Stand alone high frequency BLS010 - BACA00133
EXIDE gel battery BAAC00024	2	12V 105 Ah (C5)	345x174x283	150 min	On board battery charger 24V 10 Ah - KTRI01703 Stand alone high frequency BLS010 - BACA00133
Acid tubolar plate BAAC00136	2	12V 85 Ah (C5)	308x175x225	160 min	On board battery charger 24V 10 Ah - KTRI01703 Stand alone high frequency BLS010 - BACA00133 Stand alone low frequency 24V 12 Ah - BACA00060
Dry charge flate plate BAAC00009	2	12V 105 Ah (C5)	261x171x210	160 min	On board battery charger 24V 10 Ah - KTRI01703 Stand alone high frequency BLS010 - BACA00133 Stand alone low frequency 24V 12 Ah - BACA00060
Acid tubolar plate BAAC00070	2	12V 118 Ah (C5)	345x170x285	160 min	On board battery charger 24V 10 Ah - KTRI01703 Stand alone high frequency BLS010 - BACA00133 Stand alone low frequency 24V 12 Ah - BACA00060

RECOMMENDED BATTERIES AND BATTERY CHARGER

IPC
BY TENNANT COMPANY

SCRUBBER DRYERS - WALK BEHIND

CT55

MAX PRODUCTIVITY
2700 m^2/h

BATTERIES RUNNING TIME
2,5 h

WATER TANK RUNNING TIME
60'
working session

TELEMATICS GPS (opt)
GEOLOCATION OF ALL YOUR MACHINES

BATTERIES AND BATTERY CHARGER NOT INCLUDED

DOUBLE BRUSH VERSION

ROLLER VERSION

MOST FREQUENTLY USE

RETAIL
HORECA
CLEANING CONTRACTORS
MUNICIPALITIES

INNOVATIONS

- DBL™ DOUBLE BATTERY LIFE
- SLS™ SELF LEVELING SYSTEM
- BACTERIA CONTROL
- TELEMATICS GPS

SPECS

INTUITIVE CONTROL PANEL

SEPARATE DETERGENT DOSING SYSTEM. (OPTIONAL)

ANTI-FOAM SYSTEM WITH SPECIAL ELECTROMECHANICAL SUCTION MOTOR PROTECTION

TECHNICAL DATA

		CT55 B55	CT55 BT55	CT55 C55	CT55 BT60	CT55 BT55 R
Code		LPTB01516	LPTB01517	LPTE01102	LPTB01518	LPTB01519
PERFORMANCE						
Max theoretical productivity	m²/h	1.925	2.475	1.925	2.700	2.475
Cleaning path	mm	550	550	550	600	550
Water tank capacity (solution recovery)	l	55/60	55/60	55/60	55/60	55/60
Max running time	min	150	140	Unlimites	140	140
Voltage	V-Ah	24(2x12)-105 GEL	24(2x12)-105 GEL	230-50	24(2x12)-105 GEL	24(2x12)-105 GEL
Installed power	W	1.030	1.230	1.100	1.440	2.380
Brush pressure	kg	18	18	25	30	13,6/18,6
Squeegee width	mm	815	815	815	815	815
Max speed	km/h	4	5	5	5	5
Weight (Without Batteries)	kg	68	84	91	90	96
Dimension (LxWxH)	mm	1190x685x1018	1190x685x1018	1190x640x1018	1190x685x1018	1190x640x1018

STANDARD EQUIPMENT

	CT55 B55	CT55 BT55	CT55 C55	CT55 BT60	CT55 BT55 R
BRUSHES					
PPL SOFT	SPPV01505	SPPV01505	SPPV01505	2xSPPV01473	-
CYLINDRICAL BRUSH - PPL SOFT Ø 0,3 mm	-	-	-	-	SPPV01163
SQUEEGEE BLADES					
LATEX FRONT BLADE	MPVR08039 - 880mm	MPVR08039 - 880mm	MPVR08039 - 880mm	MPVR08039 - 880mm	MPVR08039 - 880mm
LATEX REAR BLADE	MPVR08035 - 900mm	MPVR08035 - 900mm	MPVR08035 - 900mm	MPVR08035 - 900mm	MPVR08035 - 900mm

CONSUMABLES (Codes available on price list)

BRUSHES

CYLINDRICAL BRUSHES

PADS/SUPER PADS

SQUEEGEE BLADES

OPTIONAL ACCESSORIES

CODE: MECB42513
MAIN CABLE M/F SOCKET - 20 m [3X2,5mm 2 230V - 50HZ]

CODE: KTRI02141
CHEM DOSE KIT

CODE: MPVR05611
SPLASH GUARD

CODE: KTRI01573
DISCHARGE HOSE

CODE: KTRI01870
SOLUTION TANK DRAIN AND LEVEL HOSE KIT

CODE: KTRI02257
EXTERNAL SUCTION KIT

CODE: PRCH00578
BIOSAN RAPIDE WT (30PCS/30DAYS)

KIT TELEMATIC

CODE:KTRI06169 **KIT TELEMATIC BASIC FOR B VERSIONS (NO TRACTION)**

CODE:KTRI06167 **KIT TELEMATIC BASIC FOR BT VERSIONS (WITH TRACTION)**

CODE:KTRI06168 **KIT TELEMATIC FULL FOR B VERSIONS (NO TRACTION)**

CODE:KTRI06166 **KIT TELEMATIC FULL FOR BT VERSIONS (WITH TRACTION)**

BATTERIES AND BATTERY CHARGERS

BATTERIES	N°	CHARACTERISTICS	DIMENSION	RUNNING TIME	BATTERY CHARGERS
IPC gel battery BAAC00105	2	12V 105 Ah (C5)	345x170x285	150 min	On board battery charger 24V 10 Ah- KTRI01703 Stand alone high frequency BLS010 - BACA00133
EXIDE gel battery BAAC00024	2	12V 105 Ah (C5)	345x174x283	150 min	On board battery charger 24V 10 Ah- KTRI01703 Stand alone high frequency BLS010 - BACA00133
Acid tubolar plate BAAC00136	2	12V 85 Ah (C5)	308x175x225	160 min	On board battery charger 24V 10 Ah- KTRI01703 Stand alone high frequency BLS010 - BACA00133 Stand alone low frequency 24V 12 Ah BACA00060
Dry charge flate plate BAAC00009	2	12V 105 Ah (C5)	261x171x210	160 min	On board battery charger 24V 10 Ah- KTRI01703 Stand alone high frequency BLS010 - BACA00133 Stand alone low frequency 24V 12 Ah BACA00060
Acid tubolar plate BAAC00070	2	12V 118 Ah (C5)	345x170x285	160 min	On board battery charger 24V 10 Ah- KTRI01703 Stand alone high frequency BLS010 - BACA00133 Stand alone low frequency 24V 12 Ah BACA00060

RECOMMENDED BATTERIES AND BATTERY CHARGER

IPC
BY TENNANT COMPANY

SCRUBBER DRYERS - WALK BEHIND

CT70

MAX PRODUCTIVITY
3150 m^2/h

BATTERIES RUNNING TIME
2,5 h

WATER TANK RUNNING TIME
60'
working session

TELEMATICS GPS (opt)
GEOLOCATION OF ALL YOUR MACHINES

BATTERIES AND BATTERY CHARGER NOT INCLUDED

ONE BRUSH VERSION

ROLLER VERSION

CERTIFICATIONS

- GREEN CLEANING EFFICIENCY
- ISO 14067 CARBON FOOTPRINT CERTIFIED

MOST FREQUENTLY USE

- RETAIL
- HORECA
- CLEANING CONTRACTORS
- MUNICIPALITIES

INNOVATIONS

- DBL™ DOUBLE BATTERY LIFE
- TELEMATICS GPS
- SLS™ SELF LEVELING SYSTEM
- BACTERIA CONTROL

SPECS

INTUITIVE CONTROL PANEL

SEPARATE DETERGENT DOSING SYSTEM. (OPTIONAL)

ANTI-FOAM SYSTEM WITH SPECIAL ELECTROMECHANICAL SUCTION MOTOR PROTECTION

TECHNICAL DATA

		CT70 B55	CT70 BT55	CT70 BT60	CT70 BT70	CT70 BT55 R
Code		LPTB01414	LPTB01416	LPTB01417	LPTB01418	LPTB01420
PERFORMANCE						
Max theoretical productivity	m²/h	1925	2475	2700	3150	2475
Cleaning path	mm	550	550	600	700	550
Water tank capacity (solution recovery)	l	70/75	70/75	70/75	70/75	70/75
Max running time	min	78	78	78	78	78
Voltage	V-Ah	24(2x12) - 105 GEL	24(2x12) - 105 GEL	24(2x12) - 105 GEL	24(2x12) - 105 GEL	24(2x12) - 105 GEL
Installed power	W	1030	1230	1440	1440	2380
Brush pressure	kg	18,5	18,5	30,5	31,5	13,6/18,6
Squeegee width	mm	815	815	815	1010	815
Max speed	km/h	3,5	4,5	4,5	4,5	4,5
Weight (Without Batteries)	kg	72	80	94	93	100,2
Dimension (LxWxH)	mm	1230x587x960	1230x587x960	1210x680x960	1220x748x960	1260x893x960

STANDARD EQUIPMENT

	CT70 B55	CT70 BT55	CT70 BT60	CT70 BT70	CT70 BT55 R
BRUSHES					
PPL SOFT	SPPV01505	SPPV01505	2XSPPV01473	2xSPPV01472	-
CYLINDRICAL BRUSH - PPL SOFT Ø 0,3 mm	-	-	-	-	SPPV01163
PAD HOLDER	-	-	-	-	-
SQUEEGEE BLADES					
LATEX FRONT BLADE	MPVR08039 - 880mm	MPVR08039 - 880mm	MPVR08039 - 880mm	MPVR08040 - 1020mm	MPVR08039 - 880mm
LATEX REAR BLADE	MPVR08035 - 900mm	MPVR08035 - 900mm	MPVR08035 - 900mm	MPVR08036 - 1020mm	MPVR08035 - 900mm

CONSUMABLES (Codes available on price list)

BRUSHES

CYLINDRICAL BRUSHES

PADS/SUPER PADS

SQUEEGEE BLADES

OPTIONAL ACCESSORIES

CODE: KTRI01763
CHEM DOSE KIT

CODE: MPVR05611
SPLASH GUARD (FOR BT55)

CODE: KTRI01573
DISCHARGE HOSE

CODE: KTRI01870
SOLUTION TANK DRAIN AND LEVEL HOSE KIT

CODE: KTRI02257
EXTERNAL SUCTION KIT

CODE: KTRI02274
ACCESSORIES SUPPORT KIT

PICTURE NOT AVAILABLE

CODE: PRCH00578
BIOSAN RAPIDE WT (30PCS/30DAYS)

KIT TELEMATIC

CODE:KTRI06169 **KIT TELEMATIC BASIC FOR B VERSIONS (NO TRACTION)**

CODE:KTRI06167 **KIT TELEMATIC BASIC FOR BT VERSIONS (WITH TRACTION)**

CODE:KTRI06168 **KIT TELEMATIC FULL FOR B VERSIONS (NO TRACTION)**

CODE:KTRI06166 **KIT TELEMATIC FULL FOR BT VERSIONS (WITH TRACTION)**

BATTERIES AND BATTERY CHARGERS

BATTERIES	N°	CHARACTERISTICS	DIMENSION	RUNNING TIME	BATTERY CHARGERS
IPC gel battery BAAC00105	2	12V 105 Ah (C5)	345x170x285	150 min	On board battery charger 24V 10 Ah- KTRI01703 Stand alone high frequency BLS010 - BACA00133
EXIDE gel battery BAAC00024	2	12V 105 Ah (C5)	345x174x283	150 min	On board battery charger 24V 10 Ah- KTRI01703 Stand alone high frequency BLS010 - BACA00133
Acid tubolar plate BAAC00136	2	12V 85 Ah (C5)	308x175x225	160 min	On board battery charger 24V 10 Ah- KTRI01703 Stand alone high frequency BLS010 - BACA00133 Stand alone low frequency 24V 12 Ah BACA00060
Dry charge flate plate BAAC00009	2	12V 105 Ah (C5)	261x171x210	160 min	On board battery charger 24V 10 Ah- KTRI01703 Stand alone high frequency BLS010 - BACA00133 Stand alone low frequency 24V 12 Ah BACA00060
Acid tubolar plate BAAC00070	2	12V 118 Ah (C5)	345x170x285	160 min	On board battery charger 24V 10 Ah- KTRI01703 Stand alone high frequency BLS010 - BACA00133 Stand alone low frequency 24V 12 Ah BACA00060

RECOMMENDED BATTERIES AND BATTERY CHARGER

IPC
BY TENNANT COMPANY

SCRUBBER DRYERS - WALK BEHIND

CT51

NEW

MAX PRODUCTIVITY
Up to
3150 m^2/h

BATTERIES RUNNING TIME
3,5 h

WATER TANK RUNNING TIME
Up to 60'
working session

MEMORY CARD

TELEMATICS GPS (opt)
GEOLOCATION OF ALL YOUR MACHINES

ANC
ADVANCE NOISE CONTROL
54 dB IN ECO SELECT MODE

BATTERIES AND BATTERY CHARGER NOT INCLUDED

ORBITAL VERSION

ONE BRUSH VERSION

ROLLER VERSION

CERTIFICATIONS

- GREEN CLEANING EFFICIENCY
- ISO 14067 CARBON FOOTPRINT CERTIFIED

MOST FREQUENTLY USE

- RETAIL
- HORECA
- CLEANING CONTRACTORS
- MUNICIPALITIES

INNOVATIONS

- INTER-CHANGEABLE BRUSH HEAD
- 600 RPM INTERCHANGEABLE BRUSH HEAD
- ORBITAL BRUSH
- DBL™ DOUBLE BATTERY LIFE
- MEMORY CARD
- SLS™ SELF LEVELING SYSTEM
- ECO SELECT
- SERVICE MENU
- BACTERIA CONTROL
- ANTIBACTERIAL PLASTIC

SPECS

ADJUSTABLE HANDLE FOR A COMFORTABLE AND EASY USE.

FULL MACHINE CONTROL THANKS TO AN INTUITIVE CENTRAL KNOB.



EASY ACCESS NO TOOLS

TECHNICAL DATA

		WITHOUT ELECTRIC TRACTION		WITH ELECTRIC TRACTION			
					NEW		
		CT51 B50	**CT51 B55**	**CT51 BT55**	**CT51 BT55 ANTIBACTERIAL**	**CT51 BT60**	**CT51 BT70**
Code		LPTB02976	LPTB01822	LPTB01823	LPTB03425	LPTB01826	LPTB01824
PERFORMANCE							
Max theoretical productivity	m²/h	1850	1925	2475	2475	2700	3150
Cleaning path	mm	500	550	550	550	600	700
Water tank capacity (solution recovery)	l	50/53	50/53	50/53	50/53	50/53	50/53
Max running time	min	210	210	210	210	210	210
Voltage	V-Ah	24	24	24	24	24	24
Installed power	W	800	800	1000	1000	1400	1400
Brush pressure	kg	18	18	18	18	23	23
Squeegee width	mm	815	815	815	815	815	940
Max speed	km/h	3,5	3,5	4,5	4,5	4,5	4,5
Weight (Without Batteries)	kg	81,1	81,4	89,1	89,1	97,1	94,6
Dimension (LxWxH)	mm	1328 x 563 x 1033	1328 x 563 x 1033	1329 x 563 x 1033	1329 x 563 x 1033	1279 x 653 x 1033	1279 x 735 x 1033

STANDARD EQUIPMENT

	CT51 B50	**CT51 B55**	**CT51 BT55**	**CT51 BT55 ANTIBACTERIAL**	**CT51 BT60**	**CT51 BT70**
BRUSHES						
PPL SOFT	SPPV01332	SPPV01352	SPPV01352	SPPV01352	2XSPPV01473	2xSPPV01472
SQUEEGEE BLADES						
LATEX FRONT BLADE	MPVR08039 - 880mm	MPVR08039 - 880mm	MPVR08039 - 880mm	MPVR08039 - 880mm	MPVR08039 - 880mm	MPVR08040 - 1020mm
LATEX REAR BLADE	MPVR08035 - 900mm	MPVR08035 - 900mm	MPVR08035 - 900mm	MPVR08035 - 900mm	MPVR08035 - 900mm	MPVR08036 - 1020mm

		CABLE	
		CT51 C50 230V	**CT51 C55 230V**
Code		LPTE00669	LPTE00646
PERFORMANCE			
Max theoretical productivity	m²/h	1850	1925
Cleaning path	mm	500	550
Water tank capacity (solution recovery)	l	50/53	50/53
Max running time	min	Unlimitess	Unlimitess
Voltage	V-Ah	230	230
Installed power	W	1100	1100
Brush pressure	kg	18	18
Squeegee width	mm	815	815
Max speed	km/h	3,5	3,5
Weight (Without Batteries)	kg	102	102,1
Dimension (LxWxH)	mm	1329 x 563 x 1033	1329 x 563 x 1033

STANDARD EQUIPMENT

	CT51 C50 230V	**CT51 C55 230V**
BRUSHES		
PPL SOFT	SPPV01332	SPPV01352
SQUEEGEE BLADES		
LATEX FRONT BLADE	MPVR08039 - 880mm	MPVR08039 - 880mm
LATEX REAR BLADE	MPVR08035 - 900mm	MPVR08035 - 900mm

TECHNICAL DATA

		WITH ELECTRIC TRACTION AND ELECTRONIC BRUSH PRESSURE CONTROL		ROLLER - WITH ELECTRIC TRACTION AND ELECTRONIC BRUSH PRESSURE CONTROL
		CT51 XP60	**CT51 XP70**	**CT51 XP55R**
Code		LPTB01828	LPTB01825	LPTB01834
PERFORMANCE				
Max theoretical productivity	m²/h	2700	3150	2475
Cleaning path	mm	600	700	550
Water tank capacity (solution recovery)	l	50/53	50/53	50/53
Max running time	min	210	210	210
Voltage	V-Ah	24	24	24
Installed power	W	1450	1450	2350
Brush pressure	kg	31	31	18
Squeegee width	mm	815	940	815
Max speed	km/h	4,5	4,5	4,5
Weight (Without Batteries)	kg	97,1	94,6	107
Dimension (LxWxH)	mm	1279 x 653 x 1033	1279 x 735 x 1033	1329 x 563 x 1033

STANDARD EQUIPMENT

	CT51 XP60	**CT51 XP70**	**CT51 XP55R**
BRUSHES			
PPL SOFT	2xSPPV01473	2XSPPV01472	-
CYLINDRICAL BRUSH - PPL SOFT Ø 0,3 mm	-	-	SPPV01163
SQUEEGEE BLADES			
LATEX FRONT BLADE	MPVR08039 - 880mm	MPVR08040 - 1020mm	MPVR08039 - 880mm
LATEX REAR BLADE	MPVR08035 - 900mm	MPVR08036 - 1020mm	MPVR06288 - 715mm

		600 RPM - WITH ELECTRIC TRACTION AND ELECTRONIC BRUSH PRESSURE CONTROL		ORBITAL - WITH ELECTRIC TRACTION AND ELECTRONIC BRUSH PRESSURE CONTROL
		CT51 XP55 600 RPM	**CT51 XP70 600 RPM**	**CT51 XP20" ORBITAL**
Code		LPTB01832	LPTB01833	LPTB01670
PERFORMANCE				
Max theoretical productivity	m²/h	2475	3150	2794
Cleaning path	mm	550	700	500
Water tank capacity (solution recovery)	l	50/53	50/53	50/53
Max running time	min	210	210	210
Voltage	V-Ah	24	24	24
Installed power	W	1080	1480	1080
Brush pressure	kg	26	31	45,7
Motor Brush RPM	rpm	600	600	2200
Squeegee width	mm	815	940	815
Max speed	km/h	4,5	4,5	4,2
Weight (Without Batteries)	kg	89,1	94,6	107,2
Dimension (LxWxH)	mm	1329 x 563 x 1033	1279 x 735 x 1033	1225 x 512 x 1033

STANDARD EQUIPMENT

	CT51 XP55 600 RPM	**CT51 XP70 600 RPM**	**CT51 XP20" ORBITAL**
PAD HOLDER			
MICROFIBER PAD HOLDER	SPPV01978	2x SPPV01983	–
DIAMOND PAD HOLDER	SPPV01348	2x SPPV01228	–
SQUEEGEE BLADES			
LATEX FRONT BLADE	MPVR08039 - 880mm	MPVR08040 - 1020mm	MPVR08039 - 880mm
LATEX REAR BLADE	MPVR08035 - 900mm	MPVR08036 - 1020mm	MPVR08035 - 900mm

CONSUMABLES (Codes available on price list)

	CONSUMABLES	CODE	CT51 C50	CT51 C55	CT51 B50	CT51 B55	CT51 BT55	CT51 BT60	CT51 BT70	CT51 XP60	CT51 XP70	CT51 XP55 600 RPM	CT51 XP70 600 RPM	CT51 XP55 R	CT51XP50 ORBITAL
	Brushes	available on price list	•	•	•	•	•	•	•	•	•	•	•		
	Roller Brushes	available on price list												•	
	Pad holder	available on price list	•	•	•	•	•	•	•	•	•	•	•		
	Pads / Super pads	available on price list	•	•	•	•	•	•	•	•	•	•	•		
	Orbital pads	available on price list													•
	Microfiber pads	available on price list										•	•		
	Diamond pads	available on price list										•	•		
	Squeegee blades	available on price list	•	•	•	•	•	•	•	•	•	•	•	•	•

OPTIONAL ACCESSORIES

	BRUSH HEAD	CODE	CT51 C50	CT51 C55	CT51 B50	CT51 B55	CT51 BT55	CT51 BT60	CT51 BT70	CT51 XP60	CT51 XP70	CT51 XP55 600 RPM	CT51 XP70 600 RPM	CT51 XP55 R	CT51XP20" ORBITAL
	C50 C55 B50 B55		NOT INTERCHANGEABLE BRUSH HEAD												
	BT55	KTRI04851					•	•	•	•	•	•	•	•	•
	BT60	KTRI04852					•	•	•	•	•	•	•	•	•
	BT70	KTRI04853					•	•	•	•	•	•	•	•	•
	XP55 600 RPM	KTRI04855								•	•	•	•	•	•
	XP70 600 RPM	KTRI04856								•	•	•	•	•	•
	XP55 ROLLER	KTRI04854								•	•	•	•	•	•
	XP20" ORBITAL	KTRI05787								•	•	•	•	•	•
	Kit Telematic Basic	KTRI06165			•	•									
		KTRI06163					•	•	•	•	•	•	•	•	•
	Kit Telematic Full	KTRI06164			•	•									
		KTRI06024					•	•	•	•	•	•	•	•	•

OPTIONAL ACCESSORIES

	OPTIONAL	CODE	CT51 C50	CT51 C55	CT51 B50	CT51 B55	CT51 BT55	CT51 BT60	CT51 BT70	CT51 XP60	CT51 XP70	CT51 XP55 600 RPM	CT51 XP70 600 RPM	CT51 XP55 R	CT51XP50 ORBITAL
	Chem dose kit	KTRI04846			•	•	•	•	•	•	•	•	•	•	•
	Splash guard 50/55 cm	KTRI05244		•	•	•	•					•			
	Splash guard 60 cm	KTRI05245						•		•					
	Splash guard 70 cm	KTRI05246							•		•		•		
	Tools bar	KTRI04848	•	•	•	•	•	•	•	•	•	•	•	•	•
	Auto-Refill System	KTRI04849	•	•	•	•	•	•	•	•	•	•	•	•	•
	External suction kit	KTRI02257	•	•	•	•	•	•	•	•	•	•	•	•	•
	BIOSAN RAPIDE WT (30 pcs / 30 days)	PRCH00578	•	•	•	•	•	•	•	•	•	•	•	•	•

BATTERIES AND BATTERY CHARGERS

BATTERIES	N°	CHARACTERISTICS	DIMENSION	RUNNING TIME	BATTERY CHARGERS
IPC gel battery BAAC00105	2	12V 105 Ah (C5)	345x170x285	210 min	**DBL on board high freq. 24V 13 Ah- KTRI04845 DBL stand alone high frequency BLS010 - BACA00133**
EXIDE gel battery BAAC00024	2	12V 105 Ah (C5)	345x174x283	210 min	**DBL on board high freq. 24V 13 Ah- KTRI04845 DBL stand alone high frequency BLS010 BACA00133**
EXIDE gel battery BAAC00132	2	12V 76 Ah (C5)	330x171x236	150 min	**DBL on board high freq. 24V 13 Ah- KTRI04845 DBL stand alone high frequency BLS010 BACA00133**
Acid tubolar plate BAAC00136	2	12V 85 Ah (C5)	308x175x225	150 min	**DBL on board high freq. 24V 13 Ah- KTRI04845 DBL stand alone high frequency BLS010 BACA00133 Stand alone Low frequency 24V 12 Ah BACA0060**
Dry charge flate plate BAAC00009	2	12V 105 Ah (C5)	261x171x210	210 min	**DBL on board high freq. 24V 13 Ah- KTRI04845 DBL stand alone high frequency BLS010 BACA00133 Stand alone Low frequency 24V 12 Ah BACA0060**
Acid tubolar plate BAAC00070	2	12V 118 Ah (C5)	345x170x285	210 min	**DBL on board high freq. 24V 13 Ah- KTRI04845 DBL stand alone high frequency BLS010 BACA00133 Stand alone Low frequency 24V 12 Ah BACA0060**

RECOMMENDED BATTERIES AND BATTERY CHARGER

IPC
BY TENNANT COMPANY

SCRUBBER DRYERS - WALK BEHIND

CT71

NEW

MAX PRODUCTIVITY
Up to
3150 m^2/h

BATTERIES RUNNING TIME
3,5 h standard

WATER TANK RUNNING TIME
Up to 75'
working session

MEMORY CARD

TELEMATICS GPS (opt)
GEOLOCATION OF ALL YOUR MACHINES

ANC
ADVANCE NOISE CONTROL
54 dB IN ECO SELECT MODE

BATTERIES AND BATTERY CHARGER NOT INCLUDED

ORBITAL VERSION

ONE BRUSH VERSION

ROLLER VERSION

CERTIFICATIONS

GREEN CLEANING EFFICIENCY

ISO 14067 CARBON FOOTPRINT CERTIFIED

MOST FREQUENTLY USE

RETAIL

HORECA

CLEANING CONTRACTORS

MUNICIPALITIES

INNOVATIONS

- INTER-CHANGEABLE BRUSH HEAD
- 600 RPM INTERCHANGEABLE BRUSH HEAD
- ORBITAL BRUSH
- DBL™ DOUBLE BATTERY LIFE
- MEMORY CARD
- SLS™ SELF LEVELING SYSTEM
- ECO SELECT
- SERVICE MENU
- BACTERIA CONTROL
- ANTIBACTERIAL PLASTIC

SPECS

ADJUSTABLE HANDLE FOR A COMFORTABLE AND EASY USE.

FULL MACHINE CONTROL THANKS TO AN INTUITIVE CENTRAL KNOB.



EASY ACCESS NO TOOLS

TECHNICAL DATA

		WITHOUT ELECTRIC TRACTION		WITH ELECTRIC TRACTION		
		CT71 B55	**CT71 BT55**	**CT71 BT60**	**CT71 BT70**	**CT71 BT70 ANTIBACTERIAL**
Code		LPTB01855	LPTB01856	LPTB02919	LPTB01857	LPTB03426
PERFORMANCE						
Max theoretical productivity	m²/h	1925	2475	2700	3150	3150
Cleaning path	mm	550	550	600	700	700
Water tank capacity (solution recovery)	l	70/70	70/70	70/70	70/70	70/70
Max running time	min	210	210	210	210	210
Voltage	V-Ah	24	24	24	24	24
Installed power	W	800	1000	1400	1400	1400
Brush pressure	kg	18	18	23	23	23
Squeegee width	mm	815	815	815	940	940
Max speed	km/h	3,5	4,5	4,5	4,5	4,5
Weight (Without Batteries)	kg	91,5	92	95	99	99
Dimension (LxWxH)	mm	1327x563x1033	1327x563x1033	1279x653x1033	1297x753x1033	1297x753x1033

STANDARD EQUIPMENT

	CT71 B55	**CT71 BT55**	**CT71 BT60**	**CT71 BT70**	**CT71 BT70 ANTIBACTERIAL**
BRUSHES					
PPL SOFT	SPPV01352	SPPV01352	2xSPPV01473	2xSPPV01472	2xSPPV01472
SQUEEGEE BLADES					
LATEX FRONT BLADE	MPVR08039 - 880mm	MPVR08039 - 880mm	MPVR08039 - 880mm	MPVR08040 - 1020mm	MPVR08040 - 1020mm
LATEX REAR BLADE	MPVR08035 - 900mm	MPVR08035 - 900mm	MPVR08035 - 900mm	MPVR08036 - 1020mm	MPVR08036 - 1020mm

		WITH ELECTRIC TRACTION AND ELECTRONIC BRUSH PRESSURE CONTROL		ROLLER - WITH ELECTRIC TRACTION AND ELECTRONIC BRUSH PRESSURE CONTROL
		CT71 XP60	**CT71 XP70**	**CT71 XP55 R**
Code		LPTB02921	LPTB01858	LPTB02927
PERFORMANCE				
Max theoretical productivity	m²/h	2700	3150	2475
Cleaning path	mm	600	700	550
Water tank capacity (solution recovery)	l	70/70	70/70	70/70
Max running time	min	210	210	210
Voltage	V-Ah	24	24	24
Installed power	W	1450	1450	2350
Brush pressure	kg	31	31	18
Squeegee width	mm	815	940	815
Max speed	km/h	4,2	4,2	4,2
Weight (Without Batteries)	kg	96	99	104
Dimension (LxWxH)	mm	1279x653x1033	1297x753x1033	1288x640x1033

STANDARD EQUIPMENT

	CT71 XP60	**CT71 XP70**	**CT71 XP55R**
BRUSHES			
PPL SOFT	2xSPPV01473	2xSPPV01472	-
CYLINDRICAL BRUSH - PPL SOFT Ø 0,3 mm	-	-	SPPV01163
SQUEEGEE BLADES			
LATEX FRONT BLADE	MPVR08040 - 1020mm	MPVR08040 - 1020mm	MPVR08039 - 880mm
LATEX REAR BLADE	MPVR08036 - 1020mm	MPVR08036 - 1020mm	MPVR06288 - 715mm

TECHNICAL DATA

600 RPM - WITH ELECTRIC TRACTION AND ELECTRONIC BRUSH PRESSURE CONTROL

		CT71 XP55 600 RPM	CT71 XP70 600 RPM
Code		LPTB02925	LPTB02926
PERFORMANCE			
Max theoretical productivity	m²/h	2475	3150
Cleaning path	mm	550	700
Water tank capacity (solution recovery)	l	70/70	70/70
Max running time	min	210	210
Voltage	V-Ah	24	24
Installed power	W	1080	1480
Brush pressure	kg	18	23
Motor Brush RPM	rpm	600	600
Squeegee width	mm	815	940
Max speed	km/h	4,5	4,5
Weight (Without Batteries)	kg	89,9	95,4
Dimension (LxWxH)	mm	1327x563x1033	1297x753x1033

STANDARD EQUIPMENT

	CT71 XP55 600 RPM	CT71 XP70 600 RPM
PAD HOLDER		
MICROFIBER PAD	SPPV01978	SPPV01983
STANDARD - DIAMOND PAD	SPPV01335	SPPV01228
SQUEEGEE BLADES		
LATEX FRONT BLADE	MPVR08039 - 880mm	MPVR08040 - 1020mm
LATEX REAR BLADE	MPVR08035 - 900mm	MPVR08036 - 1020mm

ORBITAL WITH ELECTRIC TRACTION AND ELECTRONIC BRUSH PRESSURE CONTROL

		CT71 XP20" ORBITAL
Code		LPTB01671
PERFORMANCE		
Max theoretical productivity	m²/h	2794
Cleaning path	mm	500
Water tank capacity	l	70/70
Max running time	min	210
Voltage	V-Ah	24
Installed power	W	1030
Brush pressure	kg	45,7
Pad RPM	RPM	2200
Squeegee with	mm	815
Max speed	km/h	4,2
Weight	kg	108
Dimension (LxWxH)	mm	1225 x 512 x 1033

STANDARD EQUIPMENT

	CT71 XP20" ORBITAL
SQUEEGEE BLADES	
LATEX FRONT BLADE	MPVR08039 - 880mm
LATEX REAR BLADE	MPVR08035 - 900mm

CONSUMABLES (Codes available on price list)

	CONSUMABLES	CODE	CT71 B55	CT71 BT55	CT71 BT60	CT71 BT70	CT71 XP60	CT71 XP70	CT71 XP55 600 RPM	CT71XP70 600 RPM	CT71 XP55 R	CT71XP20"ORBITAL
	Brushes	available on price list	•	•	•	•	•	•	•	•		
	Roller Brushes	available on price list									•	
	Pad holder	available on price list	•	•	•	•	•	•	•	•		
	Pads / Super pads	available on price list	•	•	•	•	•	•	•	•		
	Orbital pad	available on price list										•
	Microfiber pads	available on price list								•	•	
	Diamond pads	available on price list								•	•	
	Squeegee blades	available on price list	•	•	•	•	•	•	•	•	•	•

OPTIONAL ACCESSORIES

	BRUSH HEAD	CODE	CT71 B55	CT71 BT55	CT71 BT60	CT71 BT70	CT71 XP60	CT71 XP70	CT71 XP55 600 RPM	CT71XP70 600 RPM	CT71 XP55 R	CT71XP20" ORBITAL
	B55		NOT INTERCHANGEABLE BRUSH HEAD									
	BT55	KTRI04851		•	•	•	•	•	•	•	•	•
	BT60	KTRI04852		•	•	•	•	•	•	•	•	•
	BT70	KTRI04853		•	•	•	•	•	•	•	•	•
	XP55 600 RPM	KTRI04855					•	•	•	•	•	•
	XP70 600 RPM	KTRI04856					•	•	•	•	•	•
	XP55 R	KTRI04854					•	•	•	•	•	•
	XP20" ORBITAL	KTRI05787					•	•	•	•	•	•
	Kit Telematic Basic	KTRI06165	•									
		KTRI06163		•	•	•	•	•	•	•	•	•
	Kit Telematic Full	KTRI06164	•									
		KTRI06024		•	•	•	•	•	•	•	•	•

OPTIONAL ACCESSORIES

	OPTIONAL	CODE	CT71 B55	CT71 BT55	CT71 BT60	CT71 BT70	CT71 XP60	CT71 XP70	CT71 XP55 600 RPM	CT71XP70 600 RPM	CT71 XP55 R	CT71XP20" ORBITAL
	Chem dose kit	KTRI04846	•	•	•	•	•	•	•	•	•	•
	Splash guard 50/55 cm	KTRI05244	•	•					•			•
	Splash guard 60 cm	KTRI05245			•		•			•		
	Splash guard 70 cm	KTRI05246				•		•				
	Tools bar	KTRI04848	•	•	•	•	•	•	•	•	•	•
	Auto-Refill System	KTRI04849	•	•	•	•	•	•	•	•	•	•
	External suction kit	KTRI02257	•	•	•	•	•	•	•	•	•	•
	BIOSAN RAPIDE WT (30 pcs / 30 days)	PRCH00578	•	•	•	•	•	•	•	•	•	•

BATTERIES AND BATTERY CHARGERS

BATTERIES	N°	CHARACTERISTICS	DIMENSION	RUNNING TIME	BATTERY CHARGERS
IPC gel battery BAAC00105	2	12V 105 Ah (C5)	345x170x285	210 min	DBL on board high freq. 24V 13 Ah- KTRI04845 DBL stand alone high frequency BLS010 - BACA00133
EXIDE gel battery BAAC00024	2	12V 105 Ah (C5)	345x174x283	210 min	DBL on board high freq. 24V 13 Ah- KTRI04845 DBL stand alone high frequency BLS010 BACA00133
EXIDE gel battery BAAC00132	2	12V 76 Ah (C5)	330x171x236	150 min	DBL on board high freq. 24V 13 Ah- KTRI04845 DBL stand alone high frequency BLS010 BACA00133
Acid tubolar plate BAAC00136	2	12V 85 Ah (C5)	308x175x225	150 min	DBL on board high freq. 24V 13 Ah- KTRI04845 DBL stand alone high frequency BLS010 BACA00133 Stand alone Low frequency 24V 12 Ah BACA0060
Dry charge flate plate BAAC00009	2	12V 105 Ah (C5)	261x171x210	210 min	DBL on board high freq. 24V 13 Ah- KTRI04845 DBL stand alone high frequency BLS010 BACA00133 Stand alone Low frequency 24V 12 Ah BACA0060
Acid tubolar plate BAAC00070	2	12V 118 Ah (C5)	345x170x285	210 min	DBL on board high freq. 24V 13 Ah- KTRI04845 DBL stand alone high frequency BLS010 BACA00133 Stand alone Low frequency 24V 12 Ah BACA0060

RECOMMENDED BATTERIES AND BATTERY CHARGER

IPC
BY TENNANT COMPANY

SCRUBBER DRYERS - WALK BEHIND

CT90

MAX PRODUCTIVITY
3825 m^2/h

BATTERIES RUNNING TIME
4 h

WATER TANK RUNNING TIME
80'
working session

BATTERIES AND BATTERY CHARGER NOT INCLUDED

MOST FREQUENTLY USE

RETAIL

HORECA

CLEANING CONTRACTORS

MUNICIPALITIES

INNOVATIONS

DBL™ DOUBLE BATTERY LIFE

SLS™ SELF LEVELING SYSTEM

BACTERIA CONTROL

SPECS

INTUITIVE CONTROL PANEL

SEPARATE DETERGENT DOSING SYSTEM. (OPTIONAL)

"V"-SHAPED SQUEEGEE

TECHNICAL DATA

		CT90 BT60	CT90 BT70	CT90 BT85
Code		LPTB01421	LPTB01422	LPTB01423
PERFORMANCE				
Max theoretical productivity	m²/h	2700	3150	3825
Cleaning path	mm	600	700	850
Water tank capacity (solution recovery)	l	85/90	85/90	85/90
Max running time	min	270	270	270
Voltage	V-Ah	24(4x6) - 180 GEL	24(4x6) - 180 GEL	24(4x6) - 180 GEL
Installed power	W	1440	1440	1440
Brush pressure	kg	30,6	31,4	37
Squeegee width	mm	815	942	942
Max speed	km/h	4,2	4,2	4,2
Weight (Without Batteries)	kg	97,6	98,4	104
Dimension (LxWxH)	mm	1328x680x1025	1328x748x1025	1444x893x1025

STANDARD ACCESSORIES

	CT90 BT60	CT90 BT70	CT90 BT85
BRUSHES			
PPL SOFT	2xSPPV01473	2xSPPV01472	2XSPPV02648
SQUEEGEE BLADES			
LATEX FRONT BLADE	MPVR08039 - 880mm	MPVR08040 - 1020mm	MPVR08040 - 1020mm
LATEX REAR BLADE	MPVR08035 - 900mm	MPVR08036 - 1020mm	MPVR08036 - 1020mm

CONSUMABLES (Codes available on price list)

BRUSHES

PADS/SUPER PADS

SQUEEGEE BLADES

OPTIONAL ACCESSORIES

CODE: KTRI01763
CHEM DOSE KIT

CODE: KTRI01573
DISCHARGE HOSE

CODE: KTRI01871
SOLUTION TANK DRAIN AND LEVEL HOSE KIT

CODE: KTRI02257
EXTERNAL SUCTION KIT

CODE: PRCH00578
BIOSAN RAPIDE WT (30PCS/30DAYS)

BATTERIES AND BATTERY CHARGERS

BATTERIES	N°	CHARACTERISTICS	DIMENSION	RUNNING TIME	BATTERY CHARGERS
IPC gel battery BAAC00106	4	6V 180 Ah (C5)	244x192x275	240 min	On board battery charger 24V 10 Ah- KTRI01860 Stand alone high frequency BLS020 - BACA00134
EXIDE gel battery BAAC00026	4	6V 180 Ah (C5)	246x192x275	240 min	On board battery charger 24V 10 Ah- KTRI01860 Stand alone high frequency BLS020 - BACA00134
Acid tubolar plate BAAC00074	4	6V 185 Ah (C5)	240x190x275	240 min	On board battery charger 24V 10 Ah- KTRI01860 Stand alone high frequency BLS020 - BACA00134 Stand alone low frequency 24V 30Ah - BACA00066

RECOMMENDED BATTERIES AND BATTERY CHARGER

IPC
BY TENNANT COMPANY

SCRUBBER DRYERS - WALK BEHIND

CT105

MAX PRODUCTIVITY
3825 m^2/h

BATTERIES RUNNING TIME
4,5 h

WATER TANK RUNNING TIME
100'
working session

TELEMATICS GPS (opt)
GEOLOCATION OF
ALL YOUR MACHINES

BATTERIES AND BATTERY CHARGER NOT INCLUDED

MOST FREQUENTLY USE

RETAIL

HORECA

CLEANING CONTRACTORS

MUNICIPALITIES

INNOVATIONS

- DBL™ DOUBLE BATTERY LIFE
- SLS™ SELF LEVELING SYSTEM
- BACTERIA CONTROL
- TELEMATICS GPS

SPECS

NEW LARGE COVER

NEW ERGONOMIC HANDLE

HIGH QUALITY MOTOR GEARBOX

TECHNICAL DATA

		CT105 BT70	CT105 BT85
Code		LPTB02876	LPTB02877
PERFORMANCE			
Max theoretical productivity	m²/h	3150	3825
Cleaning path	mm	700	850
Water tank capacity (solution recovery)	l	100/110	100/110
Max running time	min	270	270
Voltage	V-Ah	24(4x6) - 250	24(4x6) - 250
Installed power	W	1650	1850
Brush pressure	kg	67	69
Squeegee width	mm	940	940
Max speed	km/h	4,5	4,5
Weight (Without Batteries)	kg	170	173
Dimension (LxWxH)	mm	1596x744x1075	1641x880x1075

STANDARD ACCESSORIES

	CT105 BT70	CT105 BT85
BRUSHES		
PPL SOFT	2xSPPV01472	2XSPPV02648
SQUEEGEE BLADES		
LATEX FRONT BLADE	MPVR08040 - 1020mm	MPVR08040 - 1020mm
LATEX REAR BLADE	MPVR08036 - 1020mm	MPVR08036 - 1020mm

CONSUMABLES (Codes available on price list)

BRUSHES

PADS/SUPER PADS

SQUEEGEE BLADES

OPTIONAL ACCESSORIES

CODE: KTRI01763
CHEM DOSE KIT

CODE: KTRI02052
DEBRIS COLLECTOR

CODE: KTRI02257
EXTERNAL SUCTION KIT

CODE: PRCH00578
BIOSA CODE:KTRI06221
N RAPIDE WT (30PCS/30DAYS)

CODE: KTRI06221
KIT TELEMATIC BASIC

CODE: KTRI06223
KIT TELEMATIC FULL

BATTERIES AND BATTERY CHARGERS

BATTERIES	N°	CHARACTERISTICS	DIMENSION	RUNNING TIME	BATTERY CHARGERS
IPC gel battery BAAC00106	4	6V 180 Ah (C5)	244x192x275	180 min	On bord battery charger 24V 25Ah - KTRI02178 Stand alone high frequency BLS020 BACA00134
EXIDE gel battery BAAC00026	4	6V 180 Ah (C5)	246x192x275	180 min	On bord battery charger 24V 25Ah - KTRI02178 Stand alone high frequency BLS020 BACA00134
Acid tubolar plate BAAC00074	4	6V 185 Ah (C5)	240x190x275	190 min	On bord battery charger 24V 25Ah - KTRI02178 Stand alone high frequency BLS020 BACA00134
GEL battery BAAC00108	4	6V 250 Ah (C5)	305x180x365	240 min	On bord battery charger 24V 25Ah - KTRI02178 Stand alone high frequency BLS020 BACA00134 Stand alone high frequency BLS030 BACA00138
EXIDE gel battery BAAC00017	4	6V 240 Ah (C5)	311x183x358	240 min	On bord battery charger 24V 25Ah - KTRI02178 Stand alone high frequency BLS020 BACA00134 Stand alone high frequency BLS030 BACA00138
Acid tubolar plate BAAC00062	4	6V 320Ah (C5)	243x197x275	250 min	On bord battery charger 24V 25Ah - KTRI02178 Stand alone high frequency BLS020 BACA00134 Stand alone high frequency BLS030 BACA00138
Acid tubolar plate BAAC00077	4	6V 222 Ah (C5)	305x180x365	300 min	Stand alone low frequency 24V 30 Ah BACA00066

RECOMMENDED BATTERIES AND BATTERY CHARGER

IPC
BY TENNANT COMPANY

SCRUBBER DRYERS - RIDE ON

CT80

NEW

MAX PRODUCTIVITY
4070 m^2/h

BATTERIES RUNNING TIME
4,5 h

WATER TANK RUNNING TIME
60'
working session

TELEMATICS GPS (opt)
GEOLOCATION OF ALL YOUR MACHINES

ONE BRUSH VERSION

BATTERIES AND BATTERY CHARGER NOT INCLUDED

CERTIFICATIONS

- GREEN CLEANING EFFICIENCY
- ISO 14067 CARBON FOOTPRINT CERTIFIED

MOST FREQUENTLY USE

- RETAIL
- HORECA
- CLEANING CONTRACTORS
- MUNICIPALITIES

INNOVATIONS

- ECO SELECT
- ANC™ ADVANCE NOISE CONTROL
- DBL™ DOUBLE BATTERY LIFE
- MEMORY CARD
- SLS™ SELF LEVELING SYSTEM
- SERVICE MENU
- BACTERIA CONTROL
- TELEMATICS GPS
- ANTIBACTERIAL PLASTIC

SPECS

4 BATTERIES LODGED IN 1ST CATEGORY

PRESET WORKING PROGRAMS

MEMORY CARD

TECHNICAL DATA

		CT80 BT55	CT80 BT55 ANTIBACTERIAL (NEW)	CT80 BT60	CT80 BT70
Code		LPTB02679	LPTB03422	LPTB02680	LPTB02681
PERFORMANCE					
Max theoretical productivity	m²/h	3180	3180	3685	4070
Cleaning path	mm	550	550	600	700
Water tank capacity (solution recovery)	l	80/83	80/83	80/83	80/83
Productivity for shift	m²	up to 2475	up to 2475	up to 2700	up to 3150
Max running time	min	over 150	over 150	over 240	over 240
Voltage	V-Ah	24(2x12)-105	24(2x12)-105	24(4x6)-180	24(4x6)-180
Installed power	W	1200	1200	1600	1600
Brush pressure	kg	22	22	50	50
Squeegee width	mm	710	710	942	942
Max speed	km/h	6	6	6	6
Weight (Without Batteries)	kg	118	118	134	145
Dimension (LxWxH)	mm	1310x673x1030	1310x673x1030	1310x675x1030	1310x760x1030

STANDARD ACCESSORIES

	CT80 BT55	CT80 BT55 ANTIBACTERIAL	CT80 BT60	CT80 BT70
BRUSHES				
PPL SOFT	SPPV01352	SPPV01352	2xSPPV01473	2xSPPV01472
SQUEEGEE BLADES				
LATEX FRONT BLADE	MPVR06287 - 815mm	MPVR06287 - 815mm	MPVR08040 - 1020mm	MPVR08040 - 1020mm
LATEX REAR BLADE	MPVR06288 - 715mm	MPVR06288 - 715mm	MPVR08036 - 1020mm	MPVR08036 - 1020mm

CONSUMABLES (Codes available on price list)

BRUSHES

PADS

SQUEEGEE BLADES

OPTIONAL ACCESSORIES

CODE: KTRI02232
CHEM DOSE KIT

CODE: KTRI02229
FLASHING BEACON KIT

CODE: KTRI02252
CLEAN WATER DRAIN KIT

CODE: KTRI02235
ACCESSORIES KIT

CODE: KTRI02236
DEBRIS COLLECTOR KIT

CODE: KTRI02247
AUTO-REFILL SYSTEM

CODE: KTRI02257
EXTERNAL SUCTION KIT

CODE: KTRI04689
FRONT ACCESSORIES HOLDER

PICTURE NOT AVAILABLE

CODE: KTRI02249
SPLASH GUARD (ONLY FOR BT55)

PICTURE NOT AVAILABLE

CODE: PRCH00578
BIOSAN RAPIDE WT (30PCS/30DAYS)

CODE:KTRI06189
KIT TELEMATIC BASIC

CODE:KTRI06188
KIT TELEMATIC FULL

CODE:KTRI06209
MODULAR SPRAYING (ONLY FOR BT55)

PICTURE NOT AVAILABLE

CODE: KTRI06216
MODULAR SPRAYING (ONLY FOR BT60/70)

PICTURE NOT AVAILABLE

BATTERIES AND BATTERY CHARGERS

BATTERIES	N°	CHARACTERISTICS	DIMENSION	RUNNING TIME	BATTERY CHARGERS
IPC gel battery BAAC00105	2	12V 105 Ah (C5)	345x170x285	140	On board battery charger 24V 15Ah KTRI02231 Stand alone high frequency BLS010 BACA00133
EXIDE gel battery BAAC00024	2	12V 105 Ah (C5)	345x175x285	140	On board battery charger 24V 15Ah KTRI02231 Stand alone high frequency BLS010 BACA00133
Acid tubolar plate BAAC00070	2	12V 118 Ah (C5)	345x174x283	150	On board battery charger 24V 15Ah KTRI02231 Stand alone high frequency BLS010 BACA00133
IPC gel battery BAAC00106	4	6V 180 Ah (C5)	244x192x275	270	On board battery charger 24V 25Ah KTRI02230 Stand alone high frequency BLS020 BACA00134
EXIDE gel battery BAAC00026	4	6V 180 Ah (C5)	240x190x275	270	On board battery charger 24V 25Ah KTRI02230 Stand alone high frequency BLS020 BACA00134
Acid tubolar plate BAAC00074	4	6V 185 Ah (C5)	246x192x275	270	On board battery charger 24V 25Ah KTRI02230 Stand alone high frequency BLS020 BACA00134 Stand alone low frequency 24V 30 Ah BACA00066

RECOMMENDED BATTERIES AND BATTERY CHARGER

IPC
BY TENNANT COMPANY

SCRUBBER DRYERS - RIDE ON

CT81 APC™

MAX PRODUCTIVITY
8000 m^2/h
with APC

BATTERIES RUNNING TIME
4,5 h

WATER TANK RUNNING TIME
90'
working session

TELEMATICS GPS (opt)
GEOLOCATION OF ALL YOUR MACHINES

BATTERIES AND BATTERY CHARGER NOT INCLUDED

ONE BRUSH VERSION

MOST FREQUENTLY USE

RETAIL

HORECA

CLEANING CONTRACTORS

MUNICIPALITIES

INNOVATIONS

- APC™ ADVANCED PRODUCTIVITY CONTROL
- ANC™ ADVANCE NOISE CONTROL
- DBL™ DOUBLE BATTERY LIFE
- MEMORY CARD
- SLS™ SELF LEVELING SYSTEM
- SERVICE MENU
- BACTERIA CONTROL
- TELEMATICS GPS

SPECS

4 BATTERIES LODGED IN 1ST CATEGORY

PRESET WORKING PROGRAMS

MEMORY CARD

TECHNICAL DATA

		CT81 BT55	CT81 BT60	CT81 BT70
Code		LPTB02802	LPTB02803	LPTB02804
PERFORMANCE				
Max theoretical productivity	m²/h	3180	3685	4070
Cleaning path	mm	550	600	700
Water tank capacity (solution recovery)	l	80/83	80/83	80/83
Productivity for shift with A.P.C.	m²	up to 6300	up to 6900	up to 8000
Max running time	min	over 150	over 240	over 240
Voltage	V-Ah	24(2x12)-105	24(4x6)-180	24(4x6)-180
Installed power	W	1200	1600	1600
Brush pressure	kg	22	50	50
Squeegee width	mm	710	942	942
Max speed	km/h	6	6	6
Weight (Without Batteries)	kg	118	134	145
Dimension (LxWxH)	mm	1310x673x1030	1310x675x1030	1310x760x1030

STANDARD ACCESSORIES

	CT81 BT55	CT81 BT60	CT81 BT70
BRUSHES			
PPL SOFT	SPPV01352	2xSPPV01473	2xSPPV01472
SQUEEGEE BLADES			
LATEX FRONT BLADE	MPVR06287 - 815mm	MPVR08040 - 1020mm	MPVR08040 - 1020mm
LATEX REAR BLADE	MPVR06288 - 815mm	MPVR08036 - 1020mm	MPVR08036 - 1020mm

CONSUMABLES (Codes available on price list)

BRUSHES

PADS

SQUEEGEE BLADES

OPTIONAL ACCESSORIES

CODE: KTRI02232
CHEM DOSE KIT

CODE: KTRI02229
FLASHING BEACON KIT

CODE: KTRI02252
CLEAN WATER DRAIN KIT

CODE: KTRI02235
ACCESSORIES KIT

CODE: KTRI02236
DEBRIS COLLECTOR KIT

CODE: KTRI02247
AUTO-REFILL SYSTEM

CODE: KTRI02257
EXTERNAL SUCTION KIT

CODE: KTRI04689
FRONT ACCESSORIES HOLDER

PICTURE NOT AVAILABLE

CODE: KTRI02249
SPLASH GUARD (ONLY FOR BT55)

PICTURE NOT AVAILABLE

CODE: PRCH00578
BIOSAN RAPIDE WT (30PCS/30DAYS)

CODE:KTRI06189
KIT TELEMATIC BASIC

CODE:KTRI06188
KIT TELEMATIC FULL

CODE:KTRI06209
MODULAR SPRAYING (ONLY FOR BT55)

PICTURE NOT AVAILABLE

CODE: KTRI06216
MODULAR SPRAYING (ONLY FOR BT60/70)

PICTURE NOT AVAILABLE

BATTERIES AND BATTERY CHARGERS

BATTERIES	N°	CHARACTERISTICS	DIMENSION	RUNNING TIME	BATTERY CHARGERS
IPC gel battery BAAC00105	2	12V 105 Ah (C5)	345x170x285	140	On board battery charger 24V 15Ah KTRI02231 Stand alone high frequency BLS010 BACA00133
EXIDE gel battery BAAC00024	2	12V 105 Ah (C5)	345x175x285	140	On board battery charger 24V 15Ah KTRI02231 Stand alone high frequency BLS010 BACA00133
Acid tubolar plate BAAC00070	2	12V 118 Ah (C5)	345x174x283	150	On board battery charger 24V 15Ah KTRI02231 Stand alone high frequency BLS010 BACA00133
IPC gel battery BAAC00106	4	6V 180 Ah (C5)	244x192x275	270	On board battery charger 24V 25Ah KTRI02230 Stand alone high frequency BLS020 BACA00134
EXIDE gel battery BAAC00026	4	6V 180 Ah (C5)	240x190x275	270	On board battery charger 24V 25Ah KTRI02230 Stand alone high frequency BLS020 BACA00134
Acid tubolar plate BAAC00074	4	6V 185 Ah (C5)	246x192x275	270	On board battery charger 24V 25Ah KTRI02230 Stand alone high frequency BLS020 BACA00134 Stand alone low frequency 24V 30 Ah BACA00066

RECOMMENDED BATTERIES AND BATTERY CHARGER

IPC
BY TENNANT COMPANY

SCRUBBER DRYERS - RIDE ON

CT110

NEW

MAX PRODUCTIVITY
5525 m^2/h

BATTERIES RUNNING TIME
4 h

WATER TANK RUNNING TIME
100'
working session

TELEMATICS GPS (opt)
GEOLOCATION OF ALL YOUR MACHINES

ROLLER VERSION

BATTERIES AND BATTERY CHARGER NOT INCLUDED

CERTIFICATIONS

GREEN CLEANING EFFICIENCY

ISO 14067 CARBON FOOTPRINT CERTIFIED

MOST FREQUENTLY USE

RETAIL

HORECA

CLEANING CONTRACTORS

MUNICIPALITIES

INNOVATIONS

- DBL™ DOUBLE BATTERY LIFE
- TELEMATICS GPS
- SLS™ SELF LEVELING SYSTEM
- BACTERIA CONTROL
- ANTIBACTERIAL PLASTIC

SPECS

INTUITIVE CONTROL PANEL

INTEGRATED CHEM DOSE

EASY MAINTENANCE

TECHNICAL DATA

		CT110 BT60	CT110 BT70	NEW CT110 BT70 ANTIBACTERIAL	CT110 BT85	CT110 BT70 R
Code		LPTB01312	LPTB01311	LPTB03423	LPTB01313	LPTB02272
PERFORMANCE						
Max theoretical productivity	m²/h	3900	4550	4550	5525	4550
Cleaning path	mm	600	700	700	850	700
Water tank capacity (solution recovery)	l	110/115	110/115	110/115	110/115	110/115
Max running time	min	240	240	240	240	240
Voltage	V-Ah	24 (4x6) - 222 GEL	24 (4x6) - 222	24 (4x6) - 222	24 (4x6) - 222	24 (4x6) - 222
Installed power	W	1650	1650	1650	2050	1850
Brush pressure	kg	35	45	45	60	23,5
Squeegee width	mm	815	940	940	1010	1010
Max speed	km/h	6,5	6,5	6,5	6,5	6,5
Weight (Without Batteries)	kg	209	214	214	231	209
Dimension (LxWxH)	mm	1504x722x1201	1504x759x1021	1504x759x1021	1504x909x1201	1504x722x1201

STANDARD EQUIPMENT

	CT110 BT60	CT110 BT70	CT110 BT70 ANTIBACTERIAL	CT110 BT85	CT110 BT70 R
BRUSHES					
PPL MEDIUM	2XSPPV01473	2XSPPV01472	2xSPPV01472	2XSPPV02648	-
CYLINDRICAL BRUSH - PPL SOFT Ø 0,4 mm	-	-	-	-	2xSPPV01320
PAD HOLDER	-	-	-		-
SQUEEGEE BLADES					
LATEX FRONT BLADE	MPVR08040 - 1020mm	MPVR08040 - 1020mm	MPVR08040 - 1020mm	MPVR08041 - 1170mm	MPVR08041 - 1020mm
LATEX REAR BLADE	MPVR08036 - 1020mm	MPVR08036 - 1020mm	MPVR08036 - 1020mm	MPVR08037 - 1170mm	MPVR08037 - 1020mm

CONSUMABLES (Codes available on price list)

BRUSHES

CYLINDRICAL BRUSHES

PADS/SUPER PADS

SQUEEGEE BLADES

OPTIONAL ACCESSORIES

CODE: KTRI02257
EXTERNAL SUCTION KIT

CODE: KTRI01710
FLASHING BEACON KIT

CODE: KTRI01711
CHEM DOSE KIT

CODE: KTRI01806
REAR WASTE KIT

CODE: KTRI02037
FRONT BUMPER KIT

PICTURE NOT AVAILABLE

CODE: PRCH00578
BIOSAN RAPIDE WT (30PCS/30DAYS)

CODE:KTRI06172
KIT TELEMATIC BASIC

CODE:KTRI06171
KIT TELEMATIC FULL

CODE:KTRI06210
MODULAR SPRAYING SYSTEM 4 IN 1

PICTURE NOT AVAILABLE

BATTERIES AND BATTERY CHARGERS

BATTERIES	N°	CHARACTERISTICS	DIMENSION	RUNNING TIME	BATTERY CHARGERS
IPC gel battery BAAC00106	4	6V 180 Ah (C5)	244x192x275	210	On board battery charger 24V 25 Ah KTRI0170 Stand alone high frequency BLS020 - BACA00134
EXIDE gel battery BAAC00026	4	6V 180 Ah (C5)	246x192x275	210	On board battery charger 24V 25 Ah KTRI0170 Stand alone high frequency BLS020 - BACA00134
Acid tubolar plate BAAC00074	4	6V 185 Ah (C5)	240x190x275	210	On board battery charger 24V 25 Ah KTRI01709 Stand alone high frequency BLS020 - BACA00134 Stand alone low frequency 24V 30 Ah BACA00066
AGM battery BAAC00107	4	6V 222 Ah (C5)	260x180x295	250	On board battery charger 24V 25 Ah KTRI01709 Stand alone high frequency BLS020 - BACA00134

RECOMMENDED BATTERIES AND BATTERY CHARGER

IPC
BY TENNANT COMPANY

SCRUBBER DRYERS - RIDE ON

CT160

MAX PRODUCTIVITY
5700 m^2/h

BATTERIES RUNNING TIME
5,5 h

WATER TANK RUNNING TIME
90'
working session

TELEMATICS GPS (opt)
GEOLOCATION OF ALL YOUR MACHINES

BATTERIES AND BATTERY CHARGER NOT INCLUDED

ROLLER VERSION

SWEEPER VERSION

CERTIFICATIONS

GREEN CLEANING EFFICIENCY

ISO 14067 CARBON FOOTPRINT CERTIFIED

MOST FREQUENTLY USE

RETAIL

HORECA

CLEANING CONTRACTORS

MUNICIPALITIES

INNOVATIONS

- DBL™ DOUBLE BATTERY LIFE
- SLS™ SELF LEVELING SYSTEM
- BACTERIA CONTROL
- TELEMATICS GPS

SPECS

PRESET WORKING PROGRAM

PRE-SWEEP SYSTEM

SEPARATE DETERGENT DOSING SYSTEM

TECHNICAL DATA

		CT160 BT70	CT160 BT85	CT160 BT95	CT160 BT75R	CT160 BT75R SWEEP
Code		LPTB01331	LPTB01332	LPTB01333	LPTB01334	LPTB01335
PERFORMANCE						
Max theoretical productivity	m²/h	4200	5100	5700	4500	4500
Cleaning path	mm	700	850	950	750	750
Water tank capacity (solution recovery)	l	145/170	145/170	145/170	145/170	145/170
Max running time	min	250	250	250	250	250
Voltage	V-Ah	36 (6x6) - 240	36 (6x6) - 240	36 (6x6) - 240	36 (6x6) - 240	36 (6x6) - 240
Installed power	W	1610	1610	1610	2110	22200
Brush pressure	kg	70	90	100	35	35
Squeegee width	mm	830	1010	1100	1010	1010
Max speed	km/h	6	6	6	6	6
Weight (Without Batteries)	kg	273	290	292	280	300
Dimension (LxWxH)	mm	1720x850x1360	1720x1010x1360	1720x1100x1360	1750x885x1360	1810x1050x1360

STANDARD ACCESSORIES

	CT160 BT70	CT160 BT85	CT160 BT95	CT160 BT75R	CT160 BT75R SWEEP
BRUSHES					
PPL MEDIUM	2xSPPV01533	2xSPPV01527	2xSPPV01539	-	-
CYLINDRICAL BRUSH - PPL SOFT Ø 0,4 mm	-	-	-	2xSPPV01286	2xSPPV01286
SQUEEGEE BLADES					
LATEX FRONT BLADE	MPVR02848 - 880mm	MPVR02830 - 1020mm	MPVR02850 - 1170mm	MPVR02830 - 1020mm	MPVR02830 - 1020mm
LATEX REAR BLADE	MPVR06233 - 920mm	MPVR05883 - 1040mm	MPVR05884 -1210mm	MPVR05883 - 1040mm	MPVR05883 - 1040mm

CONSUMABLES (Codes available on price list)

BRUSHES

CYLINDRICAL BRUSHES

PADS/SUPER PADS

SQUEEGEE BLADES

OPTIONAL ACCESSORIES

CODE: KTRI02257
EXTERNAL SUCTION KIT

CODE: KTRI01806
REAR WASTE KIT

CODE: KTRI01597 (BT85)
KTRI02078 (BT95)
FRONT BUMPER KIT

PICTURE NOT AVAILABLE

CODE: KTRI02077 (BT 85-95)
REAR BUMP KIT

CODE: KTRI02105
CHEM DOSE KIT

PICTURE NOT AVAILABLE

CODE: PRCH00578
BIOSAN RAPIDE WT (30PCS/30DAYS)

CODE:KTRI06174
KIT TELEMATIC BASIC

CODE:KTRI06173
KIT TELEMATIC FULL

CODE:KTRI06211
MODULAR SPRAYING SYSTEM 4 IN 1

PICTURE NOT AVAILABLE

BATTERIES AND BATTERY CHARGERS

BATTERIES	N°	CHARACTERISTICS	DIMENSION	RUNNING TIME	BATTERY CHARGERS
IPC gel battery BAAC00106	6	6V 180 Ah (C5)	244x192x275	210	Stand alone high frequency BLS020 BACA00134
EXIDE gel battery BAAC00026	6	6V 180 Ah (C5)	246x192x275	210	Stand alone high frequency BLS020 BACA00134
Acid tubolar plate BAAC00074	6	6V 185 Ah (C5)	240x190x275	220	Stand alone high frequency BLS020 BACA00134
GEL battery BAAC00108	6	6V 250 Ah (C5)	305x180x365	280	Stand alone high frequency BLS030 - 36V BACA00276
EXIDE gel battery BAAC00017	6	6V 240 Ah (C5)	311x183x358	280	Stand alone high frequency BLS030 - 36V BACA00276
Acid tubolar plate BAAC00062	6	6V 220 Ah (C5)	305x180x365	280	Stand alone low frequency 36V 35 Ah BACA00080
Acid tubolar plate BAAC00077	6	6V 320 Ah (C5)	305x180x365	320	Stand alone low frequency 36V 35 Ah BACA00127
Acid tubolar plate BAAC00086	6	6V 280 Ah (C5)	246x198x430	320	Stand alone low frequency 36V 35 Ah BACA00080
Dry charge tubolar plate BAAC00088	6	6V 320 Ah (C5)	245x198x430	320	Stand alone low frequency 36V 35 Ah BACA00127
Acid tubolar plate BAAC00113	1	36V 320 Ah (C5)	620x510x410	360	Stand alone low frequency 36V 35 Ah BACA00127

RECOMMENDED BATTERIES AND BATTERY CHARGER

IPC
BY TENNANT COMPANY

SCRUBBER DRYERS - RIDE ON

CT230

MAX PRODUCTIVITY
9450 m^2/h

BATTERIES RUNNING TIME
5 h

WATER TANK RUNNING TIME
100'
working session

TELEMATICS GPS (opt)
GEOLOCATION OF ALL YOUR MACHINES

SWEEPER VERSION

CERTIFICATIONS

GREEN CLEANING EFFICIENCY

ISO 14067 CARBON FOOTPRINT CERTIFIED

BATTERIES AND BATTERY CHARGER NOT INCLUDED

MOST FREQUENTLY USE

RETAIL

HORECA

CLEANING CONTRACTORS

MUNICIPALITIES

INNOVATIONS

- DBL™ DOUBLE BATTERY LIFE
- SLS™ SELF LEVELING SYSTEM
- BACTERIA CONTROL
- TELEMATICS GPS

SPECS

PRESET WORKING PROGRAM

PRE-SWEEP SYSTEM

EASY MAINTENANCE

TECHNICAL DATA

		CT230 BT85	CT230 BT95	CT230 BT105	CT230 BT100 R SWEEP
Code		LPTB02038	LPTB01821	LPTB02045	LPTB01521
PERFORMANCE					
Max theoretical productivity	m²/h	7650	8600	9450	9000
Cleaning path	mm	850	950	1050	1000
Water tank capacity (solution recovery)	l	205/225	205/225	205/225	205/225
Max running time	min	300	300	300	300
Voltage	V-Ah	36 (1x36) - 320	36 (1x36) - 320	36 (1x36) - 320	36 (1x36) - 320
Installed power	W	2850	2850	3050	3470
Brush pressure	kg	100	100	100	35
Squeegee width	mm	1010	1280	1280	1280
Max speed	km/h	9	9	9	9
Weight (Without Batteries)	kg	350	377,5	377,5	377,5
Dimension (LxWxH)	mm	1950x935x1466	1950x1155x1466	1950x1155x1466	1950x1170x1466

STANDARD ACCESSORIES

	CT230 BT85	CT230 BT95	CT230 BT105	CT230 BT100 R SWEEP
BRUSHES				
PPL MEDIUM	2xSPPV01527	SPPV01539	2xSPPV01545	-
CYLINDRICAL BRUSH - PPL SOFT Ø 0,3 mm	-	-	-	2xSPPV01330
SIDE BRUSH - PPL MEDIUM	-	-	-	2xSPPV00018
SQUEEGEE BLADES				
LATEX FRONT BLADE	MPVR05908 - 1180mm	MPVR05908 - 1180mm	MPVR05885 - 1420mm	MPVR05885 - 1420mm
LATEX REAR BLADE	MPVR05909 - 1230mm	MPVR05909 - 1230mm	MPVR05886 - 1490mm	MPVR05886 - 1490mm

CONSUMABLES (Codes available on price list)

BRUSHES

CYLINDRICAL BRUSHES

PADS/SUPER PADS

SQUEEGEE BLADES

OPTIONAL ACCESSORIES

CODE: KTRI01944
OVERHEAD GUARD KIT FOR BT85/BT95/BT105

CODE: PRCH00578
BIOSAN RAPIDE WT (30PCS/30DAYS)

CODE:KTRI06224
KIT TELEMATIC BASIC

CODE:KTRI06225
KIT TELEMATIC FULL

CODE:KTRI06212
MODULAR SPRAYING SYSTEM 4 IN 1

PICTURE NOT AVAILABLE

BATTERIES AND BATTERY CHARGERS

BATTERIES	N°	CHARACTERISTIC	DIMENSION	RUNNING TIME	BATTERY CHARGERS
GEL battery BAAC00108	6	6V 250 Ah (C5)	305x180x365	250	Stand alone high frequency BLS030 - 36V BACA00276
EXIDE gel battery BAAC00017	6	6V 240 Ah (C5)	311x183x358	250	Stand alone high frequency BLS030 - 36V BACA00276
Acid tubolar plate BAAC00113	1	36V 320 Ah (C5)	620x510x410	360	Stand alone low frequency 36V 35 Ah BACA00127

RECOMMENDED BATTERIES AND BATTERY CHARGER

PREMIUM LINE SCRUBBERS

71 BF 72 ES+	84
41 BF 57 RR	86
41 BF 68 RR	86
ESD MODELS	88

IPC
BY TENNANT COMPANY

SCRUBBER DRYERS - WALK BEHIND

71 BF 72 ES+

MAX PRODUCTIVITY
3960
m^2/h

BATTERIES RUNNING TIME
3,25-2,88
h

WATER TANK RUNNING TIME MAX
37'
working session

TÜV NORD Certification

MOST FREQUENTLY USE

- FOOD & MEAT PROCESSING INDUSTRY & CHEESE FACTORIES

INNOVATIONS

- GWS - GANSOW WATER MANAGEMENT SYSTEM
- CLAM-SHELL STRUCTURE
- TOTALLY MADE OF STAINLESS STEEL
- COMPLIANT WITH HAACP

SPECS

ACX CONTROL

BIG TANK LID FOR QUICK FILLING AND EASY CLEANING

EASY ACCESS TO ALL MACHINE COMPONENTS FOR AN EASY MAINTENANCE

TECHNICAL DATA

		71 BF 72 ES+
Code		85603
PERFORMANCE		
Max theoretical productivity	m2/h	3960
Cleaning path	mm	720
Water tank capacity (solution recovery)	l	70
Max running time	min	195 / 173
Voltage	V-Ah	4 x 6 V 160 / 180 Ah
Installed power	W	2670
Brush pressure	kg	40
Squeegee width	mm	1000
Max speed	km/h	5,5
Weight (Without Batteries)	kg	230
Dimension (LxWxH)	mm	1580x740x1150

STANDARD ACCESSORIES

	71 BF 72 ES+
SQUEEGEE BLADES	
FRONT SQUEEGEE BLADE	
REAR SQUEEGEE BLADE	
COMPLETE SQUEEGEE	

OPTIONAL ACCESSORIES

CODE: 19270
PPN - 0,5 mm, 45° SLOPED BRUSH

CODE: 19272
BLACK SOFT - 0,22, 45° SLOPED BRUSH

CODE: 19271
45° SLOPED PES BRUSH

CODE: 19221
PES/K320, SEGMENTED BRUSH

CODE: 19178
PASC - BLUE BRUSH (K500), 0,5 mm

CODE: 19090
PASC - GREY BRUSH (K320), 0,6 mm

CODE: 19001
PASC - GREEN BRUSH (K120)

CODE: 19016
PPN - 0,8 mm - BRUSH

CODE: 13128
BLACK SUPER PAD WITHOUT CENTRAL PART

CODE: 13127
GREEN SUPER PAD WITHOUT CENTRAL PART

CODE: 13129
YELLOW SUPER PAD WITHOUT CENTRAL PART

CODE: 12785
RED SUPER PAD WITHOUT CENTRAL PART

CODE: 40224
BLACK SUPER PAD WITH CENTRAL PART

CODE: 40223
GREEN SUPER PAD WITH CENTRAL PART

CODE: 40221
YELLOW SUPER PAD WITH CENTRAL PART

CODE: 41409
RED SUPER PAD WITH CENTRAL PART

CODE: 19039
SUPER PAD DRIVE PLATE

CODE: 19252
MICROFIBRE PAD AND SYSTEM PAD DRIVE PLATE

CODE: 13009
DRIVE PLATE CENTRAL PART

CODE: 13078
CORE (ENTRY FOR CENTRAL PART)

CODE: 17011
MICROFIBRE PAD BLUE/WHITE

CODE: 16817
WHITE PUNCHING SYSTEM PAD (FOR BASIC CLEANING)

CODE: 16894
WHITE/GREY PUNCHING SYSTEM PAD (FOR MAINTENANCE CLEANING)

CODE: SL03563LIN
LINATEX REAR SQUEEGEE BLADE

CODE: SL03564
RUBBER FRONT SQUEEGEE BLADE

CODE: SL03563
RUBBER REAR SQUEEGEE BLADE

CODE: SL03564UGL
RED RUBBER UNSLOTTED FRONT SQUEEGEE BLADE

CODE: 40403
FLOOR SUCTION KIT WITH STAINLESS STEEL TUBES AND 370 MM FLOOR SUCTION NOZZLE

CODE: 41873
FLOOR SUCTION KIT, INCLUDING ASSEMBLY SUPPORTS

CODE: 41604
COMPLETE SUCTION MANUAL

CODE: 41748
MOP CARRIER

CODE: 41895
NOISE REDUCTION KIT (ASSEMBLY AVAILABLE ONLY FROM PRODUCTION FACTORY)

CODE: 41872
CLEAN WATER TANK AUTOMATIC FILLING

CODE: 45027
STOPCOCK FOR DIRT WATER DRAIN HOSE

CODE: 41947
CHEMICAL DOSING SYSTEM

BATTERIES AND BATTERY CHARGERS

BATTERIES	N°	CHARACTERISTICS	BATTERY CHARGERS
Battery block maintenance free Gel/13322	2x	6 V 160 Ah	E 24V / 25 A - 85651
Battery block maintenance free Gel/13533	4x	6 V 180 Ah	E 24V / 25 A - 85651

IPC
BY TENNANT COMPANY

SCRUBBER DRYERS - WALK BEHIND

41 BF 57 RR
41 BF 68 RR

MAX PRODUCTIVITY	BATTERIES RUNNING TIME	WATER TANK RUNNING TIME MAX
3135 m^2/h	2,15 h	27′ working session
3740 m^2/h	2,15 h	23′ working session

TÜV NORD Certification

MOST FREQUENTLY USE

- FOOD & MEAT PROCESSING INDUSTRY & CHEESE FACTORIES

INNOVATIONS

- GWS - GANSOW WATER MANAGEMENT SYSTEM
- HEPA FILTER CLASS H13
- ALL COVERS MADE OF STAINLESS STEEL
- STAINLESS STEEL SQUEEGEE
- ANTISTATIC DESIGN

SPECS

ACX CONTROL

BIG TANK LID FOR QUICK FILLING AND EASY CLEANING

EASY ACCESS TO ALL MACHINE COMPONENTS FOR AN EASY MAINTENANCE

TECHNICAL DATA

		41 BF 57 RR	41 BF 68 RR
Code		85643	85644
PERFORMANCE			
Max theoretical productivity	m²/h	3135	3740
Cleaning path	mm	570	680
Water tank capacity (solution recovery)	l	40	40
Max running time	min	129	118
Voltage	V-Ah	2 x 12 V / 105 Ah	2 x 12 V / 105 Ah
Installed power	W	1260	1610
Brush pressure	kg	31,5	31,5
Squeegee width	mm	870	870
Max speed	km/h	5,5	5,5
Weight (Without Batteries)	kg	172	178
Dimension (LxWxH)	mm	1430x605x1130	1390x690x1130

STANDARD ACCESSORIES

	41 BF 57 RR	41 BF 68 RR
SQUEEGEE BLADES		
SQUEEGEE BLADE FRONT PU HP		
SQUEEGEE BLADE REAR PU HP		
SQUEEGEE COMPLETE SIZE S		

CODE 41 BF 57 RR: 19259
CODE 41 BF 68 RR: 19267
PPN - 0,5 mm, 45° SLOPED BRUSH

CODE 41 BF 57 RR: 19260
CODE 41 BF 68 RR: 19269
BLACK SOFT - 0,22, 45° SLOPED BRUSH

CODE 41 BF 57 RR: 19261
CODE 41 BF 68 RR: 19268
45° SLOPED PES BRUSH

CODE 41 BF 57 RR: 19224
CODE 41 BF 68 RR: 19207
PES/K320, SEGMENTED BRUSH

CODE 41 BF 57 RR: 19181
CODE 41 BF 68 RR: 19177
PASC - BLUE BRUSH (K500), 0,5 mm

CODE 41 BF 57 RR: 19091
CODE 41 BF 68 RR: 19094
PASC - GREY BRUSH (K320), 0,6 mm

CODE 41 BF 57 RR: 19010
CODE 41 BF 68 RR: 19081
PASC - GREEN BRUSH (K120)

CODE 41 BF 57 RR: 19019
CODE 41 BF 68 RR: 19077
PPN - 0,8 mm - BRUSH

CODE 41 BF 57 RR: 01610
CODE 41 BF 68 RR: 13892
BLACK SUPER PAD WITHOUT CENTRAL PART

CODE 41 BF 57 RR: 01603
CODE 41 BF 68 RR: 13891
GREEN SUPER PAD WITHOUT CENTRAL PART

CODE 41 BF 57 RR: 01635
CODE 41 BF 68 RR: 13895
YELLOW SUPER PAD WITHOUT CENTRAL PART

CODE 41 BF 57 RR: 13750
CODE 41 BF 68 RR: 13893
RED SUPER PAD WITHOUT CENTRAL PART

CODE 41 BF 57 RR: 41035
CODE 41 BF 68 RR: 41237
BLACK SUPER PAD WITH CENTRAL PART

CODE 41 BF 57 RR: 41029
CODE 41 BF 68 RR: 41236
GREEN SUPER PAD WITH CENTRAL PART

CODE 41 BF 57 RR: 41032
CODE 41 BF 68 RR: 41472
YELLOW SUPER PAD WITH CENTRAL PART

CODE 41 BF 57 RR: 41161
CODE 41 BF 68 RR: 41473
RED SUPER PAD WITH CENTRAL PART

CODE 41 BF 57 RR: 19037
CODE 41 BF 68 RR: 19078
SUPER PAD DRIVE PLATE

CODE 41 BF 57 RR: 19242
CODE 41 BF 68 RR: 19251
MICROFIBRE PAD AND SYSTEM PAD DRIVE PLATE

CODE 41 BF 57 RR: 13009
CODE 41 BF 68 RR: 13009
DRIVE PLATE CENTRAL PART

CODE 41 BF 57 RR: 13078
CODE 41 BF 68 RR: 13078
CORE (ENTRY FOR CENTRAL PART)

CODE 41 BF 57 RR: 16302
CODE 41 BF 68 RR: 16340
MICROFIBRE PAD BLUE/WHITE

CODE 41 BF 57 RR: 16816
CODE 41 BF 68 RR: 16815
WHITE PUNCHING SYSTEM PAD (FOR BASIC CLEANING)

CODE 41 BF 57 RR: 16896
CODE 41 BF 68 RR: 16893
WHITE/GREY PUNCHING SYSTEM PAD (FOR MAINTENANCE CLEANING)

CODE: SL03518LIN
LINATEX REAR SQUEEGEE BLADE

CODE: SL03517
RUBBER FRONT SQUEEGEE BLADE

CODE: SL03518
RUBBER REAR SQUEEGEE BLADE

CODE: SL03517UGL
RED RUBBER UNSLOTTED FRONT SQUEEGEE BLADE

CODE: PMVR02024VA
SIZE L COMPLETE SQUEEGEE BLADE

CODE: 40403
FLOOR SUCTION KIT WITH STAINLESS STEEL TUBES AND 370 mm FLOOR SUCTION NOZZLE

CODE: 41873
FLOOR SUCTION KIT, INCLUDING ASSEMBLY SUPPORTS

CODE: 41604
COMPLETE SUCTION MANUAL

CODE: 41748
MOP CARRIER

CODE: 41888
NOISE REDUCTION KIT (ASSEMBLY AVAILABLE ONLY FROM PRODUCTION FACTORY)

CODE: 40852
STAINLESS STEEL BRUSH HEAD BUMPER

CODE: 41872
CLEAN WATER TANK AUTOMATIC FILLING

CODE: 45027
STOPCOCK FOR DIRT WATER DRAIN HOSE

CODE: 41947
CHEMICAL DOSING SYSTEM

BATTERIES AND BATTERY CHARGERS

BATTERIES	N°	CHARACTERISTICS	BATTERY CHARGERS
Battery block maintenance free Gel/ 13287	2x	12 V / 105 Ah	E 24V / 15 A - 85650

ESD MODELS

ESD MODELS	CODE
31 B 50 ESD	85712
41 B 57 ESD	85713
41 BF 57 ESD	85714
61 BF 68 ESD	85718
91 BF 85 ESD	85709
121 BF 85 ESD	85704

TÜV NORD Certification

MOST FREQUENTLY USE

- CLEAN ROOMS

INNOVATIONS

- FULL ANTISTATIC DESIGN
- STAINLESS STEEL SQUEEGEE
- GWS - GANSOW WATER MANAGEMENT SYSTEM

SPECS

ACX CONTROL

BIG TANK LID FOR QUICK FILLING AND EASY CLEANING

EASY ACCESS TO ALL MACHINE COMPONENTS FOR AN EASY MAINTENANCE

OPTIONAL ACCESSORIES

PPN - 0,5 mm, 45° SLOPED BRUSH	BLACK SOFT - 0,22, 45° SLOPED BRUSH	45° SLOPED PES BRUSH	PES/K320, SEGMENTED BRUSH	PASC - BLUE BRUSH (K500), 0,5 mm
PASC - GREY BRUSH (K320), 0,6 mm	PASC - GREEN BRUSH (K120)	PPN - 0,8 mm - BRUSH	BLACK SUPER PAD WITHOUT CENTRAL PART	GREEN SUPER PAD WITHOUT CENTRAL PART
YELLOW SUPER PAD WITHOUT CENTRAL PART	RED SUPER PAD WITHOUT CENTRAL PART	BLACK SUPER PAD WITH CENTRAL PART	GREEN SUPER PAD WITH CENTRAL PART	YELLOW SUPER PAD WITH CENTRAL PART
RED SUPER PAD WITH CENTRAL PART	SUPER PAD DRIVE PLATE	MICROFIBRE PAD AND SYSTEM PAD DRIVE PLATE	DRIVE PLATE CENTRAL PART	CORE (ENTRY FOR CENTRAL PART)
MICROFIBRE PAD BLUE/WHITE	WHITE PUNCHING SYSTEM PAD (FOR BASIC CLEANING)	WHITE/GREY PUNCHING SYSTEM PAD (FOR MAINTENANCE CLEANING)	LINATEX REAR SQUEEGEE BLADE	RUBBER FRONT SQUEEGEE BLADE
RUBBER REAR SQUEEGEE BLADE	RED RUBBER UNSLOTTED FRONT SQUEEGEE BLADE	SIZE L COMPLETE SQUEEGEE BLADE	FLOOR SUCTION KIT WITH STAINLESS STEEL TUBES AND 370 MM FLOOR SUCTION NOZZLE	FLOOR SUCTION KIT, INCLUDING ASSEMBLY SUPPORTS
COMPLETE SUCTION MANUAL	MOP CARRIER	NOISE REDUCTION KIT (ASSEMBLY AVAILABLE ONLY FROM PRODUCTION FACTORY)	STAINLESS STEEL BRUSH HEAD BUMPER	CLEAN WATER TANK AUTOMATIC FILLING
STOPCOCK FOR DIRT WATER DRAIN HOSE	CHEMICAL DOSING SYSTEM			

BATTERIES AND BATTERY CHARGERS

BATTERIES
Battery block maintenance free Gel

SWEEPERS

INNOVATIONS 93

SUGGESTED SECTORS 98

WALK BEHIND

510 M 100

550 M 102

750 104

464 106

664 108

505 110

705 112

512 114

712 116

RIDE ON

1050 118

1250 120

1280 122

1404 124

INDUSTRIAL SWEEPERS

155 126

165 128

175 130

195 132

DBL™
DOUBLE
BATTERY LIFE

DOUBLE BATTERY LIFE

The system ensures double amount of rides in one battery life.

BENEFITS

01 Extended battery life (double life extension)
02 Charging cycle optimization
03 100% lifespan increase
04 Avoid needless recharges
05 Recharge only when required

SLS™ SELF-LEVELLING SYSTEM

CONSTANT HIGH CLEANING PERFORMANCES.

SLS ™ System can be electric or mechanical and allows great cleaning performances thanks to a constant pressure on the floor.

BENEFITS

01 Brush head self-levelling & self-adjusting
02 A perfect adherence of brushes to floors
03 System can be either mechanical or electronic according to machine model

DUAL POWER

HYBRID FOR INTERNAL AND EXTERNAL CLEANING

Innovative power supply system created by IPC GANSOW that permits a dual use of the machine: electric (battery) and motorized (petrol engine).

BENEFITS

01 Prevention from serious machine damages
02 Reduced maintenance costs
03 Extension of the machine lifespan

SERVICE MENU

MAXIMUM MACHINE PROTECTION WITH SERVICE MENU

The machine is equipped with a service menu that warns to call the service when needed

BENEFITS

01 Prevention from serious machine damages
02 Reduced maintenance costs
03 Extension of machine lifespan

SOFT SURFACE CLEANING

CONSTANT HIGH CLEANING PERFORMANCES

Electronical or mechanical system that allows great cleaning performances thanks to a constant pressure on the floor.

BENEFITS

01 Brush head self-levelling & self-adjusting
02 A perfect adherence of brushes to floors

RETAIL

CLEANING INDOOR FLOOR SURFACES

- COMMON AREAS
- GREEN AREAS / LEAVES / DUST / DEBRIS
- DAILY CLEANING OPERATIONS

CLEANING LARGE AREAS

- INDOOR PARKING AREAS
- HALLWAYS AND CORRIDORS
- WAREHOUSE CLEANING

DISTRIBUTION

- CLEANING BETWEEN PALLETS AND AISLE,SHELVES AND IN LIMITED AREAS
- CLEANING BETWEEN PALLETS AISLES, SHELVES AND IN RESTRICTED AREAS
- LOADING & UNLOADING BAYS CLEANING

HORECA

RESTAURANTS

- MAINTENANCE CLEANING
- CARPETED ROOMS MAINTENANCE
- HALLWAYS AND COMMON AREAS

HOTELS

- HALLWAYS AND COMMON AREAS
- CONVENTION CENTERS CLEANING
- STORAGE ROOMS CLEANING

CLEANING EXTERNAL AREAS

- HALLWAYS AND COMMON AREAS
- PARKING AND STORAGE AREAS CLEANING
- SILOS AND MULTY-STOREY CAR PARKS

CLEANING CONTRACTORS

SHOPS

- MAINTENANCE CLEANING
- INDOOR AREAS
- EXTERNAL AREAS

SERVICES

- RESIDENTIAL AREAS
- CANTEENS
- PUBLIC SERVICES

INDUSTRY

- OFFICES CLEANING
- DEEP CLEANING
- PRODUCTION AREAS & WAREHOUSES

MUNICIPALITIES

PUBLIC INSTITUTIONS

- MAINTENANCE CLEANING
- HALLWAYS AND COMMON AREAS CLEANING
- CORRIDORS AND ELEVATORS CLEANING

SCHOOLS & UNIVERSITIES

- DAILY CLEANING
- ENTRANCE, HALLWAYS AND COMMON AREAS CLEANING
- CLASSROOM CLEANING

HOSPITALITY

- HALLWAYS AND COMMON AREAS CLEANING
- INDOOR & OUTDOOR PARKING
- EXTERNAL AREAS

IPC
BY TENNANT COMPANY

SWEEPERS - WALK BEHIND

510 M

MAX PRODUCTIVITY

2345 m^2/h

MAIN BRUSH PATH

490 mm

SYSTEM

Manual

MOST FREQUENTLY USE

RETAIL

HORECA

CLEANING CONTRACTORS

MUNICIPALITIES

SPECS

STEEL FRAME STRUCTURE

EASY ACCESS TO ALL COMPONENTS

ADJUSTABLE HANDLE

TECHNICAL DATA

		510 M
Code		MSUT00645
PERFORMANCE		
Main brush cleaning path width	mm	490
Side brush cleaning path width	mm	670
Max theoretical productivity	m^2/h	2345
Hopper capacity	l	24
Hopper Discarghe System	Type/mm	Low-Manual
Max speed	km/h	3,5
Max Climb	%	2
Weight whithout batteries	kg	24
Dimension (LxWxH)	mm	1300x920x920

STANDARD ACCESSORIES

	510 M
BRUSHES	
MAIN BRUSH	SPPV24793
SIDE BRUSH	SPPV01338

IPC
BY TENNANT COMPANY

SWEEPERS - WALK BEHIND

550 M

MAX PRODUCTIVITY

1600 m^2/h

BRUSH PATH

550 mm

SYSTEM

Manual

MOST FREQUENTLY USE

RETAIL

HORECA

CLEANING CONTRACTORS

MUNICIPALITIES

SPECS

PATENTED GARBAGE SYSTEM

LARGE 25 L TANK, EASY TO EMPTY

HEIGHT-ADJUSTABLE BRUSH

TECHNICAL DATA

		550 M
Code		MSUT00765
PERFORMANCE		
Side brush cleaning path width	mm	550
Max theoretical productivity	m^2/h	1600
Hopper capacity	l	25
Hopper Discarghe System	Type/mm	manual
Max speed	km/h	3,5
Max Climb	%	2
Weight whithout batteries	kg	8
Dimension (LxWxH)	mm	1250x590x533

STANDARD ACCESSORIES

	550 M
BRUSHES	
MAIN BRUSH	SPPV02216
SIDE BRUSH	SPPV02217

IPC
BY TENNANT COMPANY

SWEEPERS - WALK BEHIND

750

MAX PRODUCTIVITY
3000 m^2/h

BRUSH PATH
750 mm

SYSTEM
Manual - 12 V

BATTERIES AND BATTERY CHARGER INCLUDED (ONLY 750 E)

MOST FREQUENTLY USE

RETAIL

HORECA

CLEANING CONTRACTORS

MUNICIPALITIES

SPECS

PATENTED GARBAGE SYSTEM

HEIGHT-ADJUSTABLE BRUSH

LARGE 50 L TANK, EASY TO EMPTY

TECHNICAL DATA

		750 M	750 E
Code		MSUT00768	MSUT00766
PERFORMANCE			
Side brush cleaning path width	mm	750	750
Max theoretical productivity	m^2/h	3000	3000
Hopper capacity	l	50	50
Hopper Discarghe System	Tipo/mm	Low- Manual	Low- Manual
Max speed	km/h	3,5	3,5
Max Climb	%	2	2
Weight	kg	16	20 With Battery
Dimension (LxWxH)	mm	1030x770x750	1030x770x750

STANDARD ACCESSORIES

	750 M	750 E
BRUSHES		
MAIN BRUSH	SPPV08015	SPPV08015
SIDE BRUSH LEFT	SPPV08013	SPPV08013
SIDE BRUSH RIGHT	SPPV08014	SPPV08014

BATTERIES AND BATTERY CHARGERS

BATTERIES	N°	CHARACTERISTIC	DIMENSION	RUNNING TIME	BATTERY CHARGERS
AGM Battery BAAC00172 Standar included on 750E	1	12V -12 Ah (C5)	15x9,7x9,2	90	**BACA00245 - 12V Standard included on 750E**

RECOMMENDED BATTERIES AND BATTERY CHARGERS

IPC
BY TENNANT COMPANY

SWEEPERS - WALK BEHIND

464

MAX PRODUCTIVITY	MAIN BRUSH PATH	VOLTAGE SYSTEM
2187 m^2/h	460 mm	12 V

BATTERIES NOT INCLUDED - BATTERY CHARGER INCLUDED

MOST FREQUENTLY USE

RETAIL

HORECA

CLEANING CONTRACTORS

MUNICIPALITIES

INNOVATIONS

SLS™ SELF LEVELLING SYSTEM

SOFT CLEANING SURFACE

SPECS

LARGE WASTE TRAY

INTUITIVE CONTROL PANEL

ADJUSTABLE HANDLE

TECHNICAL DATA

		464
Code		MSUT00649
PERFORMANCE		
Main brush cleaning path width	mm	460
Side brush cleaning path width	mm	625
Max theoretical productivity	m^2/h	2187
Voltage	V-Ah	12
Installed power	W /HP	180 W
Hopper capacity	l	35
Hopper Discarghe System	Type/mm	Low-Manual
Filtering surface	m^2	1
Fylter type		Panel -paper
Max speed	km/h	3,5
Max Climb	%	2
Weight whithout batteries	kg	38
Dimension (LxWxH)	mm	1033x615x994

STANDARD ACCESSORIES

	464
BRUSHES	
MAIN BRUSH	PMVR01121
SIDE BRUSH	SPPV00303
FILTERS	
FILTER	FTDP00013

BATTERIES AND BATTERY CHARGERS

BATTERIES	N°	CHARACTERISTIC	DIMENSION	RUNNING TIME	BATTERY CHARGERS
AGM battery BAAC00019	1	12V 42 Ah (C5)	195x165x175	110	**Standard Included 12V 5Ah**

RECOMMENDED BATTERIES AND BATTERY CHARGERS

IPC
BY TENNANT COMPANY

SWEEPERS - WALK BEHIND

664

MAX PRODUCTIVITY	MAIN BRUSH PATH	VOLTAGE SYSTEM
2600 m^2/h	600 mm	12 V

BATTERIES NOT INCLUDED - BATTERY CHARGER INCLUDED

MOST FREQUENTLY USE

RETAIL

HORECA

CLEANING CONTRACTORS

MUNICIPALITIES

INNOVATIONS

SLS™ SELF LEVELLING SYSTEM

SOFT CLEANING SURFACE

SPECS

LARGE WASTE TRAY

INTUITIVE CONTROL PANEL

ADJUSTABLE HANDLE

TECHNICAL DATA

		664
Code		MSUT00651
PERFORMANCE		
Main brush cleaning path width	mm	600
Side brush cleaning path width	mm	825
Max theoretical productivity	m^2/h	2600
Voltage	V-Ah	12-42
Installed power	W /HP	180
Hopper capacity	l	45
Hopper Discarghe System	Type/mm	Low-Manual
Filtering surface	m^2	1
Fylter type		Panel -paper
Max speed	km/h	3,5
Max Climb	%	2
Weight whithout batteries	kg	41
Dimension (LxWxH)	mm	1033X815X994

STANDARD ACCESSORIES

	664
BRUSHES	
MAIN BRUSH	PMVR02228
SIDE BRUSH	SPPV00303
FILTERS	
FILTER	FTDP00013

BATTERIES AND BATTERY CHARGERS

BATTERIES	N°	CHARACTERISTIC	DIMENSION	RUNNING TIME	BATTERY CHARGERS
AGM battery BAAC00019	1	12V 42 Ah (C5)	195x165x175	110	**Standard Included 12V 5Ah**

RECOMMENDED BATTERIES AND BATTERY CHARGERS

IPC
BY TENNANT COMPANY

SWEEPERS - WALK BEHIND

505

MAX PRODUCTIVITY	MAIN BRUSH PATH	VOLTAGE SYSTEM
2450 m^2/h	500 mm	12 V

BATTERIES AND BATTERY CHARGER NOT INCLUDED

MOST FREQUENTLY USE

RETAIL

HORECA

CLEANING CONTRACTORS

MUNICIPALITIES

INNOVATIONS

SOFT CLEANING SURFACE

DBL™ DOUBLE BATTERY LIFE

SPECS

INTUITIVE CONTROL PANEL

LARGE FRONTAL WASTE TRAY

EASY MAINTENANCE

TECHNICAL DATA

		505 ET
Code		MSUT00695
PERFORMANCE		
Main brush cleaning path width	mm	500
Side brush cleaning path width	mm	700
Max theoretical productivity	m^2/h	2450
Voltage	V-Ah	12
Installed power	W /HP	485
Hopper capacity	l	65
Hopper Discarghe System	Type/mm	Low-Manual
Filtering surface	m^2	3
Fylter type		Panel -paper
Max speed	km/h	3,5
Max Climb	%	2
Weight whithout batteries	kg	75
Dimension (LxWxH)	mm	1160X810X1000

STANDARD ACCESSORIES

	505 ET
BRUSHES	
MAIN BRUSH	SPPV00051
SIDE BRUSH	SPPV76057
FILTERS	
FILTER	FTDP76065

BATTERIES AND BATTERY CHARGERS

BATTERIES	N°	CHARACTERISTIC	DIMENSION	RUNNING TIME	BATTERY CHARGERS
Acid flat plate battery BAAC00011	1	12V 60 Ah (C5)	278x175x190	70	Stand alone high frequency BLS010 - BACA00133 Stand alone low frequency 12V 10Ah -BACA00001
Acid flat plate battery BAAC00012 *	1	12V 75 Ah (C5)	325x175x212	90	Stand alone high frequency BLS010 - BACA00133 Stand alone low frequency 12V 10Ah -BACA00001

* RECOMMENDED WITH MPVR00610

IPC
BY TENNANT COMPANY

SWEEPERS - WALK BEHIND

705

MAX PRODUCTIVITY
3150 m^2/h

MAIN BRUSH PATH
700 mm

VOLTAGE SYSTEM
12 V

BATTERIES AND BATTERY CHARGER NOT INCLUDED

MOST FREQUENTLY USE

RETAIL

HORECA

CLEANING CONTRACTORS

MUNICIPALITIES

INNOVATIONS

SOFT CLEANING SURFACE

DBL™ DOUBLE BATTERY LIFE

SPECS

INTUITIVE CONTROL PANEL

LARGE FRONTAL WASTE TRAY

EASY MAINTENANCE

TECHNICAL DATA

		705 ET
Code		MSUT00697
PERFORMANCE		
Main brush cleaning path width	mm	700
Side brush cleaning path width	mm	900
Max theoretical productivity	m^2/h	3150
Voltage	V-Ah	12
Installed power	W /HP	485
Hopper capacity	l	65
Hopper Discarghe System	Type/mm	Low-Manual
Filtering surface	m^2	3
Fylter type		Panel -paper
Max speed	km/h	3,5
Max Climb	%	2
Weight whithout batteries	kg	75
Dimension (LxWxH)	mm	1160x810x1000

STANDARD ACCESSORIES

	705 ET
BRUSHES	
MAIN BRUSH	SPPV76062
SIDE BRUSH	SPPV76057
FILTERS	
FILTER	FTDP76066

BATTERIES AND BATTERY CHARGERS

BATTERIES	N°	CHARACTERISTIC	DIMENSION	RUNNING TIME	BATTERY CHARGERS
Acid flat plate battery BAAC00011	1	12V 60 Ah (C5)	278x175x190	70	Stand alone high frequency BLS010 - BACA00133 Stand alone low frequency 12V 10Ah -BACA00001
Acid flat plate battery BAAC00012 *	1	12V 75 Ah (C5)	325x175x212	90	Stand alone high frequency BLS010 - BACA00133 Stand alone low frequency 12V 10Ah -BACA00001

* RECOMMENDED WITH MPVR00610

RECOMMENDED BATTERIES AND BATTERY CHARGERS

IPC
BY TENNANT COMPANY

SWEEPERS - WALK BEHIND

512

MAX PRODUCTIVITY	MAIN BRUSH PATH	VOLTAGE SYSTEM
2450 m^2/h	500 mm	12 V

BATTERIES AND BATTERY CHARGER NOT INCLUDED

MOST FREQUENTLY USE

RETAIL

HORECA

CLEANING CONTRACTORS

MUNICIPALITIES

INNOVATIONS

SOFT CLEANING SURFACE

DBL™ DOUBLE BATTERY LIFE

SPECS



ELECTRIC FILTER SHAKER



LARGE FRONTAL WASTE TRAY

EASY MAINTENANCE

TECHNICAL DATA

		512 ET	512 ET CARPET
Code		MSUT00656	MSUT00659
PERFORMANCE			
Main brush cleaning path width	mm	500	500
Side brush cleaning path width	mm	700	700
Max theoretical productivity	m^2/h	2450	2450
Voltage	V-Ah	12	12
Installed power	W /HP	320	320
Hopper capacity	l	50	50
Hopper Discarghe System	Type/mm	Low-Manual	Low-Manual
Filtering surface	m^2	2,9	2,9
Fylter type		Panel -paper	Panel -paper
Max speed	km/h	3,5	3,5
Max Climb	%	2	2
Weight whithout batteries	kg	78	78
Dimension (LxWxH)	mm	1225x753x903	1225x753x903

STANDARD ACCESSORIES

	512 ET	512 ET CARPET
BRUSHES		
MAIN BRUSH	SPPV00051	SPPV00051
SIDE BRUSH	SPPV76057	SPPV76057
FILTERS		
FILTER	FTDP85298	FTDP85298

BATTERIES AND BATTERY CHARGERS

BATTERIES	N°	CHARACTERISTIC	DIMENSION	RUNNING TIME	BATTERY CHARGERS
IPC gel battery BAAC00105	1	12V 105 Ah (C5)	345x170x285	140	On board high frequency 12V 10 Ah - KTRI01579 Stand alone high frequency BLS010 - BACA00133
EXIDE gel battery BAAC00024	1	12V 105 Ah (C5)	345x170x285	140	On board high frequency 12V 10 Ah - KTRI01579 Stand alone high frequency BLS010 - BACA00133
Acid tubolar plate battery BAAC00136	1	12V 85 Ah (C5)	308x175x225	100	On board high frequency 12V 10 Ah KTRI01579 Stand alone high frequency BLS010 - BACA00133 Stand alone low frequency 12V 10Ah -BACA00001
Acid tubolar plate battery BAAC00070	1	12V 118 Ah (C5)	345x170x285	150	On board high frequency 12V 10 Ah KTRI01579 Stand alone high frequency BLS010 - BACA00133 Stand alone low frequency 12V 10Ah -BACA00001
Acid flat plate battery BAAC00009	1	12V 105 Ah (C5)	345x170x286	140	On board high frequency 12V 10 Ah KTRI01579 Stand alone high frequency BLS010 - BACA00133 Stand alone low frequency 12V 10Ah -BACA00001
Acid flat plate battery BAAC00011	1	12V 60 Ah (C5)	278x175x190	70	On board high frequency 12V 10 Ah KTRI01579 Stand alone high frequency BLS010 - BACA00133 Stand alone low frequency 12V 10Ah -BACA00001
Acid flat plate battery BAAC00012	1	12V 75 Ah (C5)	325x175x212	90	On board high frequency 12V 10 Ah KTRI01579 Stand alone high frequency BLS010 - BACA00133 Stand alone low frequency 12V 10Ah -BACA00001

IPC
BY TENNANT COMPANY

SWEEPERS - WALK BEHIND

712

MAX PRODUCTIVITY
3150 m^2/h

MAIN BRUSH PATH
700 mm

VOLTAGE SYSTEM
24 V

BATTERIES AND BATTERY CHARGER NOT INCLUDED

MOST FREQUENTLY USE

RETAIL

HORECA

CLEANING CONTRACTORS

MUNICIPALITIES

INNOVATIONS

SOFT CLEANING SURFACE

DBL™ DOUBLE BATTERY LIFE

SPECS


ELECTRIC FILTER SHAKER


LARGE FRONTAL WASTE TRAY

EASY MAINTENANCE

TECHNICAL DATA

		712 ET	712 ET CARPET
Code		MSUT00666	MSUT00669
PERFORMANCE			
Main brush cleaning path width	mm	700	700
Side brush cleaning path width	mm	900	900
Max theoretical productivity	m^2/h	3150	3150
Voltage	V-Ah	24	24
Installed power	W /HP	535	535
Hopper capacity	l	50	50
Hopper Discarghe System	Type/mm	Low-Manual	Low-Manual
Filtering surface	m^2	2,9	2,9
Fylter type		Low-Manual	Low-Manual
Max speed	km/h	3,5	3,5
Max Climb	%	2	2
Weight whithout batteries	kg	93	93
Dimension (LxWxH)	mm	1225X943X903	1225X943X903

STANDARD ACCESSORIES

	712 ET	712 ET CARPET
BRUSHES		
MAIN BRUSH	SPPV76062	SPPV76062
SIDE BRUSH	SPPV76057	SPPV76057
FILTERS		
FILTER	FTDP85299	FTDP85299

BATTERIES AND BATTERY CHARGERS

BATTERIES	N°	CHARACTERISTIC	DIMENSION	RUNNING TIME	BATTERY CHARGERS
IPC gel battery BAAC00105	2	12V 105 Ah (C5)	345x170x285	140	On board high frequency 24V 10 Ah - KTRI01580 Stand alone high frequency BLS010 - BACA00133
EXIDE gel battery BAAC00024	2	12V 105 Ah (C5)	345x170x285	140	On board high frequency 24V 10 Ah - KTRI01580 Stand alone high frequency BLS010 - BACA00133
Acid tubolar plate battery BAAC00136	2	12V 85 Ah (C5)	308x175x225	100	On board high frequency 24V 10 Ah KTRI01580 Stand alone high frequency BLS010 - BACA00133 Stand alone low frequency 24V 12Ah -BACA00060
Acid tubolar plate battery BAAC00070	2	12V 118 Ah (C5)	345x170x285	150	On board high frequency 24V 10 Ah KTRI01580 Stand alone high frequency BLS010 - BACA00133 Stand alone low frequency 24V 12Ah -BACA00060
Acid flat plate battery BAAC00009	2	12V 105 Ah (C5)	345x170x286	140	On board high frequency 24V 10 Ah KTRI01580 Stand alone high frequency BLS010 - BACA00133 Stand alone low frequency 24V 12Ah -BACA00060
Acid flat plate battery BAAC00011	2	12V 60 Ah (C5)	278x175x190	70	On board high frequency 24V 10 Ah KTRI01580 Stand alone high frequency BLS010 - BACA00133 Stand alone low frequency 24V 12Ah -BACA00060
Acid flat plate battery BAAC00012	2	12V 75 Ah (C5)	325x175x212	90	On board high frequency 24V 10 Ah KTRI01580 Stand alone high frequency BLS010 - BACA00133 Stand alone low frequency 24V 12Ah -BACA00060

IPC
BY TENNANT COMPANY

SWEEPERS - RIDE ON

1050

MAX PRODUCTIVITY	MAIN BRUSH PATH	VOLTAGE SYSTEM
6300 m^2/h	650 mm	24 V

BATTERIES AND BATTERY CHARGER NOT INCLUDED

MOST FREQUENTLY USE

RETAIL

HORECA

CLEANING CONTRACTORS

MUNICIPALITIES

INNOVATIONS

- DUAL POWER
- SLS™ SELF LEVELLING SYSTEM
- DBL™ DOUBLE BATTERY LIFE
- SOFT CLEANING SURFACE

SPECS

CONTROL PANEL

DUAL POWER

BATTERY BOX

TECHNICAL DATA

		1050 E	1050 DP-P
Code		MSUB00400	MSUB00404
PERFORMANCE			
Main brush cleaning path width	mm	650	650
Side brush cleaning path width	mm	1050	1050
Max theoretical productivity	m^2/h	6300	6300
Voltage	V-Ah	24	24
Installed power	W /HP	1090	1090 +5 Hp
Hopper capacity	l	70	70
Hopper Discarghe System	Type/mm	Low-Manual	Low-Manual
Filtering surface	m^2	3.8	3,8
Fylter type		Panel - Paper	Panel -paper
Max speed	km/h	6	6
Max Climb	%	16	16
Weight whithout batteries	kg	173	230
Dimension (LxWxH)	mm	1400x816x1142	1400x816x1142

STANDARD ACCESSORIES

	1050 E	1050 DP-P
BRUSHES		
MAIN BRUSH	SPPV00056	SPPV00056
SIDE BRUSH	SPPV75790	SPPV75790
FILTERS		
FILTER	FTDP00010	FTDP00010

BATTERIES AND BATTERY CHARGERS

BATTERIES	N°	CHARACTERISTIC	DIMENSION	RUNNING TIME	BATTERY CHARGERS
IPC gel battery BAAC00106	4	6V 180 Ah (C5)	244X192X275	180	Stand alone high frequency BLS020 - BACA00134
EXIDE gel battery BAAC00026	4	6V 180 Ah (C5)	246X192X275	170	Stand alone high frequency BLS020 - BACA00134
Acid tubolar plate BAAC00074	4	6V 185 Ah (C5)	240X190X275	175	Stand alone high frequency BLS020 - BACA00134
AGM Battery BAAC00117	2 (Only for DP)	12V 74 Ah (C5)	278x175x190	60	Stand alone high frequency BLS010 - BACA00133

IPC
BY TENNANT COMPANY

SWEEPERS - RIDE ON

1250

MAX PRODUCTIVITY
7440 m^2/h

MAIN BRUSH PATH
680 mm

VOLTAGE SYSTEM
12-24 V

BATTERIES AND BATTERY CHARGER NOT INCLUDED

MOST FREQUENTLY USE

RETAIL

HORECA

CLEANING CONTRACTORS

MUNICIPALITIES

INNOVATIONS

- DUAL POWER
- DBL™ DOUBLE BATTERY LIFE
- SERVICE MENU
- SOFT CLEANING SURFACE

SPECS

CONTROL PANEL

DUAL POWER

BATTERY BOX

TECHNICAL DATA

		1250 E	1250 DP-P	1250 P
Code		MSUB00606	MSUB00614	MSUB00610
PERFORMANCE				
Main brush cleaning path width	mm	680	680	680
Side brush cleaning path width	mm	1200	1200	1150
Max theoretical productivity	m^2/h	7440	7440	7130
Voltage	V-Ah	24	24	12
Installed power	W /HP	1480	1530	4,5 Hp
Hopper capacity	l	67	67	67
Hopper Discarghe System	Type/mm	Low-Manual	Low-Manual	Low-Manual
Filtering surface	m^2	3.3	3,3	3.3
Fylter type		Panel - Paper	Panel -paper	Panel - Paper
Max speed	km/h	6.2	6,2	6.2
Max Climb	%	12	12	12
Weight whithout batteries	kg	258	325	288
Dimension (LxWxH)	mm	1615x905x1210	1615x905x1210	1615x905x1210

STANDARD ACCESSORIES

	1250 E	1250 DP-P	1250 P
BRUSHES			
MAIN BRUSH	SPPV75791	SPPV75791	SPPV75791
SIDE BRUSH	SPPV00018	SPPV00018	SPPV00018
FILTERS			
FILTER	FTDP76067	FTDP76067	FTDP76067

OPTIONAL ACCESSORIES

CODE: KTRI02279
FRONT BUMPER KIT

CODE: KTRI02280
FRONT LIGHT KIT (FOR 1250 E - 1250 DP-P)

CODE: KTRI05056
FRONT LIGHT KIT (FOR 1250 P)

CODE: KTRI04766
NON-MARKING FLAPS

CODE: KTRI02348
NON-MARKING WHEELS

CODE: KTRI02342
250 AH C5 BATTERY LOCKING SYSTEM

BATTERIES AND BATTERY CHARGERS

BATTERIES	N°	CHARACTERISTIC	DIMENSION	RUNNING TIME	BATTERY CHARGERS
IPC gel battery BAAC00106	4	6V 180 Ah (C5)	244X192X275	180	Stand alone high frequency BLS020 - BACA00134
EXIDE gel battery BAAC00026	4	6V 180 Ah (C5)	246X192X275	170	Stand alone high frequency BLS020 - BACA00134
Acid tubolar plate BAAC00074	4	6V 185 Ah (C5)	240X190X275	175	Stand alone high frequency BLS020 - BACA00134
GEL battery * BAAC00108	4	6V 222 Ah (C5)	305X180X365	270	Stand alone high frequency BLS020 - BACA00134
EXIDE gel battery * BAAC00017	4	6V 222 Ah (C5)	311X183X358	250	Stand alone high frequency BLS020 - BACA00134
Acid tubolar plate battery BAAC00136	2	12V 85 Ah (C5)	308x175x225	60	Stand alone high frequency BLS010 - BACA00133

* RECOMMENDED WITH KTRI02342

RECOMMENDED BATTERIES AND BATTERY CHARGERS

IPC
BY TENNANT COMPANY

SWEEPERS - RIDE ON

1280

MAX PRODUCTIVITY	MAIN BRUSH PATH	VOLTAGE SYSTEM
7440 m^2/h	680 mm	12-24 V

BATTERIES AND BATTERY CHARGER NOT INCLUDED

MOST FREQUENTLY USE

RETAIL

HORECA

CLEANING CONTRACTORS

MUNICIPALITIES

INNOVATIONS

- DUAL POWER
- DBL™ DOUBLE BATTERY LIFE
- SERVICE MENU
- SOFT CLEANING SURFACE

SPECS

HOPPER HYDRAULIC DISCARGHE SYSTEM

PLEATED FILTER

BATTERY BOX

TECHNICAL DATA

		1280 E	1280 DP-P	1280 P	1280 D
Code		MSUB00609	MSUB00617	MSUB00613	MSUB00624
PERFORMANCE					
Main brush cleaning path width	mm	680	680	680	680
Side brush cleaning path width	mm	1200	1200	1150	1150
Max theoretical productivity	m^2/h	7440	7440	7130	7130
Voltage	V-Ah	24	24	12	12
Installed power	W /HP	1530	1530	4,5	4,7
Hopper capacity	l	67	67	67	67
Hopper Discarghe System	Type/mm	Hydraulic -1420	Hydraulic -1420	Hydraulic -14220	Hydraulich -1420
Filtering surface	m^2	1.8	1,8	1.8	1,8
Fylter type		Pleated filter	Pleated filter	Pleated filter	Pleated filter
Max speed	km/h	6.2	6.2	6.2	6,2
Max Climb	%	12	12	12	12
Weight whithout batteries	kg	336	379	344	444
Dimension (LxWxH)	mm	1615x905x1210	1615x905x1210	1615x905x1210	1615x905x1210

STANDARD ACCESSORIES

	1280 E	1280 DP-P	1280 P	1280 D
BRUSHES				
MAIN BRUSH	SPPV75791	SPPV75791	SPPV75791	SPPV75791
SIDE BRUSH	SPPV00018	SPPV00018	SPPV00018	SPPV00018
FILTERS				
FILTER	FTDP00214	FTDP00214	FTDP00214	FTDP00214

OPTIONAL ACCESSORIES

CODE: KTRI02279
FRONT BUMPER KIT

CODE: KTRI02280
FRONT LIGHT KIT (FOR 1280 E - 1280 DP-P)

CODE: KTRI05056
FRONT LIGHT KIT (FOR 1280 P - 1280 D)

CODE: KTRI04766
NON-MARKING FLAPS

CODE: KTRI02348
NON-MARKING WHEELS

CODE: KTRI02342
250 AH C5 BATTERY LOCKING SYSTEM

BATTERIES AND BATTERY CHARGERS

BATTERIES	N°	CHARACTERISTIC	DIMENSION	RUNNING TIME	BATTERY CHARGERS
IPC gel battery BAAC00106	4	6V 180 Ah (C5)	244X192X275	180	Stand alone high frequency BLS020 - BACA00134
EXIDE gel battery BAAC00026	4	6V 180 Ah (C5)	246X192X275	170	Stand alone high frequency BLS020 - BACA00134
Acid tubolar plate BAAC00074	4	6V 185 Ah (C5)	240X190X275	175	Stand alone high frequency BLS020 - BACA00134
GEL battery * BAAC00108	4	6V 250 Ah (C5)	305X180X365	270	Stand alone high frequency BLS020 - BACA00134
EXIDE gel battery * BAAC00017	4	6V 240 Ah (C5)	311X183X358	250	Stand alone high frequency BLS020 - BACA00134
Acid tubolar plate battery BAAC00136	2	12V 85 Ah (C5)	308x175x225	60	Stand alone high frequency BLS010 - BACA00133

* RECOMMENDED WITH KTRI02342

RECOMMENDED BATTERIES AND BATTERY CHARGERS

IPC
BY TENNANT COMPANY

SWEEPERS - RIDE ON

1404

MAX PRODUCTIVITY
9100 m^2/h

MAIN BRUSH PATH
800 mm

VOLTAGE SYSTEM
24 V

BATTERIES AND BATTERY CHARGER NOT INCLUDED

MOST FREQUENTLY USE

RETAIL

HORECA

CLEANING CONTRACTORS

MUNICIPALITIES

INNOVATIONS

- DUAL POWER
- SLS™ SELF LEVELLING SYSTEM
- DBL™ DOUBLE BATTERY LIFE
- SOFT CLEANING SURFACE

SPECS

HOPPER HYDRAULIC DESCARGHE SYSTEM

DUAL POWER

3 SETS OF WORKING PROGRAMS

TECHNICAL DATA

		1404 E	1404 DP-P
Code		MSUB00579	MSUB00573
PERFORMANCE			
Main brush cleaning path width	mm	800	800
Side brush cleaning path width	mm	1450	1450
Max theoretical productivity	m^2/h	9100	9100
Voltage	V-Ah	24	24
Installed power	W /HP	2620	2620 W + 6,5 Hp
Hopper capacity	l	150	150
Hopper Discarghe System	Type/mm	Hydraulic -1430	Hydraulic -1430
Filtering surface	m^2	6	6
Fylter type		2X Paper-pannel	2X Paper-pannel
Max speed	km/h	6,5	6,5
Max Climb	%	20	20
Weight whithout batteries	kg	465	512
Dimension (LxWxH)	mm	1600x1080x1280	1600x1080x1280

STANDARD ACCESSORIES

	1404 E	1404 DP-P
BRUSHES		
MAIN BRUSH	SPPV43840	SPPV43840
SIDE BRUSH	SPPV43844	SPPV43844
FILTERS		
FILTER	FTDP48536	FTDP48536

OPTIONAL ACCESSORIES

CODE: KTRI00101
OVERHEAD GUARD KIT

CODE: KTRI02342
250 AH C5 BATTERY LOCKING SYSTEM *

BATTERIES AND BATTERY CHARGERS

BATTERIES	N°	CHARACTERISTIC	DIMENSION	RUNNING TIME	BATTERY CHARGERS
IPC gel battery BAAC00105	2	12V 105 Ah (C5)	345X170X285	120	Stand alone high frequency BLS010 - BACA00133
IPC gel battery BAAC00106	4	6V 180 Ah (C5)	244X192X275	180	Stand alone high frequency BLS020 - BACA00134
EXIDE gel battery BAAC00026	4	6V 185 Ah (C5)	246X192X275	180	Stand alone high frequency BLS020 - BACA00134
Acid tubolar plate battery BAAC00074	4	6V 185 Ah (C5)	246X192X275	180	Stand alone high frequency BLS020 - BACA00134
Gel battery * BAAC00108	4	6V 250 Ah (C5)	305X180X365	270	Stand alone high frequency BLS030 - BACA00138
EXIDE gel battery * BAAC00017	4	6V 240 Ah (C5)	311X183X358	270	Stand alone high frequency BLS030 - BACA00138
Acid tubolar plate battery BAAC00070	2	12V 118 Ah (C5)	345X170X285	120	Stand alone high frequency BLS010 - BACA00133
Acid tubolar plate battery 6V BAAC00077	4	6V 320 Ah (C5)	305X180X365	350	Stand alone low frequency 24V 30 Ah - BACA00066
Acid tubolar plate battery BAAC00062	4	6V 220 Ah (C5)	243X187X260	270	Stand alone high frequency BLS030 - BACA00138

RECOMMENDED BATTERIES AND BATTERY CHARGERS

IPC
BY TENNANT COMPANY

INDUSTRIAL SWEEPERS

155

MAX PRODUCTIVITY
10080 m^2/h

MAIN BRUSH PATH
750 mm

VOLTAGE SYSTEM
12-36 V

BATTERY VERSION WITH BATTERIES AND CHARGER NOT INCLUDED

MOST FREQUENTLY USE

LIGHT INDUSTRY

HEAVY INDUSTRY

CLEANING CONTRACTORS

BSC

SPECS

PLEATED FILTER

NO TOOLS REQUIRED TO REPLACE THE CENTRAL BRUSH

HYDRAULIC CIRCUIT

TECHNICAL DATA

		155 B	155 D
Code		MSUB00457	MSUB00451
PERFORMANCE			
Main brush cleaning path width	mm	750	750
Side brush cleaning path width (1 brush)	mm	1140	1140
Side brush cleaning path width (2 brushes)	mm	1440	1440
Max theoretical productivity	m^2/h	10080	10080
Voltage	V-Ah	36	12
Engine brand		METAL ROTA	LOMBARDINI
Installed power	KW	2,5	10,5
Hopper capacity	l	220	220
Hopper Discarghe System	Type/mm	high-hydraulic -1325	high-hydraulic -1325
Filtering surface	m^2	6	6
Fylter type		Pleated filter	Pleated filter
PM 10 filtration (with Gore filter)	%	99 - 3 Micron	99 - 3 Micron
Traction		rear hydraulic	rear hydraulic
Max speed	km/h	7	7
Max Climb	%	12	14
Weight whithout batteries	kg	506	622
Dimension (LxWxH)	mm	1990X1230X1380	1990X1230X1380

STANDARD ACCESSORIES

	155 B	155 D
BRUSHES		
PPL main brush (standard)	SPPV02407	SPPV02429
PPL side brush (standard)	SPPV02412	SPPV02434

BRUSHES ONLY FOR NEW MACHINE CONFIGURATION

	155 B	155 D
PES Main brush	SPPV02405	SPPV02427
Nylon main brush	SPPV02406	SPPV02428
Moplen/ PPL0,8 main brush	SPPV02408	SPPV02430
Nylon / Steel main brush	SPPV02409	SPPV02431
PPL / Steel main brush	SPPV02410	SPPV02432
Nylon side brush	SPPV02411	SPPV02433
Nylon / Steel side brush	SPPV02413	SPPV02435
PPL / Steel side brush	SPPV02414	SPPV02436
Moplen/ PPL0,5 main brush	SPPV02415	SPPV02437

BRUSHES - SPARE PARTS

MAIN BRUSHES	
PPL main brush (standad brush)	SPPV02448
PES main brush	SPPV02472
Nylon main brush	SPPV02446
Moplen/ PPL0,8 main brush	SPPV02452
Nylon / Steel main brush	SPPV02450
PPL / Steel main brush	SPPV02447
Moplen/ PPL0,5 main brush	SPPV02473

SIDE BRUSHES	
PPL side brush (standad brush)	SPPV02445
Nylon side brush	SPPV02449
Nylon / Steel side brush	SPPV02451
PPL / Steel side brush	SPPV02453

OPTIONAL ACCESSORIES

	155 B	155 D
Left side brush	KTRI05522	KTRI05549
Right dust cap	KTRI05523	KTRI05550
Left dust cap	KTRI05524	KTRI05551
Front vacuum hose	KTRI05525	KTRI05552
Double cartridge (vacuum motor filter - Vortex pre-filter)	-	KTRI05553
Overhead guard	KTRI05526	KTRI05554
Seat with armrests	KTRI05527	KTRI05555
Front tires	-	KTRI05556
Superalastic rear wheel	-	KTRI05557
Foam filled front tires	-	KTRI05558
No marking superelastic wheels	KTRI05528	KTRI05559
Stainless steel tray (90 working days delivery time)	KTRI05529	KTRI05560
Complete light system	KTRI05530	KTRI05561
Batteries carrier	KTRI05531	-
LPG system (tank not included)	-	-
Textile Gore filter (5 years warranty)	KTRI05532	KTRI05562
Protective surface treatment (Ocean freight)	KTRI05533	KTRI05563

BATTERIES AND BATTERY CHARGERS

6 batteries set (6V 190Ah AGM) (only with KTRI05531)	BAAC00182	-
Battery Charger 400 / 36V - 60 Ah (only for BAAC00183)	BACA00261	-
Wet battery tray 36V 320 Ah	BAAC00183	-
Battery Charger 230 / 36V - 25 Ah (only for BAAC00182)	BACA00262	-

IPC
BY TENNANT COMPANY

INDUSTRIAL SWEEPERS

165

MAX PRODUCTIVITY
11200 m^2/h

MAIN BRUSH PATH
900 mm

VOLTAGE SYSTEM
12-36 V

BATTERY VERSION WITH BATTERY AND CHARGER NOT INCLUDED

MOST FREQUENTLY USE

LIGHT INDUSTRY

HEAVY INDUSTRY

LOGISTIC

BSC

SPECS

MAIN BRUSH WITH V-SHAPED BRISTLES

STURDY AND INTUITIVE CONTROLS

HYDRAULIC CIRCUIT

TECHNICAL DATA

		165 B	165 D
Code		MSUB00456	MSUB00450
PERFORMANCE			
Main brush cleaning path width	mm	900	900
Side brush cleaning path width (1 brush)	mm	1250	1250
Side brush cleaning path width (2 brushes)	mm	1600	1600
Max theoretical productivity	m^2/h	11200	11200
Voltage	V-Ah	36	12
Engine brand		BEST MOTOR	LOMBARDINI
Installed power	KW	2,8	10,3
Hopper capacity	l	340	340
Hopper Discarghe System	Type/mm	high-hydraulic -1350	high-hydraulic -1350
Filtering surface	m^2	6	6
Fylter type		Pleated filter	Pleated filter
PM 10 filtration (with Gore filter)	%	99 - 3 Micron	99 - 3 Micron
Traction		rear hydraulic	rear hydraulic
Max speed	km/h	7	7
Max Climb	%	12	14
Weight whithout batteries	kg	616	662
Dimension (LxWxH)	mm	2220X1350X1455	2220X1350X1455

STANDARD ACCESSORIES

	165 B	165 D
BRUSHES		
PPL main brush	SPPV02385	SPPV02396
PPL side brush	SPPV02390	SPPV02401

BRUSHES - ONLY FOR NEW MACHINE CONFIGURATION

	165 B	165 D
PES Main brush	SPPV02383	SPPV02394
Nylon main brush	SPPV02384	SPPV02395
Moplen/ PPL0,8 main brush	SPPV02386	SPPV02397
Nylon / Steel main brush	SPPV02387	SPPV02398
PPL / Steel main brush	SPPV02388	SPPV02399
Nylon side brush	SPPV02389	SPPV02400
Nylon / Steel side brush	SPPV02391	SPPV02402
PPL / Steel side brush	SPPV02392	SPPV02403
Moplen/ PPL0,5 main brush	SPPV02393	SPPV02404

BRUSHES - SPARE PARTS

MAIN BRUSHES

PPL main brush (standad brush)	SPPV02385
PES main brush	SPPV02461
Nylon main brush	SPPV02457
Moplen/ PPL0,8 main brush	SPPV02455
Nylon / Steel main brush	SPPV02459
PPL / Steel main brush	SPPV02456
Moplen / PPL / Steel main brush	SPPV02458
Moplen/ PPL0,5 main brush	SPPV02478

SIDE BRUSHES

PPL side brush (standad brush)	SPPV02390
Nylon side brush	SPPV02474
Nylon / Steel side brush	SPPV02476
PPL / Steel side brush	SPPV02477

OPTIONAL ACCESSORIES

	165 B	165 D
Left side brush	KTRI05477	KTRI05489
Right dust cap	KTRI05478	KTRI05490
Left dust cap (only with KTRI05477 and KTRI05478)	KTRI05479	KTRI05491
Front vacuum Hose	KTRI05480	KTRI05492
Double cartridge (vacuum motor - Vortex pre-filter)	-	KTRI05493
Overhead guard	KTRI05481	KTRI05494
Seat with armrests	KTRI05482	KTRI05495
Foam filled front tires	-	KTRI05496
No marking superelastic wheels	KTRI05483	KTRI05497
Stainless steel tray (90 working days delivery time)	KTRI05484	KTRI05498
Complete light system	KTRI05485	KTRI05499
Textile Gore filter (5 years warranty)	KTRI05486	KTRI05520
Protective surface treatment (Ocean freight)	KTRI05487	KTRI05521

BATTERIES AND BATTERY CHARGERS

Wet battery tray 36V 320 Ah	BAAC00181	-
Battery Charger 400 / 36V - 60 Ah	BACA00260	-

IPC
BY TENNANT COMPANY

INDUSTRIAL SWEEPERS

175

MAX PRODUCTIVITY	MAIN BRUSH PATH	VOLTAGE SYSTEM
13500 m^2/h	900 mm	12-36 V

BATTERY VERSION WITH BATTERY AND CHARGER NOT INCLUDED

MOST FREQUENTLY USE

LIGHT INDUSTRY

HEAVY INDUSTRY

LOGISTIC

MUNICIPALITIES

INNOVATIONS

SLS™
SELF
LEVELING
SYSTEM

SPECS

AUTOMATIC BRUSH PRESSION

FILTER REPLACEMENT WITHOUT TOOLS

LIGHT SYSTEM AS STANDARD EQUIPMENT

TECHNICAL DATA

		175 B	175 D
Code		MSUB00454	MSUB00449
PERFORMANCE			
Main brush cleaning path width	mm	900	900
Side brush cleaning path width (1 brush)	mm	1200	1200
Side brush cleaning path width (2 brushes)	mm	1500	1500
Max theoretical productivity	m^2/h	9000	13500
Voltage	V-Ah	36	12
Engine brand		METAL ROTA	KUBOTA
Installed power	KW	2,8	10,3
Hopper capacity	l	340	340
Hopper Discarghe System	Type/mm	high-hydraulic -1350	high-hydraulic -1350
Filtering surface	m^2	6	6
Fylter type		Pleated filter	Pleated filter
PM 10 filtration (with Gore filter)	%	99 - 3 Micron	99 - 3 Micron
Traction		rear hydraulic	rear hydraulic
Max speed	km/h	6	9
Max Climb	%	13	18
Weight whithout batteries	kg	363	692
Dimension (LxWxH)	mm	2030X1210X1455	2030X1210X1455

STANDARD ACCESSORIES

	175 B	175 D
BRUSHES		
PPL main brush	SPPV02349	SPPV02373
PPL side brush	SPPV02355	SPPV02379

BRUSHES - ONLY FOR NEW MACHINE CONFIGURATION

	175 B	175 D
PES Main brush	SPPV02347	SPPV02371
Nylon main brush	SPPV02348	SPPV02372
Moplen / PPL0,8 main brush	SPPV02350	SPPV02374
Nylon / Steel main brush	SPPV02351	SPPV02375
PPL / Steel main brush	SPPV02352	SPPV02376
Moplen / PPL / Steel main brush	SPPV02353	SPPV02377
Nylon side brush	SPPV02354	SPPV02378
Nylon / Steel side brush	SPPV02356	SPPV02380
PPL / Steel side brush	SPPV02357	SPPV02381
Moplen/ PPL0,5 main brush	SPPV02358	SPPV02382

BRUSHES - SPARE PARTS

MAIN BRUSHES	
PPL main brush (standad brush)	SPPV02385
PES main brush	SPPV02461
Nylon main brush	SPPV02457
Moplen/ PPL0,8 main brush	SPPV02455
Nylon / Steel main brush	SPPV02459
PPL / Steel main brush	SPPV02456
Moplen / PPL / Steel main brush	SPPV02458
Moplen/ PPL0,5 main brush	SPPV02478

SIDE BRUSHES	
PPL side brush (standad brush)	SPPV02390
Nylon side brush	SPPV02474
Nylon / Steel side brush	SPPV02476
PPL / Steel side brush	SPPV02477

OPTIONAL ACCESSORIES

	175 B	175 D
Left side brush	KTRI05434	KTRI05462
Right dust cap	KTRI05435	KTRI05463
Left dust cap (only with KTRI05434 and KTRI05435)	KTRI05436	KTRI05464
Front vacuum hose	KTRI05437	KTRI05465
Double cartridge (vacuum motor - Vortex pre-filter)	-	KTRI05466
Overhead guard	KTRI05438	KTRI05467
Seat with armrests	KTRI05439	KTRI05468
Overhead guard with frontal wind shield	KTRI05440	KTRI05469
Overhead guard with frontal wind shield and perimetral rain shield	KTRI05441	KTRI05470
Superelastic wheels	KTRI05442	KTRI05471
Foam filled front tires	KTRI05443	KTRI05472
No marking superelastic wheels	KTRI05444	KTRI05473
Stainless steel tray (90 working days delivery time)	KTRI05445	KTRI05474
Textile Gore filter (5 years warranty)	KTRI05446	KTRI05475
Protective surface treatment (Ocean freight)	KTRI05447	KTRI05476

BATTERIES AND BATTERY CHARGERS

Wet battery tray 36V 320 Ah	BAAC00180	-
Battery Charger 400 / 36V - 60 Ah	BACA00259	-

IPC
BY TENNANT COMPANY

INDUSTRIAL SWEEPERS

195

MAX PRODUCTIVITY
20500 m^2/h

MAIN BRUSH PATH
1200 mm

VOLTAGE SYSTEM
12-48 V

BATTERY VERSION WITH BATTERY AND CHARGER NOT INCLUDED

MOST FREQUENTLY USE

LIGHT INDUSTRY

HEAVY INDUSTRY

LOGISTIC

MUNICIPALITIES

SPECS

HOPPER HATCH FOR BULKY WASTE AS STANDARD EQUIPMENT

AIR-CONDITIONED CABIN

THIRD FRONTAL BRUSH

TECHNICAL DATA

		195 B	195 P	195 LPG	195 D
Code		MSUB00452	MSUB00453	MSUB00462	MSUB00448
PERFORMANCE					
Main brush cleaning path width	mm	1200	1200	1200	1200
1 Side brush cleaning path width	mm	1500	1500	1500	1500
2 Side brush cleaning path width	mm	1800	1800	1800	1800
Side brush cleaning path width (3° frontal brush)	mm	2050	2050	2050	2050
Max theoretical productivity	m^2/h	16400/ 20500 m^2	16400/ 20500 m^2	16400/ 20500 m^2	16400/ 20500 m^2
Voltage	V-Ah	48	12	12	12
Engine brand		AMRE	KUBOTA	KUBOTA	KUBOTA
Installed power	KW	10	23	23	25
Hopper capacity	l	450	450	450	450
Hopper Discarghe System	Type/mm	high-hydraulic -1500	high-hydraulic -1500	high-hydraulic -1500	high-hydraulic -1500
Filtering surface	m^2	10	10	10	10
Fylter type		Pleated filter	Pleated filter	Pleated filter	Pleated filter
PM 10 filtration (with Gore filter)	%	99 - 3 Micron	99 - 3 Micron	99 - 3 Micron	99 - 3 Micron
Traction		rear hydraulic	rear hydraulic	rear hydraulic	rear hydraulic
Max speed	km/h	8	10	10	10
Max Climb	%	12	18	18	18
Weight whithout batteries	kg	1252	1399	1399	1355
Dimension (LxWxH)	mm	2500x1560x1540	2500x1560x1540	2500x1560x1540	2500x1560x1540

STANDARD ACCESSORIES

	195 B	195 P	195 LPG	195 D
BRUSHES				
PPL main brush	SPPV02309	SPPV02322	SPPV02322	SPPV02335
PPL side brush	SPPV02316	SPPV02329	SPPV02329	SPPV02342

BRUSHES - ONLY FOR NEW MACHINE CONFIGURATION

	195 B	195 P	195 LPG	195 D
Nylon main brush	SPPV02308	SPPV02321	SPPV02321	SPPV02334
Moplen / PPL 0,8 main brush	SPPV02310	SPPV02323	SPPV02323	SPPV02336
Nylon / Steel main brush	SPPV02311	SPPV02324	SPPV02324	SPPV02337
PPL / Steel main brush	SPPV02312	SPPV02325	SPPV02325	SPPV02338
Moplen / PPL / Steel main brush	SPPV02313	SPPV02326	SPPV02326	SPPV02339
PES Main brush	SPPV02314	SPPV02327	SPPV02327	SPPV02340
Nylon side brush	SPPV02315	SPPV02328	SPPV02328	SPPV02341
Nylon / Steel side brush	SPPV02317	SPPV02330	SPPV02330	SPPV02343
PPL / Steel side brush	SPPV02318	SPPV02331	SPPV02331	SPPV02344
Steel side brush	SPPV02319	SPPV02332	SPPV02332	SPPV02345
Moplen/ PPL0,5 main brush	SPPV02320	SPPV02333	SPPV02333	SPPV02346

BRUSHES - SPARE PARTS

MAIN BRUSHES		SIDE BRUSHES	
PPL main brush (standad brush)	SPPV02462	PPL side brush (standad brush)	SPPV02481
PES main brush	SPPV02479	Nylon side brush	SPPV02480
Nylon main brush	SPPV02465	Nylon / Steel side brush	SPPV02482
Moplen/ PPL0,8 main brush	SPPV02463	PPL / Steel side brush	SPPV02483
Nylon / Steel main brush	SPPV02467	Steel side brush	SPPV02448
PPL / Steel main brush	SPPV02464		
Moplen / PPL / Steel main brush	SPPV02466		
Moplen/ PPL0,5 main brush	SPPV02485		

OPTIONAL ACCESSORIES

	195 B	195 P	195 LPG	195 D
Left side brush	KTRI05362	KTRI05383	KTRI05383	KTRI05407
Third frontal brush (only with KTRI05379)	KTRI05363	KTRI05384	KTRI05384	KTRI05408
Right dust cap (without KTRI05366 / KTRI05367)	KTRI05364	KTRI05385	KTRI05385	KTRI05409
Left dust cap (without KTRI05366 / KTRI05367 / With KTRI05362)	KTRI05365	KTRI05386	KTRI05386	KTRI05410
Wetting system for right side brush with 80l tank	KTRI05366	KTRI05387	KTRI05387	KTRI05411
Wetting system extension for left side brush (with KTRI05366 / KTRI05362)	KTRI05367	KTRI05388	KTRI05388	KTRI05412
Wetting system extension for third brush (with KTRI05366 / KTRI05363)	KTRI05368	KTRI05389	KTRI05389	KTRI05413
Front vacuum hose	KTRI05369	KTRI05390	KTRI05390	KTRI05414
Vertical exhaust	-	-	-	KTRI05415
Double cartridge (vacuum motor - Vortex pre-filter)	-	-	-	KTRI05416
Motor filter clogging indicator	-	-	-	KTRI05417
Overhead guard with strobo beamer	KTRI05370	KTRI05391	KTRI05391	KTRI05418
Complete cage with windscreen wiper, rearview mirror and strobo beamer	KTRI05371	KTRI05392	KTRI05392	KTRI05419
Safety belt (with KTRI05371)	KTRI05372	KTRI05393	KTRI05393	KTRI05420
Pressurization system (with KTRI05371 / KTRI05379)	KTRI05373	KTRI05394	KTRI05394	KTRI05421
Pressurization system (with KTRI05371)	-	KTRI05395	KTRI05395	KTRI05422
Heating system (only with KTRI05371)	-	KTRI05396	KTRI05396	KTRI05423
Air conditioning system (with KTRI05371 without KTRI05373)	-	KTRI05397	KTRI05397	KTRI05424
Rearview mirror (without KTRI053171)	KTRI05374	KTRI05398	KTRI05398	KTRI05425
Superelastic front wheels	KTRI05375	KTRI05399	KTRI05399	KTRI05426
Foam filled front tires	KTRI05376	KTRI05400	KTRI05400	KTRI05427
No marking superelastic wheels	KTRI05377	KTRI05401	KTRI05401	KTRI05428
Stainless steel tray (90 working days delivery time)	KTRI05378	KTRI05402	KTRI05402	KTRI05429
Complete light system	KTRI05379	KTRI05403	KTRI05403	KTRI05430
Gyro beamer (without KTRI05370 or KTRI05371, with KTRI05379)	KTRI05380	KTRI05404	KTRI05404	KTRI05431
Textile Gore filter (5 years warranty)	KTRI05381	KTRI05405	KTRI05405	KTRI05432
Protective surface treatment (Ocean freight)	KTRI05382	KTRI05406	KTRI05406	KTRI05433

BATTERIES AND BATTERY CHARGERS

Wet battery tray 48V 620Ah	BAAC00179	-	-	-
Battery Charger 400 / 48V 120A	BACA00258	-	-	-

SINGLE DISCS AND BURNISHER

SD 13	135
SD 17	136
SD 17 HD	136
SD 17-400	136
SD 20	138
SD 1500 HS	139

IPC
BY TENNANT COMPANY

SINGLE DISCS

SD 13

WORKING WIDTH	BRUSH SPEED	BRUSH MOTOR RATING
330 mm	190 rpm	550 w

MOST FREQUENTLY USE

RETAIL

HORECA

CLEANING CONTRACTORS

INDUSTRY

TECHNICAL DATA

		SD 13
Code		LUMS00321
PERFORMANCE		
Working width	mm	330
Brush speed	rpm	190
Voltage	V	240
Frequency	Hz	50
Brush motor rating	W	550
Brush contact pressureg	g/cm²	36,7
Under-ride height	mm	260
Dust pick-up attachment		no
Noise level	dbA	< 57
Transmission		planetary gear
Power supply cable	m	12
Weight (without accessories)	Kg	22
Dimensions	mm	1120x420x340

OPTIONAL ACCESSORIES

CODE: KTRI05308
SOLUTION TANK 9 l

CODE: SPPV02246
PAD HOLDER 13"

CODE: SPPV02230
SCRUBBING BRUSH 0,6 mm 13"

CODE: SPPV02234
POLISHING BRUSH 13"

CODE: SPPV02238
CARPET BRUSH 13"

CODE: SPPV02242
TYNEX SCRUBBING BRUSH 13"

CODE: SPPV02264
SANDING PAD HOLDER 13"

CODE: SPPV02276
MICROFIBRE PAD 13"

ABRASIVE PAD 13"

WHITE	RED	GREEN	BROWN	BLACK
SPPV02251	SPPV02252	SPPV02253	SPPV02254	SPPV02255

IPC
BY TENNANT COMPANY

SINGLE DISCS

SD 17
SD 17 HD
SD 17-400

WORKING WIDTH
430 mm

BRUSH SPEED
154/400 rpm

BRUSH MOTOR RATING
1000-1600 w

MOST FREQUENTLY USE

RETAIL

HORECA

CLEANING CONTRACTORS

INDUSTRY

TECHNICAL DATA

		SD 17	SD 17 HD	SD 17 - 400
Code		LUMS00322	LUMS00323	LUMS00324
PERFORMANCE				
Working width	mm	430	430	430
Brush speed	rpm	154	154	400
Voltage	V	240	240	240
Frequency	Hz	50	50	50
Brush motor rating	W	1000	1300	1600
Brush contact pressureg	g/cm²	40,3	40,8	44,3
Under-ride height	mm	330	330	330
Dust pick-up attachment		yes	yes	yes
Noise level	dbA	< 54	< 54	< 56
Transmission		planetary gear	planetary gear	planetary gear
Power supply cable	m	12	12	15
Weight (without accessories)	Kg	41	41,5	45
Dimensions	mm	1120x542x430	1120x542x430	1200X542X430

OPTIONAL ACCESSORIES

CODE: SPPV02247
PAD HOLDER 17" FOR 154 rpm

CODE: SPPV02248
PAD HOLDER 17" FOR 400 rpm

CODE: SPPV02231
SCRUBBING BRUSH 0,6 mm 17"

CODE: SPPV02235
POLISHING BRUSH 17" FOR 154 rpm

CODE: SPPV02236
POLISHING BRUSH 17" FOR 400 rpm

CODE: SPPV02239
CARPET BRUSH 17"

CODE: SPPV02243
TYNEX SCRUBBING BRUSH 17" FOR 154 rpm

CODE: SPPV02265
SANDING PAD HOLDER 16" FOR 154 rpm

CODE: SPPV02266
SANDING PAPER PAD GRIT 16 FOR 154 rpm

CODE: SPPV02267
SANDING PAPER PAD GRIT 24 FOR 154 rpm

OPTIONAL ACCESSORIES

CODE: SPPV02268
SANDING PAPER PAD GRIT 36 FOR 154 rpm

CODE: SPPV02269
SANDING PAPER PAD GRIT 60 FOR 154 rpm

CODE: SPPV02270
NET DISCS GRIT 80 FOR 154 rpm

CODE: SPPV02271
NET DISCS GRIT 120 FOR 154 rpm

CODE: SPPV02272
NET DISCS GRIT 180 FOR 154 rpm

CODE: SPPV02274
GORILLA PAD

CODE: SPPV02277
MICROFIBRE PAD

CODE: SPPV02279
SCARIFYING BRUSH FOR 154 rpm

CODE: SPPV02280
PLASTER DISC FOR 154 rpm

CODE: SPPV02281
SMOOTING DISC FOR 154 rpm

CODE: SPPV02282
SMOOTING DISC SPARE FOR 154 rpm

CODE: SPPV02283
WOOL STEEL PAD FOR 154 rpm

CODE: KTRI05310
EXTRA WEIGHT 10 kg FOR 154 rpm

CODE: KTRI05309
SOLUTION TANK 12 l

CODE: KTRI05314
SPRAY ELECTRIC SYSTEM

CODE: KTRI05316
VACUUM KIT FOR 154 rpm

CODE: KTRI05317
VACUUM ONLY FOR 154 rpm

CODE: KTRI05318
VACUUM RING

CODE: KTRI05319
SD 17 KIT (SOLUTION TANK 12 l + PAD HOLDER + SCRUBBING BRUSH)

ABRASIVE PAD 17”

WHITE	BEIGE	RED	BLUE	GREEN	BROWN	BLACK
SPPV01411	SPPV01420	SPPV01429	SPPV01438	SPPV01447	SPPV01456	SPPV01465

IPC
BY TENNANT COMPANY

SINGLE DISCS

SD 20

WORKING WIDTH	BRUSH SPEED	BRUSH MOTOR RATING
505 mm	154 rpm	1600 w

MOST FREQUENTLY USE

RETAIL

HORECA

CLEANING CONTRACTORS

INDUSTRY

TECHNICAL DATA

		SD 20
Code		LUMS00325
PERFORMANCE		
Working width	mm	505
Brush speed	rpm	154
Voltage	V	240
Frequency	Hz	50
Brush motor rating	W	1600
Brush contact pressureg	g/cm²	34,9
Under-ride height	mm	330
Dust pick-up attachment		yes
Noise level	dbA	< 54
Transmission		planetary gear
Power supply cable	m	12
Weight (without accessories)	Kg	49
Dimensions	mm	1200x625x505

OPTIONAL ACCESSORIES

CODE: SPPV02249
PAD HOLDER 20"

CODE: SPPV02232
SCRUBBING BRUSH 0,6 mm 20"

CODE: SPPV02237
POLISHING BRUSH 20"

CODE: SPPV02240
CARPET BRUSH 20"

CODE: SPPV02244
TYNEX SCRUBBING BRUSH 20"

CODE: SPPV02275
GORILLA PAD

CODE: SPPV02278
MICROFIBRE PAD

CODE: KTRI05311
EXTRA WEIGHT 10 kg 17"

CODE: KTRI05309
SOLUTION TANK 12 l

ABRASIVE PAD 20"

WHITE	BEIGE	RED	BLUE	GREEN	BROWN	BLACK
SPPV01414	SPPV01423	SPPV01432	SPPV01441	SPPV01450	SPPV01459	SPPV01468

IPC
BY TENNANT COMPANY

BURNISHER

SD 1500 HS

WORKING WIDTH	BRUSH SPEED	BRUSH MOTOR RATING
505 mm	1500 rpm	1300 w

MOST FREQUENTLY USE

RETAIL

HORECA

CLEANING CONTRACTORS

INDUSTRY

TECHNICAL DATA

		SD 1500 HS
Code		LUMS00326
PERFORMANCE		
Working width	mm	505
Brush speed	rpm	1500
Voltage	V	240
Frequency	Hz	50
Brush motor rating	W	1300
Brush contact pressureg	g/cm²	0 - 5
Under-ride height	mm	-
Dust pick-up attachment		yes
Noise level	dbA	< 56
Transmission		direct
Power supply cable	m	14
Weight (without accessories)	Kg	44
Dimensions	mm	1130X790X560

OPTIONAL ACCESSORIES

CODE: SPPV02275
GORILLA DISC 20"

CODE: SPPV02278
MICROFIBRE DISC

CODE: FTDP00798
PAPER FILTER BAG (5 PCS)

CODE: KTRI05313
SPRAY ELECTRIC SYSTEM

ABRASIVE PAD 20"

WHITE	BEIGE	RED	BLUE	GREEN
SPPV01414	SPPV01423	SPPV01432	SPPV01441	SPPV01450

PACKAGING

SCRUBBER DRIERS	142
SWEEPERS	144
SINGLE DISC - BURNISHER	145

SCRUBBER DRIERS

Code	Model	Carton	Pallet + carton	Nr / pallet	Dimension			Volume	Weight
					L mm	W mm	H mm	m³	kg
LPTB01706	CT5 B28 - US		•	12	800	400	470	0,15	22,10
LPTB01707	CT5 B28 - JP		•	12	800	400	470	0,15	22,10
LPTB01708	CT5 B28 - China		•	12	800	400	470	0,15	22,10
LPTB01709	CT5 B28 - Brazil		•	12	800	400	470	0,15	22,10
LPTB01710	CT5 B28 - UK		•	12	800	400	470	0,15	22,10
LPTB01711	CT5 B28 - Korea		•	12	800	400	470	0,15	22,10
LPTB01655	CT5 B28 - EU		•	12	800	400	470	0,15	22,10
LPTB01229	CT15 B35		•	6	810	460	640	0,24	61,80
LPTB03419	CT15 B35 LITHIUM		•	6	810	460	640	0,24	45,80
LPTB03420	CT15 B35 ANTIBACTERIAL		•	6	810	460	640	0,24	61,80
LPTE00517	CT15 C35		•	6	810	460	640	0,24	43,50
LPTB02862	CT15 B35R		•	1	810	460	640	0,24	61,80
LPTE00630	CT15 C35R		•	1	810	460	640	0,24	66,60
LPTB02435	CT30 B45		•	1	1000	650	960	0,62	109,00
LPTE00531	CT30 C45		•	1	1000	650	960	0,62	65,00
LPTB01523	CT30 B45 ECO		•	1	1000	650	960	0,62	100,00
LPTB03421	CT30 B45 ANTIBACTERIAL		•	1	1000	650	960	0,62	100,00
LPTB01520	CT45 B50		•	1	1020	720	970	0,71	117,00
LPTB02695	CT45 BT50		•	1	1020	720	970	0,71	122,00
LPTE01103	CT45 C50		•	1	1020	720	970	0,71	82,00
LPTB01802	CT46 B50		•	1	1270	680	1130	0,98	81,00
LPTB03297	CT46 BT50		•	1	1270	680	1130	0,98	87,00
LPTE00642	CT46 C50		•	1	1270	680	1130	0,98	85,00
LPTB01406	CT40 B50		•	1	1270	680	1130	0,98	86,00
LPTB03424	CT40 B50 ANTIBACTERIAL		•	1	1270	680	1130	0,98	95,50
LPTB01408	CT40 BT50		•	1	1270	680	1130	0,98	91,80
LPTE00546	CT40 C50		•	1	1270	680	1130	0,98	110,50
LPTB01411	CT40 BT55R		•	1	1270	680	1130	0,98	119,50
LPTB01516	CT55 B55		•	1	1270	680	1130	0,98	92,00
LPTB01517	CT55 BT55		•	1	1270	680	1130	0,98	103,00
LPTE01102	CT55 C55		•	1	1270	680	1130	0,98	110,50
LPTB01518	CT55 BT60		•	1	1270	680	1130	0,98	114,00
LPTB01519	CT55 BT55 R		•	1	1270	680	1130	0,98	119,00
LPTB01414	CT70 B55		•	1	1250	820	1140	1,17	95,00
LPTB01416	CT70 BT55		•	1	1250	820	1140	1,17	103,00
LPTB01417	CT70 BT60		•	1	1250	820	1140	1,17	117,00
LPTB01418	CT70 BT70		•	1	1250	820	1140	1,17	116,00
LPTB01420	CT70 BT55 R		•	1	1250	820	1140	1,17	123,00
LPTB02976	CT51 B50		•	1	1365	695	1146	1,09	100,10
LPTB01822	CT51 B55		•	1	1335	780	1146	1,19	100,40
LPTB01823	CT51 BT55		•	1	1335	780	1146	1,19	108,10
LPTB003425	CT51 BT55 ANTIBACTERIAL		•	1	1335	780	1146	1,19	108,10
LPTB01826	CT51 BT60		•	1	1335	780	1146	1,19	117,60
LPTB01824	CT51 BT70		•	1	1335	780	1146	1,19	115,10
LPTE00669	CT51 C50 230V		•	1	1365	695	1146	1,09	100,10
LPTE00646	CT51 C55 230V		•	1	1335	780	1146	1,19	121,10

SCRUBBER DRIERS

Code	Model	Carton	Pallet + carton	Nr / pallet	Dimension			Volume	Weight
					L mm	W mm	H mm	m^3	kg
LPTB01828	CT51 XP60		•	1	1335	780	1146	1,19	117,60
LPTB01825	CT51 XP70		•	1	1335	780	1146	1,19	115,10
LPTB01834	CT51 XP55R		•	1	1335	780	1146	1,19	127,50
LPTB01832	CT51 XP55 600 RPM		•	1	1335	780	1146	1,19	108,10
LPTB01833	CT51 XP70 600 RPM		•	1	1335	780	1146	1,19	115,10
LPTB01670	CT51 XP20" ORBITAL		•	1	1365	780	1146	1,19	-
LPTB01855	CT71 B55		•	1	1365	695	1146	1,09	101,2
LPTB01856	CT71 BT55		•	1	1335	780	1146	1,19	108,90
LPTB02919	CT71 BT60		•	1	1335	780	1146	1,19	118,40
LPTB01857	CT71 BT70		•	1	1335	780	1146	1,19	115,90
LPTB03426	CT71 BT70 ANTIBACTERIAL		•	1	1335	780	1146	1,19	115,90
LPTB02921	CT71 XP60		•	1	1335	780	1146	1,19	118,4
LPTB01858	CT71 XP70		•	1	1335	780	1146	1,19	115,90
LPTB02927	CT71 XP55R		•	1	1335	780	1146	1,19	128,30
LPTB01833	CT71 XP55 600 RPM		•	1	1335	780	1146	1,19	109,00
LPTB02926	CT71 XP70 600 RPM		•	1	1335	780	1146	1,19	116,00
LPTB01671	CT71 XP20" ORBITAL		•	1	1335	780	1146	1,19	118,50
LPTB01421	CT90 BT60		•	1	1530	950	1140	1,66	135,00
LPTB01422	CT90 BT70		•	1	1530	950	1140	1,66	140,50
LPTB01423	CT90 BT85		•	1	1530	950	1140	1,66	147,50
LPTB02876	CT105 BT70		•	1	1780	940	1250	2,09	214,00
LPTB02877	CT105 BT85		•	1	1780	940	1250	2,09	222,20
LPTB02679	CT80 BT55		•	1	1450	795	1141	10,39	151,00
LPTB03422	CT80 BT55 ANTIBACTERIAL		•	1	1450	795	1141	10,39	151,00
LPTB02680	CT80 BT60		•	1	1450	795	1141	10,39	164,20
LPTB02681	CT80 BT70		•	1	1450	795	1141	10,39	173,00
LPTB02802	CT81 BT55		•	1	1450	795	1141	10,39	154,00
LPTB02803	CT81 BT60		•	1	1450	795	1141	10,39	164,20
LPTB02804	CT81 BT70		•	1	1450	795	1141	10,39	165,20
LPTB01312	CT110 BT60		•	1	1530	950	1460	2,12	238,00
LPTB01311	CT110 BT70		•	1	1530	950	1460	2,12	240,50
LPTB01311	CT110 BT70 ANTIBACTERIAL		•	1	1530	950	1460	2,12	240,50
LPTB01313	CT110 BT85		•	1	1530	950	1460	2,12	251,00
LPTB02272	CT110 BT70 R		•	1	1530	950	1460	2,12	251,00
LPTB01331	CT160 BT70		•	1	1860	1130	1490	3,13	357,00
LPTB01332	CT160 BT85		•	1	1860	1130	1490	3,13	374,00
LPTB01333	CT160 BT95		•	1	1860	1130	1490	3,13	376,00
LPTB01334	CT160 BT75R		•	1	1860	1130	1490	3,13	364,00
LPTB01335	CT160 BT75R SWEEP		•	1	1860	1130	1490	3,13	384,00
LPTB02038	CT230 BT85		•	1	2000	1280	1610	4,12	439,00
LPTB01821	CT230 BT95		•	1	2000	1280	1610	4,12	451,00
LPTB02045	CT230 BT105		•	1	2000	1280	1610	4,12	466,50
LPTB01521	CT230 BT100 R SWEEP		•	1	2000	1280	1610	4,12	466,50

SWEEPERS

Code	Model	Carton	Pallet + carton	Nr / pallet	Dimension			Volume	Weight
					L mm	W mm	H mm	m^3	kg
MSUT00645	510M	•		4	780	920	420	0,30	28,00
MSUT00765	550 M	•		21	630	560	220	0,07	9,00
MSUT00768	750 M	•		8	850	800	300	0,20	15,20
MSUT00766	750 E	•		8	850	800	300	0,20	23,00
MSUT00649	464	•		6	1130	990	1040	1,16	40,00
MSUT00651	664	•		6	880	860	550	0,42	48,70
MSUT00695	505 ET		•	1	1130	990	1040	1,16	91,00
MSUT00697	705 ET		•	1	1130	990	1040	1,16	110,00
MSUT00656	512 ET		•	1	790	1290	1060	1,08	102,00
MSUT00659	512 ET CARPET		•	1	790	1290	1060	1,08	100,00
MSUT00666	712 ET		•	1	1020	1290	1060	1,39	119,00
MSUT00669	712 ET CARPET		•	1	1020	1290	1060	1,39	119,00
MSUB00400	1050 E		•	1	1530	950	1460	2,12	210,60
MSUB00404	1050 DP-P		•	1	1730	1080	1360	2,54	244,00
MSUB00606	1250 E		•	1	1730	1080	1360	2,54	321,40
MSUB00614	1250 DP-P		•	1	1730	1080	1360	2,54	384,00
MSUB00610	1250 P		•	1	1730	1080	1360	2,54	367,00
MSUB00609	1280 E		•	1	1730	1080	1360	2,54	395,00
MSUB00617	1280 DP-P		•	1	1730	1080	1360	2,54	438,00
MSUB00613	1280 P		•	1	1730	1080	1360	2,54	426,00
MSUB00624	1280 D		•	1	1730	1080	1360	2,54	503,00
MSUB00579	1404 E		•	1	1880	1130	1470	3,12	551,50
MSUB00573	1404 DP-P		•	1	1880	1130	1470	3,12	596,00
MSUB00457	155 B		•	1	1900	1150	1600	3,35	571,00
MSUB00451	155 D		•	1	1900	1150	1600	3,35	687,00
MSUB00456	165 B		•	1	2100	1350	1630	4,37	681,00
MSUB00450	165 D		•	1	2100	1350	1630	4,37	727,00
MSUB00454	175 B		•	1	2100	1350	1630	4,37	681,00
MSUB00449	175 D		•	1	2100	1350	1630	4,37	757,00
MSUB00452	195 B		•	1	2500	1650	1750	6,9	1319,00
MSUB00453	195 P		•	1	2500	1650	1750	6,9	1406,00
MSUB00462	195 LPG		•	1	2500	1650	1750	6,9	1406,00
MSUB00448	195 D		•	1	2500	1650	1750	6,9	1422,00

SINGLE DISC - BURNISHER

Code	Model		Pallet + carton	Dimension			Volume	Weight
				L mm	W mm	H mm	m³	kg
LUMS00321	SD 13	body machine	•	450	450	230	0,04	25,00
		handle	•	1100	380	130	0,05	6,00
LUMS00322	SD 17	body machine	•	520	520	260	0,07	40,50
		handle	•	1140	450	130	0,067	8,65
LUMS00323	SD 17 HD	body machine	•	520	520	260	0,07	46,50
		handle	•	1140	450	130	0,067	8,65
LUMS00324	SD 17-400	body machine	•	520	520	260	0,07	41,00
		handle	•	1140	450	130	0,067	8,65
LUMS00325	SD 20	body machine	•	560	560	280	0,088	48,00
		handle	•	1140	450	130	0,07	8,65
LUMS00326	SD 1500 HS		•	900	680	600	0,367	47,00

IPC
BY TENNANT COMPANY

IPC
BY TENNANT COMPANY

IPC
BY TENNANT COMPANY

PLDC04770_FLOORCARE_CATALOGUE_EXPORT_2023

Ip Cleaning Srl
Viale Treviso 63 - 30026 Summaga di Portogruaro (VE) - Italy

Tel. +39 0421 205511 - Fax +39 0421 204227
info@ipcworldwide.com - www.ipcworldwide.com

IPC
BY TENNANT COMPANY